

DRINKING WATER QUALITY - DISTRICT KASUR RURAL AREAS

Sr. Sample Code	Village	Union Council	Tehsil	Location	Source	Depth (ft)	Water Table (ft)	EC µS/cm	pH	Turbidity NTU	Color	Taste	Odor	RURAL AREAS												Total Coliform	E.Coli	Safe/Unsafe						
														TDS mg/l	Alk. m.m/l	NO ₃ mg/l	NO ₂ mg/l	Cl mg/l	Ca mg/l	Mg mg/l	Hardness	Na mg/l	K mg/l	NO ₃ mg/l	NO ₂ mg/l				F mg/l	Fe mg/l	As ppb	Pb ppb		
1	KAS-1	Izani Pur	Bhagi Wal	Chunian	Masjid Hanifa	Inj.Pump	100	45	252.7	7.3	2.0	Class	Un-Obj	Un-Obj	1080	615	320	0	255	150	48	32	100	10	0.02	0.11	0.78	0.18	20.0	3.42	+ve	UnSafe		
2	KAS-2	Izani Pur	Bhagi Wal	Chunian	Jamia Masjid Fazana Medina	Inj.Pump	100	45	252.7	7.3	2.0	Class	Un-Obj	Un-Obj	1080	615	320	0	255	150	48	32	100	10	0.02	0.11	0.78	0.18	20.0	3.42	+ve	UnSafe		
3	KAS-3	Izani Pur	Bhagi Wal	Chunian	M. Iqbal	Inj.Pump	90	45	156.1	8.4	3.2	Class	Un-Obj	Un-Obj	1077	111	560	10	65	385	4	0.01	0.02	2.82	0.26	0.78	0.26	7.8	2.40	+ve	UnSafe			
4	KAS-4	Izani Pur	Bhagi Wal	Chunian	Abdul Khaliq	Inj.Pump	80	40	356.3	7.6	2.5	Class	Objct	Un-Obj	2462	12	600	0	503	710	52	51	340	780	5	0.20	0.16	3.31	0.24	12.99	0.24	+ve	UnSafe	
5	KAS-5	Izani Pur	Bhagi Wal	Chunian	M. Hanif	Inj.Pump	85	40	871	7.4	2.1	Class	Un-Obj	Un-Obj	633	7	370	0	36	160	94	40	375	162	1.00	0.01	0.56	0.10	8.43	4.56	+ve	UnSafe		
6	KAS-6	Chak10(Pind)	Chak No.13	Chunian	M.Abbas S/O M.Shafi	Inj.Pump	65	25	1976	8.0	5.0	Class	Un-Obj	Un-Obj	1115	10	490	0	85	290	18	16	110	400	7	1.20	0.03	1.50	0.22	19.92	1.19	+ve	UnSafe	
7	KAS-7	Chak10(Pind)	Chak No.13	Chunian	M. Sarwar S/O M. Khushi	Inj.Pump	90	40	4680	7.8	2.8	Class	Objct	Un-Obj	3211	18	880	0	440	1010	20	22	440	1175	8	1.90	0.00	2.92	0.28	24.71	2.70	+ve	UnSafe	
8	KAS-8	Chak10(Pind)	Chak No.13	Chunian	Ch. Sidique S/O Imran Din	Inj.Pump	90	40	5000	7.7	2.0	Class	Objct	Un-Obj	3462	14	690	0	563	1174	40	38	255	1204	15	3.20	0.13	1.85	0.81	22.03	3.21	+ve	UnSafe	
9	KAS-9	Chak10(Pind)	Chak No.13	Chunian	Jamia Masjid	Inj.Pump	90	45	3313	6.9	2.3	Class	Un-Obj	Un-Obj	2219	15	770	0	510	393	88	49	420	690	10	2.40	0.26	0.76	0.23	11.42	1.39	+ve	UnSafe	
10	KAS-10	Chak10(Pind)	Chak No.13	Chunian	Barbar San M. Azeem	Inj.Pump	80	40	777	7.4	0.2	Class	Un-Obj	Un-Obj	520	7	350	0	22	120	88	58	460	20	0.40	0.00	1.11	0.19	0.92	0.38	+ve	UnSafe		
11	KAS-11	Chak17 (Rahil Mandike Kalan)	Chak No.18	Chunian	Govt. Girl Elementary School	H. Pump	80	30	2834	7.3	3.4	Class	Un-Obj	Un-Obj	1834	12	600	0	195	650	86	79	540	435	20	2.10	0.01	3.6	0.29	12.54	2.80	+ve	UnSafe	
12	KAS-12	Chak17 (Rahil Mandike Kalan)	Chak No.18	Chunian	Markazi Jamia Masjid Moten Wali	Inj.Pump	80	35	2139	7.8	0.4	Class	Un-Obj	Un-Obj	1595	11	550	0	205	440	38	24	195	448	16	1.50	0.04	0.83	0.19	13.68	5.66	+ve	UnSafe	
13	KAS-13	Chak17 (Rahil Mandike Kalan)	Chak No.18	Chunian	Jamia Masjid	Inj.Pump	80	35	1625	8.4	2.5	Class	Un-Obj	Un-Obj	1068	11	530	10	78	340	10	5	30	410	5	0.10	0.11	2.13	0.26	18.83	1.22	+ve	UnSafe	
14	KAS-14	Chak17 (Rahil Mandike Kalan)	Chak No.18	Chunian	Rowanaryana Store	H. Pump	80	35	3084	8.3	1.7	Class	Un-Obj	Un-Obj	1166	14	710	10	268	650	10	6	50	750	24	0.40	0.10	1.46	0.17	15.80	1.06	+ve	UnSafe	
15	KAS-15	Chak17 (Rahil Mandike Kalan)	Chak No.18	Chunian	Jamia Gultar-e Madina	Well	30	20	2475	7.7	1.5	Class	Un-Obj	Un-Obj	2125	12	610	0	138	410	24	16	125	600	0	0.50	0.09	0.88	0.29	11.89	3.50	+ve	UnSafe	
16	KAS-16	Deo Sial	Deo Sial	Chunian	Makki Masjid	Inj.Pump	70	35	3283	7.9	3.6	Class	Objct	Un-Obj	2286	10	500	0	468	330	24	15	120	65	8	0.40	0.09	0.25	0.17	13.22	0.66	+ve	UnSafe	
17	KAS-17	Deo Sial	Deo Sial	Chunian	Siraj Din Shamsabad	H. Pump	90	40	3462	7.8	12.8	Class	Objct	Un-Obj	2415	10	490	0	574	695	26	18	140	800	8	0.01	0.08	1.87	0.34	16.60	0.18	+ve	UnSafe	
18	KAS-18	Deo Sial	Deo Sial	Chunian	Oranjab	H. Pump	90	45	3689	7.9	1.6	Class	Objct	Un-Obj	2291	7	370	0	588	700	26	27	175	720	8	0.01	0.08	2.06	0.26	24.13	8.49	+ve	UnSafe	
19	KAS-19	Deo Sial	Deo Sial	Chunian	M. Ramzan	Inj.Pump	90	40	5276	7.6	3.0	Class	Objct	Un-Obj	3151	11	560	0	638	1110	38	26	200	990	12	0.70	0.08	2.94	0.16	13.83	1.92	+ve	UnSafe	
20	KAS-20	Deo Sial	Deo Sial	Chunian	Zaidar Dera Nazim	H. Pump	90	40	3418	7.9	3.1	Class	Objct	Un-Obj	1946	10	510	0	367	500	29	28	180	620	6	0.10	0.08	1.76	0.22	6.94	1.33	+ve	UnSafe	
21	KAS-21	Shamas Abad	Deo Sial	Chunian	H. Hussain	H. Pump	90	40	898	7.9	1.5	Class	Un-Obj	Un-Obj	616	8	390	0	35	100	36	27	200	166	4	3.20	0.11	0.90	0.23	10.15	4.95	+ve	UnSafe	
22	KAS-22	Shamas Abad	Deo Sial	Chunian	Masjid Abdulhalq	Inj.Pump	90	40	976	7.6	2.3	Class	Un-Obj	Un-Obj	687	8	400	0	40	140	46	52	330	141	7	4.70	0.11	0.51	0.16	8.12	1.32	+ve	UnSafe	
23	KAS-23	Shamas Abad	Deo Sial	Chunian	Wishaka Huseen	H. Pump	90	40	142	8.1	1.6	Class	Un-Obj	Un-Obj	1120	10	400	0	61	130	0.06	0.06	0.06	0.06	6.10	0.06	0.06	0.06	0.06	0.46	2.72	+ve	UnSafe	
24	KAS-24	Shamas Abad	Deo Sial	Chunian	M. Sadeque Deesal	Inj.Pump	90	40	1235	8.2	2.7	Class	Un-Obj	Un-Obj	712	10	490	10	50	120	18	63	305	148	5	3.20	0.07	0.46	0.14	13.92	2.11	+ve	UnSafe	
25	KAS-25	Shamas Abad	Deo Sial	Chunian	Sardar Shaikat	Inj.Pump	90	40	1832	8.7	4.8	Class	Un-Obj	Un-Obj	1128	12	610	10	121	890	8	420	0	77	335	2	4.80	0.12	2.25	0.15	2.44	0.09	+ve	UnSafe
26	KAS-26	Akaki Ki (Rasool Pur)	Dhuttay	Chunian	Sonr. Boys Primary School	Inj.Pump	100	45	2650	8.3	2.4	Class	Un-Obj	Un-Obj	1785	10	900	10	119	550	28	21	155	578	7	3.60	0.11	0.65	0.26	10.74	2.50	+ve	UnSafe	
27	KAS-27	Akaki Ki (Rasool Pur)	Dhuttay	Chunian	Jamia Masjid Khazoor Wali	Inj.Pump	100	45	3912	8.3	2.6	Class	Objct	Un-Obj	2241	10	490	0	800	119	410	440	69	13	530	0.08	0.22	1.14	0.21	11.31	1.13	+ve	UnSafe	
28	KAS-28	Akaki Ki (Rasool Pur)	Dhuttay	Chunian	Noor Muhammad Akkake	Inj.Pump	100	45	1724	7.8	2.6	Class	Un-Obj	Un-Obj	995	8	420	0	120	240	40	21	185	300	10	2.90	0.07	1.22	0.21	10.90	1.42	+ve	UnSafe	
29	KAS-29	Akaki Ki (Rasool Pur)	Dhuttay	Chunian	Miraj Din	H. Pump	100	45	3717	8.1	7.2	Class	Objct	Un-Obj	2332	8	410	0	298	914	26	17	135	810	7	3.10	0.06	2.60	0.25	18.62	0.74	+ve	UnSafe	
30	KAS-30	Akaki Ki (Rasool Pur)	Dhuttay	Chunian	M. Bora	Inj.Pump	100	45	2408	7.8	2.2	Class	Objct	Un-Obj	2408	8	400	0	240	400	20	19	195	490	10	0.90	0.06	0.29	0.10	10.66	1.41	+ve	UnSafe	
31	KAS-31	Dhuttay	Dhuttay	Chunian	Govt. Primary School	Inj.Pump	100	45	5880	7.8	1.9	Class	Objct	Un-Obj	3277	19	970	0	580	950	52	86	485	390	56	9.20	0.03	2.38	0.20	11.71	4.44	+ve	UnSafe	
32	KAS-32	Dhuttay	Dhuttay	Chunian	M. Bora	Inj.Pump	100	45	4784	7.9	1.5	Class	Objct	Un-Obj	2849	15	770	0	463	900	26	21	150	950	9	4.10	0.04	1.56	0.18	22.40	5.58	+ve	UnSafe	
33	KAS-33	Dhuttay	Dhuttay	Chunian	M. Yousof	Inj.Pump	100	45	3677	7.8	2.6	Class	Objct	Un-Obj	2188	16	820	0	562	670	28	15	125	760	5	2.00	0.07	0.88	0.17	14.94	1.32	+ve	UnSafe	
34	KAS-34	Dhuttay	Dhuttay	Chunian	Ch. Akbar Rahman Chousa	Inj.Pump	100	45	3912	8.3	3.6	Class	Objct	Un-Obj	2544	21	1030	10	668	110	8	11	65	999	6	5.90	0.06	0.10	0.16	20.18	1.71	+ve	UnSafe	
35	KAS-35	Dhuttay	Dhuttay	Chunian	Jamia Masjid Hanifa Chousa	Inj.Pump	100	45	2950	7.8	2.2	Class	Objct	Un-Obj	1943	15	770	0	297	390	32	26	185	710	7	4.50	0.15	2.66	0.15	11.71	4.42	+ve	UnSafe	
36	KAS-36	Thong Jattan (Elahabad)	Elahabad	Chunian	F.S. Feroz Hote	Inj.Pump	120	65	958	7.7	3.0	Class	Un-Obj	Un-Obj	638	6	310	0	67	150	42	10	145	125	3	3.50	0.11	0.49	0.17	1.98	3.49	+ve	UnSafe	
37	KAS-37	Thong Jattan (Elahabad)	Elahabad	Chunian	M. Adnan	Inj.Pump	120	65	958	7.7	3.0	Class	Un-Obj	Un-Obj	638	6	310	0	67	150	42	10	145	125	3	3.50	0.11	0.49	0.17	1.98	3.49	+ve	UnSafe	
38	KAS-38	Thong Jattan (Elahabad)	Elahabad	Chunian	Jamia Masjid Hinarwali	Inj.Pump	120	60	1054	7.3	4.0	Class	Un-Obj	Un-Obj	594	7	330	0	51	138	36	12	105	136	11	3.40	0.10	0.43	0.17	10.86	4.51	+ve	UnSafe	
39	KAS-39	Thong J																																

Sl. No	Sample Code	Village	Union Council	Tehsil	Location	Source	Depth (ft)	Water Table	EC /µm/cm	pH	Turbidity NTU	Color	Taste	Odor	TDS mg/l	Alk. m.mol/l	HCO ₃ mg/l	CO ₂ mg/l	Cl mg/l	SO ₄ mg/l	Ca mg/l	Mg mg/l	Hardness mg/l	Na mg/l	K mg/l	NO ₂ mg/l	NO ₃ mg/l	PO ₄ mg/l	F mg/l	Fe mg/l	As mg/l	Pb mg/l	Total Coliform	E.Coli	Safe/Unsafe
411	KAS-411	Peru Wala	Qadi Wind	Kasur	Dera Rai Khushi Muhammad	Ins.Pump	80	50	1505	7.3	2.5	C	Clear	Un-Obj	Un-Obj	953	NONE	NONE	NONE	250	500	NONE	NONE	500	300	NONE	10.00	NONE	1.50	0.20	50.00	50.00	-ve	-ve	Safe
412	KAS-412	Peru Wala	Qadi Wind	Kasur	M. Nushat/S/O Qam Din	Ins.Pump	70	50	1553	7.3	2.8	C	Clear	Un-Obj	Un-Obj	978	12	580	0	87	225	48	87	188	10	5.32	0.02	1.39	0.06	27.21	1.30	-ve	-ve	Unsafe	
413	KAS-413	Peru Wala	Qadi Wind	Kasur	M. Yousof S/O M. Sharif	Ins.Pump	70	50	1226	7.4	2.7	C	Clear	Un-Obj	Un-Obj	728	0	470	0	43	160	44	74	115	18	2.76	0.03	1.26	0.03	1.19	1.82	-ve	-ve	Unsafe	
414	KAS-414	Peru Wala	Qadi Wind	Kasur	M. Tufail S/O Harfuz	Ins.Pump	70	50	1285	7.4	2.8	C	Clear	Un-Obj	Un-Obj	117	11	550	0	24	225	28	21	185	50	6.01	0.03	0.98	0.03	0.51	2.02	-ve	-ve	Unsafe	
415	KAS-415	Peru Wala	Qadi Wind	Kasur	M. Umar Number Dar	Ins.Pump	75	50	1867	7.6	2.8	C	Clear	Un-Obj	Un-Obj	1307	7	600	0	94	370	38	35	320	350	10	6.95	0.07	1.76	0.03	1.44	3.35	-ve	-ve	Unsafe
416	KAS-416	Bagr Ke	Rajwal Nau	Kasur	Bashrat S/O Ahmed	H.Pump	80	35	712	7.6	1.5	C	Clear	Un-Obj	Un-Obj	427	0	340	0	21	151	31	28	100	40	1.11	0.31	0.28	0.00	40.74	4.05	-ve	-ve	Safe	
417	KAS-417	Bagr Ke	Rajwal Nau	Kasur	M. Siddique S/O M. Din	Ins.Pump	60	20	1002	7.5	1.8	C	Clear	Un-Obj	Un-Obj	589	0	440	0	72	35	120	36	450	41	11.27	0.46	0.30	0.00	27.78	2.25	-ve	-ve	Unsafe	
418	KAS-418	Bagr Ke	Rajwal Nau	Kasur	Ashraf Mahmood S/O Ahmed Din	Ins.Pump	70	30	1093	7.3	2.6	C	Clear	Un-Obj	Un-Obj	642	9	430	0	74	70	132	34	470	59	12	0.67	0.24	0.26	0.00	1.21	1.08	-ve	-ve	Unsafe
419	KAS-419	Bagr Ke	Rajwal Nau	Kasur	Ahmed Din S/O Shahbaz	H.Pump	80	30	637	7.6	1.9	C	Clear	Un-Obj	Un-Obj	405	7	330	0	18	38	80	39	360	9	0.86	0.34	0.22	0.12	50.74	2.61	-ve	-ve	Unsafe	
420	KAS-420	Bagr Ke	Rajwal Nau	Kasur	Adnan Ali S/O Guliam Muhammad	Ins.Pump	70	30	572	7.8	1.8	C	Clear	Un-Obj	Un-Obj	351	5	230	0	32	38	40	39	260	45	12	1.60	0.35	0.22	0.00	58.92	2.86	-ve	-ve	Unsafe
421	KAS-421	Harid Sheikh Seead	Rajwal Nau	Kasur	Jamia Masjid	Ins.Pump	145	35	800	7.3	1.8	C	Clear	Un-Obj	Un-Obj	557	7	370	0	61	80	64	58	400	61	10	0.32	0.53	0.23	0.00	25.53	2.38	-ve	-ve	Unsafe
422	KAS-422	Harid Sheikh Seead	Rajwal Nau	Kasur	M. Nawaz S/O M. Ashraf	Ins.Pump	69	30	895	7.1	1.7	C	Clear	Un-Obj	Un-Obj	316	9	300	0	22	85	60	73	450	32	7	0.52	0.47	0.21	0.00	8.26	3.59	-ve	-ve	Unsafe
423	KAS-423	Harid Sheikh Seead	Rajwal Nau	Kasur	Govt. Primary School	H.Pump	60	25	1020	7.1	2.6	C	Clear	Un-Obj	Un-Obj	660	9	440	0	43	135	64	75	470	74	11	0.64	0.54	0.24	0.00	4.41	5.17	-ve	-ve	Safe
424	KAS-424	Harid Sheikh Seead	Rajwal Nau	Kasur	Jamia Masjid Ali Faisal	Ins.Pump	80	20	1138	7.4	2.3	C	Clear	Un-Obj	Un-Obj	731	9	440	0	67	130	130	38	480	95	10	0.96	0.53	0.37	0.00	6.40	2.24	-ve	-ve	Unsafe
425	KAS-425	Harid Sheikh Seead	Rajwal Nau	Kasur	Khadij Ali S/O Hussain	Ins.Pump	70	30	941	7.2	2.0	C	Clear	Un-Obj	Un-Obj	619	9	450	0	38	100	102	88	410	71	12	2.09	0.59	0.26	0.00	13.95	3.16	-ve	-ve	Safe
426	KAS-426	Jooh Singh Wala	Rajwal Nau	Kasur	M. Rashid S/O Sada	H.Pump	60	30	1105	7.2	6.0	C	Clear	Un-Obj	Un-Obj	702	8	400	0	43	156	100	35	396	118	9	0.32	0.47	0.45	0.05	63.62	0.46	-ve	-ve	Unsafe
427	KAS-427	Jooh Singh Wala	Rajwal Nau	Kasur	Abdul Rashid S/O Saja	H.Pump	95	35	1391	7.1	17.1	C	Clear	Un-Obj	Un-Obj	966	9	470	0	96	250	150	47	70	128	12	0.15	0.47	0.56	0.48	10.58	1.45	-ve	-ve	Unsafe
428	KAS-428	Jooh Singh Wala	Rajwal Nau	Kasur	Yousaf S/O Ismail	Ins.Pump	80	35	909	7.4	5.1	C	Clear	Un-Obj	Un-Obj	637	7	360	0	57	142	108	39	430	79	8	0.10	0.42	0.37	0.04	1.01	2.48	-ve	-ve	Unsafe
429	KAS-429	Jooh Singh Wala	Rajwal Nau	Kasur	Luqat Ali S/O Faraz	H.Pump	70	35	1109	7.2	6.0	C	Clear	Un-Obj	Un-Obj	736	6	290	0	106	180	96	39	400	128	10	0.80	0.48	0.20	0.01	58.89	2.18	-ve	-ve	Unsafe
430	KAS-430	Jooh Singh Wala	Rajwal Nau	Kasur	M. Hanif S/O M. Bashir	H.Pump	65	35	1194	7.8	8.5	C	Clear	Un-Obj	Un-Obj	614	7	360	0	156	78	105	55	490	25	10	0.65	0.47	0.30	0.45	48.25	1.59	-ve	-ve	Unsafe
431	KAS-431	Najabat	Rajwal Nau	Kasur	M.Sharif S/O Akbar Ali	H.Pump	70	25	1056	8.0	26.0	C	Clear	Un-Obj	Un-Obj	731	9	440	0	62	160	116	53	510	63	12	0.15	0.56	0.45	0.03	12.12	2.50	-ve	-ve	Unsafe
432	KAS-432	Najabat	Rajwal Nau	Kasur	Fazal Akbar S/O Shah Muhammad	H.Pump	65	25	1041	7.6	4.8	C	Clear	Un-Obj	Un-Obj	717	8	300	0	43	190	104	44	440	91	12	0.65	0.53	0.58	0.03	30.16	2.71	-ve	-ve	Unsafe
433	KAS-433	Najabat	Rajwal Nau	Kasur	Jamia Time Uman	Ins.Pump	70	30	988	7.3	4.4	C	Clear	Un-Obj	Un-Obj	666	6	370	0	32	170	118	38	450	69	10	1.79	0.35	0.53	0.05	0.65	4.45	-ve	-ve	Safe
434	KAS-434	Najabat	Rajwal Nau	Kasur	Govt. High School	Ins.Pump	80	35	736	7.7	2.8	C	Clear	Un-Obj	Un-Obj	478	7	340	0	32	70	80	20	220	49	12	0.00	0.43	0.29	0.18	1.13	2.23	-ve	-ve	Safe
435	KAS-435	Najabat	Rajwal Nau	Kasur	Anwar Mechin	Ins.Pump	80	35	792	7.3	5.0	C	Clear	Un-Obj	Un-Obj	546	8	380	0	39	78	80	34	240	75	10	0.29	0.36	0.13	0.24	5.17	3.21	-ve	-ve	Safe
436	KAS-436	Naipal Wai Nau And Rathor	Rajwal Nau	Kasur	M. Rajpal S/O Sewala	Ins.Pump	80	35	1899	7.2	6.0	C	Clear	Un-Obj	Un-Obj	737	7	400	0	72	101	54	0.14	0.09	26.42	2.0	-ve	-ve	-ve	-ve	-ve	-ve	-ve	-ve	Unsafe
437	KAS-437	Naipal Wai Nau And Rathor	Rajwal Nau	Kasur	M. Aslam S/O M. Ibrahim	H.Pump	60	30	745	7.8	5.6	C	Clear	Un-Obj	Un-Obj	508	7	340	0	25	94	56	64	405	50	6	2.10	0.37	0.10	0.00	0.28	1.28	-ve	-ve	Unsafe
438	KAS-438	Naipal Wai Nau And Rathor	Rajwal Nau	Kasur	Tal Din S/O Rahmat Ali	H.Pump	39	20	601	7.4	0.5	C	Clear	Un-Obj	Un-Obj	377	5	260	0	21	65	48	50	325	30	4	0.76	0.26	0.12	0.50	59.97	0.52	-ve	-ve	Unsafe
439	KAS-439	Naipal Wai Nau And Rathor	Rajwal Nau	Kasur	M. Hattab/S/O Sale	Ins.Pump	80	25	676	7.4	1.4	C	Clear	Un-Obj	Un-Obj	468	5	250	0	64	110	53	360	44	5	0.68	0.27	0.20	0.22	0.61	2.86	-ve	-ve	Unsafe	
440	KAS-440	Naipal Wai Nau And Rathor	Rajwal Nau	Kasur	M. Shah S/O Noor Muhammad	Ins.Pump	65	20	974	7.1	6.4	C	Clear	Un-Obj	Un-Obj	621	8	300	0	64	156	68	410	88	6	0.95	0.16	0.29	0.00	8.26	2.29	-ve	-ve	Unsafe	
441	KAS-441	Rango Wala	Rajwal Nau	Kasur	M. Razaq/S/O Abdul Shakoor	Ins.Pump	110	40	972	7.1	7.5	C	Clear	Un-Obj	Un-Obj	637	8	380	0	80	150	20	107	490	43	8	0.32	0.19	0.08	0.44	1.86	0.32	-ve	-ve	Unsafe
442	KAS-442	Rango Wala	Rajwal Nau	Kasur	Niaz Muhammad S/O Altaf Ditta	Ins.Pump	120	40	970	7.1	38.0	C	Clear	Un-Obj	Un-Obj	577	8	400	0	89	88	72	109	480	31	8	0.06	0.23	0.00	0.23	4.00	1.56	-ve	-ve	Unsafe
443	KAS-443	Rango Wala	Rajwal Nau	Kasur	M. Rafiq S/O Hussain	Ins.Pump	110	30	1100	7.2	6.0	C	Clear	Un-Obj	Un-Obj	580	8	380	0	72	100	104	44	440	25	6	0.17	0.24	0.11	0.17	13.67	1.25	-ve	-ve	Unsafe
444	KAS-444	Rango Wala	Rajwal Nau	Kasur	Muhammad Hanif S/O M. Ali	Ins.Pump	100	65	790	7.2	6.0	C	Clear	Un-Obj	Un-Obj	468	7	340	0	23	70	58	46	410	32	5	0.00	0.27	0.06	0.04	0.50	1.33	-ve	-ve	Safe
445	KAS-445	Rango Wala	Rajwal Nau	Kasur	M. Hanif S/O M. Bashir	Ins.Pump	130	60	952	7.2	6.0	C	Clear	Un-Obj	Un-Obj	557	8	420	0	78	68	8	109	470	35	7	0.08	0.25	0.00	1.69	0.02	4.86	-ve	-ve	Unsafe
446	KAS-446	Talora Kamawala	Rajwal Nau	Kasur	Bashir Ahmed S/O M. Ali	Ins.Pump	70	35	1638	7.4	8.2	C	Clear	Un-Obj	Un-Obj	1134	12	600	0	112	260	56	265	515	5	0.19	0.06	1.12	0.00	1.07	2.56	-ve	-ve	Unsafe	
447	KAS-447	Talora Kamawala	Rajwal Nau	Kasur	Rahmat Ali S/O Jamil Din	Ins.Pump	70	35	1899	7.2	6.0	C	Clear	Un-Obj	Un-Obj	740	14	600	0	60	410	60	40	400	61	7	0.65	0.09	0.03	0.02	0.92	2.36	-ve	-ve	Unsafe

No	Sample Code	Village	Union Council	Tehsil	Location	Source	Depth (ft)	Water Table	EC µS/cm	Turbidity NTU	Color	Taste	Odor	TDS mg/l	Alk. mg/l	HCO ₃ ⁻ mg/l	CO ₃ ⁻ mg/l	Cl ⁻ mg/l	NO ₃ ⁻ mg/l	Cs mg/l	Mg mg/l	Hardness mg/l	Na mg/l	K mg/l	NO ₂ ⁻ mg/l	PO ₄ ⁻ mg/l	F mg/l	Fe mg/l	As mg/l	Pb mg/l	Total Coliform	E.Coli	Safe/Unsafe
Permissible Limit (PSC/CL)																																	
514	KAS-514	Zafar Ke		Kasur	Saman S/O Kutho	H.Pump	60	40	796	7.3	0.9	Clear	Un-obj	455	NONE	NONE	NONE	50	80	24	73	360	46	0.11	0.18	0.48	6.46	20.20	2.73	+	+	Safe	
515	KAS-515	Zafar Ke		Kasur	Sabit Ali S/O Barkat Ali	Inj.Pump	110	60	660	7.3	1.3	Clear	Un-obj	410	5	270	0	40	76	20	70	340	35	0.16	0.23	0.41	0.11	10.33	2.25	+	+	Safe	
516	KAS-516	Alpa Kalan		Pattoki	Govt E/3 for Boys	H.Pump	65	60	551	7.9	0.9	Clear	Un-obj	331	4	180	0	51	56	74	13	240	19	0.06	0.15	0.62	0.07	9.30	2.02	+	+	Safe	
517	KAS-517	Alpa Kalan		Pattoki	Dera Sher Muhammad	H.Pump	65	15	1576	7.8	1.0	Clear	Un-obj	946	8	390	0	86	311	36	35	390	182	0.70	0.23	0.50	0.01	4.26	4.42	+	+	Safe	
518	KAS-518	Alpa Kalan		Pattoki	M.Zahid S/O Professor	Inj.Pump	100	35	798	7.6	5.7	Yellow	Un-obj	205	0	300	0	99	67	100	35	250	47	1.85	0.14	0.33	0.01	1.02	1.82	+	+	Safe	
519	KAS-519	Alpa Kalan		Pattoki	M.Awas S/O M.Yousaf	H.Pump	70	30	342	8.0	1.0	Clear	Un-obj	205	0	160	0	11	26	50	9	160	11	0.28	0.02	0.18	0.05	8.27	5.71	+	+	Safe	
520	KAS-520	Alpa Kalan		Pattoki	Ashraf S/O Ramzan	Tuber well	500	30	320	8.4	1.7	Clear	Un-obj	192	7	100	14	44	38	13	150	13	7	0.24	0.05	0.38	0.22	5.10	1.22	+	+	Safe	
521	KAS-521	Alpa Kalan		Pattoki	M. Yasir S/O M. Jaleel	Inj.Pump	115	35	915	7.6	0.8	Clear	Un-obj	549	5	270	0	78	122	102	28	370	41	1.52	0.19	0.62	0.01	36.62	1.12	+	+	Safe	
522	KAS-522	Aujhal		Pattoki	M.Arif S/O M.Jabbar	Inj.Pump	110	20	1475	8.5	1.1	Clear	Un-obj	885	8	410	20	21	300	48	27	230	240	0.31	0.03	0.83	0.02	10.59	7.5	+	+	Safe	
523	KAS-523	Aujhal		Pattoki	M.Usseef S/O Riaz Ahmed	Inj.Pump	110	35	1148	8.4	3.5	Clear	Un-obj	689	6	290	10	25	245	22	18	130	190	0.26	0.02	0.23	0.06	18.29	1.76	+	+	Safe	
524	KAS-524	Aujhal		Pattoki	Asif Muhammad S/O Ghulam	Inj.Pump	140	40	1246	8.0	3.1	Clear	Un-obj	748	5	250	0	92	255	58	47	340	122	0.41	0.05	0.88	0.67	39.84	0.60	+	+	Safe	
525	KAS-525	Aujhal		Pattoki	Safit Ullah S/O Ali	H.Pump	90	60	1610	8.4	2.0	Clear	Un-obj	966	8	380	10	74	317	88	35	240	277	0.29	0.07	0.06	0.02	13.28	1.78	+	+	Safe	
526	KAS-526	Bah Kalan		Pattoki	Govt Primary School	Inj.Pump	110	65	2540	8.6	0.1	Clear	Un-obj	1609	10	520	30	263	570	50	33	260	550	1.83	0.04	0.51	0.21	16.23	1.68	+	+	Safe	
527	KAS-527	Bah Kalan		Pattoki	Govt Primary School	H.Pump	70	30	784	7.9	0.1	Clear	Un-obj	470	7	340	0	32	51	62	26	260	84	0.00	0.01	0.48	0.11	5.29	2.86	+	+	Safe	
528	KAS-528	Bah Kalan		Pattoki	M. Mukhtar S/O M. Ali	Inj.Pump	120	25	1169	7.8	1.8	Clear	Un-obj	828	4	200	9	99	270	90	23	320	124	0.26	0.01	0.35	0.00	6.94	2.40	+	+	Safe	
529	KAS-529	Bah Kalan		Pattoki	Dera Ghulam Haidar S/O Nazir	Tuber well	200	30	769	7.6	1.2	Clear	Un-obj	461	6	310	14	70	78	33	330	39	4	1.60	0.03	0.56	0.19	10.41	2.42	+	+	Safe	
530	KAS-530	Bah Kalan		Pattoki	Tariq Gondal S/O Ilyas	Inj.Pump	140	35	284	8.1	6.3	Clear	Un-obj	170	2	120	0	14	22	34	13	140	9	0.17	0.02	0.28	0.07	2.87	3.92	+	+	Safe	
531	KAS-531	Dulo Multani		Pattoki	Dera M Saad S/O Fazal	H.Pump	100	30	3530	8.6	0.4	Clear	Un-obj	2118	7	350	20	265	177	40	40	265	68	0.36	0.26	0.82	0.01	12.74	4.26	+	+	Safe	
532	KAS-532	Dulo Multani		Pattoki	M. Jamun S/O M. Sarfaraz	Inj.Pump	120	40	1952	8.5	0.1	Clear	Un-obj	1141	9	420	20	142	350	18	7	75	411	0.00	0.13	0.77	0.08	15.08	2.62	+	+	Safe	
533	KAS-533	Dulo Multani		Pattoki	Shoukat Ali S/O Ali Bux	Inj.Pump	110	25	2410	8.0	0.1	Clear	Un-obj	1446	9	450	0	202	450	84	56	440	375	0.26	0.14	0.72	0.09	14.39	5.45	+	+	Safe	
534	KAS-534	Dulo Multani		Pattoki	Saleem Hash S/O Sarfaraz	Inj.Pump	110	30	2593	8.1	0.0	Clear	Un-obj	1556	9	450	0	259	476	60	51	360	435	0.27	0.11	0.95	0.10	18.43	2.49	+	+	Safe	
535	KAS-535	Dulo Multani		Pattoki	M. Adnan S/O Nazim Din	Inj.Pump	120	30	1538	8.5	0.0	Clear	Un-obj	929	17	350	20	142	114	24	30	185	409	0.06	0.03	0.26	0.09	18.43	0.08	+	+	Safe	
536	KAS-536	Baghiana Kalan		Pattoki	Water Supply Scheme	W.Supply	40	40	405	8.3	0.8	Clear	Un-obj	243	3	140	14	48	24	15	120	43	2	0.26	0.23	0.56	0.35	4.44	2.21	+	+	Safe	
537	KAS-537	Baghiana Kalan		Pattoki	Sardar Ehsan S/O Rehamat	Inj.Pump	130	40	462	8.2	0.7	Clear	Un-obj	207	3	170	0	28	30	18	120	31	4	4.29	0.09	0.24	0.03	5.40	1.17	+	+	Safe	
538	KAS-538	Baghiana Kalan		Pattoki	M. Ramzan S/O Basra	W.Supply	500	40	486	8.5	1.5	Clear	Un-obj	304	5	230	10	25	41	14	17	105	86	0.24	0.05	0.81	0.10	30.90	0.05	+	+	Safe	
539	KAS-539	Baghiana Kalan		Pattoki	M. Irfan S/O Jammat	Inj.Pump	100	30	1920	8.5	0.1	Clear	Un-obj	1100	10	400	20	264	18	0.62	0.11	0.02	0.12	14.85	1.34	0.02	0.01	13.24	1.34	+	+	Safe	
540	KAS-540	Baghiana Kalan		Pattoki	Asim Ali S/O M. Yaseen	Inj.Pump	100	35	747	8.2	1.0	Clear	Un-obj	648	8	310	0	43	25	52	28	245	82	0.23	0.18	0.38	0.10	8.50	4.43	+	+	Safe	
541	KAS-541	Bharwal Kalan		Pattoki	Water Supply Scheme	W.Supply	450	40	1040	8.4	0.1	Clear	Un-obj	624	8	390	10	25	67	40	39	260	112	4	0.32	0.17	0.34	0.15	13.18	3.42	+	+	Safe
542	KAS-542	Bharwal Kalan		Pattoki	Dera Muhammad Tufail	H.Pump	70	40	913	8.0	0.7	Clear	Un-obj	548	8	410	14	40	41	270	35	5	213	0.60	0.14	0.01	0.20	3.84	3.86	+	+	Safe	
543	KAS-543	Bharwal Kalan		Pattoki	M. Khan S/O Akbar Ditta	H.Pump	35	35	1308	8.7	3.8	Clear	Un-obj	480	11	410	40	28	150	28	40	295	5	1.15	0.06	1.65	0.34	16.62	2.68	+	+	Safe	
544	KAS-544	Bharwal Kalan		Pattoki	Faqir M/S/O Khushi	H.Pump	95	35	1393	7.7	0.7	Yellow	Un-obj	836	11	530	0	71	125	72	53	400	195	0.20	0.04	0.54	0.19	6.23	2.91	+	+	Safe	
545	KAS-545	Bharwal Kalan		Pattoki	Nabi Ahmed S/O Noor	Tuber well	200	25	1172	8.0	1.7	Clear	Un-obj	775	8	390	0	67	160	80	36	350	126	3	4.81	0.05	0.68	0.00	11.00	1.10	+	+	Safe
546	KAS-546	Bhonne Ke Ubar		Pattoki	M. Usman Hashi	Inj.Pump	100	30	1968	8.5	0.1	Clear	Un-obj	1080	10	400	20	95	280	30	35	190	68	0.11	0.18	0.11	0.01	19.01	2.51	+	+	Safe	
547	KAS-547	Bhonne Ke Ubar		Pattoki	Dera Muhammad Arif S/O Muhammad Ilyas	Inj.Pump	80	35	2941	8.2	3.7	Clear	Un-obj	1767	8	490	0	269	570	48	72	415	447	0.02	0.07	2.04	0.03	10.37	1.15	+	+	Safe	
548	KAS-548	Bhonne Ke Ubar		Pattoki	Ch. Azeem S/O M. Muthaib	H.Pump	95	20	3471	8.2	1.5	Clear	Un-obj	2083	10	500	10	190	890	46	55	240	576	5	3.90	0.51	1.50	0.11	9.04	0.08	+	+	Safe
549	KAS-549	Bhonne Ke Ubar		Pattoki	Haspooz S/O M. Ali	H.Pump	100	20	2872	8.5	0.7	Clear	Un-obj	1722	11	530	20	184	46	58	345	455	20	7.57	0.12	0.69	0.01	2.23	2.23	+	+	Safe	
550	KAS-550	Bhonne Ke Ubar		Pattoki	M. Usman S/O M. Yaseen	Inj.Pump	95	20	2176	8.5	1.0	Clear	Un-obj	1470	9	400	20	142	350	18	7	75	411	0.02	0.13	0.77	0.08	15.08	2.62	+	+	Safe	
551	KAS-551	Bhore Asal		Pattoki	Marko Jani Masjid Elhe Sunnat	Inj.Pump	110	20	2656	8.5	0.8	Clear	Un-obj	1394	21	1050	20	356	1050	24	36	210	1220	0.72	0.09	2.56	0.26	30.03	2.24	+	+	Safe	
552	KAS-552	Bhore Asal		Pattoki	Dera Baba Younis	Inj.Pump	110	20	2882	8.6	2.5	Clear	Un-obj	1711	13	650	20	369	760	8	15	80	524	3	1.69	0.09	1.18	0.11	12.08	2.29	+	+	Safe
553	KAS-553	Bhore Asal		Pattoki	Abdus Salam S/O M. Yousaf	Inj.Pump	100	20	2978	8.1	0.4	Clear	Un-obj	1003	72	23	275	610	5	0.00	0.06	0.55	0.19	1.55	2.53	0.01	0.01	13.78	1.39	+	+	Safe	
554	KAS-554	Bhore Asal		Pattoki	Tal. Din S/O Ghulam	Inj.Pump	150	35	3291	7.9	0.4</																						

Sr. No	Sample Code	Village	Union Council	Tehsil	Location	Source	Depth (ft)	Water Table	EC µS/cm	pH	Turbidity NTU	Color	Taste	Odor	TDS mg/l	Alk. m.mol/l	HCO ₃ mg/l	CO ₂ mg/l	Cl mg/l	SO ₄ mg/l	Ca mg/l	Mg mg/l	Hardness mg/l	K mg/l	Na mg/l	NO ₂ mg/l	NO ₃ mg/l	F mg/l	Fe mg/l	As µg/l	Pb µg/l	Total Coliform	E.Coli	Safe/Unsafe	Permissible Limit (PSC/CL)			
																																			4.5-8.5	8.0	Class	Un-Obj
617	KAS-617	Khanke More	Khanke More	Pattoki	Dera Man Tariq Bin Zia	H.Pump	80	35	525	7.6	4.2	Class	Un-Obj	Un-Obj	3189	80	NO ₂	NO ₃	270	0	18	11	72	15	240	29	4	0.72	0.07	0.01	0.27	3.32	2.38	-ve	-ve	Safe		
618	KAS-618	Khanke More	Khanke More	Pattoki	Alfred Hotel near Haleeb Factory	H.Pump	100	45	1648	8.5	0.9	Class	Un-Obj	Un-Obj	989	7	350	20	82	363	52	68	410	209	7	0.39	0.09	1.72	0.12	0.36	0.09	1.42	+ve	+ve	Unsafe			
619	KAS-619	Khanke More	Khanke More	Pattoki	Govt E/S	H.Pump	60	25	1113	8.0	0.1	Class	Un-Obj	Un-Obj	668	8	410	112	70	72	56	410	103	5	0.26	0.08	0.61	0.13	0.90	1.95	-ve	-ve	Safe					
620	KAS-620	Khanke More	Khanke More	Pattoki	Muhammad S/O Khushi	H.Pump	95	35	1183	8.1	0.0	Class	Un-Obj	Un-Obj	948	9	450	0	128	205	48	51	330	190	7	5.83	0.08	0.85	0.23	3.39	2.97	-ve	-ve	Safe				
621	KAS-621	Ballo Ki	Kot Sandar Singh	Pattoki	Govt High School	Inj.Pump	100	40	267	8.4	0.1	Class	Un-Obj	Un-Obj	340	4	180	10	63	38	26	12	115	80	2	0.23	0.07	0.98	0.10	10.15	4.82	-ve	-ve	Safe				
622	KAS-622	Ballo Ki	Kot Sandar Singh	Pattoki	Dera saved Mumtaz Hussain	H.Pump	60	40	761	8.6	4.8	Class	Un-Obj	Un-Obj	457	5	250	20	67	33	86	5	235	83	11	0.38	0.04	0.28	0.22	13.27	0.84	+ve	+ve	Unsafe				
623	KAS-623	Ballo Ki	Kot Sandar Singh	Pattoki	Jadajat S/O Bashir	W.Supply	400	30	567	8.5	1.5	Class	Un-Obj	Un-Obj	340	4	180	20	18	70	34	23	180	68	5	1.33	0.01	0.98	0.01	4.61	1.80	+ve	+ve	Unsafe				
624	KAS-624	Ballo Ki	Kot Sandar Singh	Pattoki	Anar Ali S/O Yaseen	Inj.Pump	120	35	590	8.2	0.0	Class	Un-Obj	Un-Obj	354	4	200	0	25	90	62	11	250	21	4	0.00	0.07	0.20	0.11	17.25	2.22	+ve	+ve	Unsafe				
625	KAS-625	Ballo Ki	Kot Sandar Singh	Pattoki	Shabar S/O Taj	Inj.Pump	110	30	690	8.3	0.4	Class	Un-Obj	Un-Obj	410	4	180	0	57	95	18	12	95	113	4	2.32	0.06	0.84	0.08	30.40	4.92	-ve	-ve	Safe				
626	KAS-626	Kamo Gill	Lambey Jagir	Pattoki	Govt Primary School	H.Pump	90	30	918	8.5	1.8	Class	Un-Obj	Un-Obj	551	5	260	20	71	141	78	32	325	69	4	1.04	0.07	0.36	0.04	7.27	3.46	+ve	+ve	Unsafe				
627	KAS-627	Kamo Gill	Lambey Jagir	Pattoki	Ch.Riaz Ahmed S/O Rehmat	H.Pump	80	30	909	7.4	1.0	Class	Un-Obj	Un-Obj	545	7	350	0	57	70	84	44	390	41	6	7.43	0.18	1.16	0.01	6.47	4.41	+ve	+ve	Unsafe				
628	KAS-628	Kamo Gill	Lambey Jagir	Pattoki	M.Ahmad S/O Sabal Din	H.Pump	80	35	759	8.4	14.9	Nilobj	Un-Obj	Un-Obj	461	6	280	10	18	91	54	33	270	77	4	0.79	0.03	0.11	0.29	8.23	2.29	+ve	+ve	Unsafe				
629	KAS-629	Kamo Gill	Lambey Jagir	Pattoki	Inadayat Ullah S/O Rehmat	H.Pump	85	40	770	8.6	0.1	Class	Un-Obj	Un-Obj	485	8	400	30	18	60	20	43	225	110	3	0.67	0.04	1.21	0.30	4.44	2.30	+ve	+ve	Unsafe				
630	KAS-630	Kamo Gill	Lambey Jagir	Pattoki	M.Ahmed S/O Faz Ahmed	H.Pump	80	40	494	8.4	1.2	Class	Un-Obj	Un-Obj	296	5	240	10	14	15	36	36	240	21	9	1.85	0.06	0.42	0.02	1.10	1.59	-ve	-ve	Safe				
631	KAS-631	Lambey Jagir	Lambey Jagir	Pattoki	Water Supply Scheme	W.Supply	250	35	454	8.3	1.0	Class	Un-Obj	Un-Obj	272	3	140	0	21	65	56	10	180	31	3	0.23	0.01	0.31	0.02	35.83	2.22	+ve	-ve	Unsafe				
632	KAS-632	Lambey Jagir	Lambey Jagir	Pattoki	Govt Primary School Mega Mor	H.Pump	95	35	1310	8.5	3.8	Class	Un-Obj	Un-Obj	808	13	660	40	18	60	12	2	40	305	2	5.38	0.06	1.89	0.04	51.40	496.00	+ve	+ve	Unsafe				
633	KAS-633	Lambey Jagir	Lambey Jagir	Pattoki	Haji Baqir S/O Yousof	H.Pump	70	40	914	7.7	0.0	Class	Un-Obj	Un-Obj	548	8	400	0	46	73	54	75	445	22	8	4.90	0.12	0.32	0.01	9.49	2.91	+ve	+ve	Unsafe				
634	KAS-634	Lambey Jagir	Lambey Jagir	Pattoki	Shoukat Ali	H.Pump	85	30	1300	8.0	0.2	Class	Un-Obj	Un-Obj	780	9	450	70	53	140	36	27	200	249	4	0.15	0.91	1.79	0.09	17.47	0.31	+ve	+ve	Unsafe				
635	KAS-635	Lambey Jagir	Lambey Jagir	Pattoki	Rehmat Ullah S/O Allah Ditta	H.Pump	90	30	1913	8.1	7.0	Class	Un-Obj	Un-Obj	1165	10	480	0	102	230	24	29	180	347	15	0.36	0.08	0.96	0.16	10.08	0.99	+ve	+ve	Unsafe				
636	KAS-636	Nathay Khalsa	Nathay Khalsa	Pattoki	Govt High School	Inj.Pump	120	45	1457	8.5	6.5	Class	Un-Obj	Un-Obj	874	12	590	20	18	145	14	13	90	316	3	2.47	0.02	1.50	0.00	27.03	0.87	-ve	-ve	Unsafe				
637	KAS-637	Nathay Khalsa	Nathay Khalsa	Pattoki	M.Shajrat S/O Sarwar	H.Pump	100	30	1823	8.2	0.0	Class	Un-Obj	Un-Obj	1094	10	480	0	85	298	26	19	145	512	7	4.38	0.03	1.00	0.13	22.32	1.82	-ve	-ve	Unsafe				
638	KAS-638	Nathay Khalsa	Nathay Khalsa	Pattoki	Yaseen S/O Sharif	W.Supply	500	35	2289	8.4	0.2	Class	Un-Obj	Un-Obj	1376	17	580	10	189	310	24	18	135	470	5	0.85	0.06	1.31	0.13	23.63	2.31	+ve	+ve	Unsafe				
639	KAS-639	Nathay Khalsa	Nathay Khalsa	Pattoki	Anshad S/O Lala Din	H.Pump	60	40	1467	9.1	0.1	Class	Un-Obj	Un-Obj	890	8	400	80	71	152	5	4	30	390	3	2.13	0.02	0.81	0.10	39.64	2.46	+ve	+ve	Unsafe				
640	KAS-640	Nathay Khalsa	Nathay Khalsa	Pattoki	Dera Sabir Guljar	H.Pump	80	40	1573	8.0	2.7	Class	Un-Obj	Un-Obj	944	7	330	0	124	265	44	55	335	200	9	0.49	0.03	1.46	0.15	4.12	1.92	+ve	+ve	Unsafe				
641	KAS-641	Narjir Wal Naz Baq	Phulliani	Pattoki	M.Sabir S/O Noor	H.Pump	85	40	783	7.8	0.2	Class	Un-Obj	Un-Obj	470	6	320	0	21	95	48	41	290	61	2	0.65	0.08	0.00	0.00	4.35	2.05	+ve	+ve	Unsafe				
642	KAS-642	Narjir Wal Naz Baq	Phulliani	Pattoki	Majid ur rehman S/O Hafizee	H.Pump	60	35	1024	7.5	2.7	Class	Un-Obj	Un-Obj	614	8	400	0	57	111	66	49	365	77	5	0.00	0.01	0.27	0.00	13.01	1.91	+ve	+ve	Unsafe				
643	KAS-643	Narjir Wal Naz Baq	Phulliani	Pattoki	Alshar S/O Rehmat Ullah	H.Pump	55	30	1393	7.9	10.6	Class	Un-Obj	Un-Obj	836	8	390	0	14	220	76	33	325	154	2	2.78	0.07	0.59	0.01	10.13	1.11	+ve	+ve	Unsafe				
644	KAS-644	Narjir Wal Naz Baq	Phulliani	Pattoki	Ahmed Saeed S/O Rana Saeed	H.Pump	60	35	1057	7.9	0.4	Class	Un-Obj	Un-Obj	634	6	320	0	28	175	80	15	260	132	1	0.44	0.01	0.25	0.04	1.58	2.06	+ve	+ve	Unsafe				
645	KAS-645	Narjir Wal Naz Baq	Phulliani	Pattoki	Saleem Butt S/O Labaf	H.Pump	45	35	1195	7.7	1.3	Class	Un-Obj	Un-Obj	717	5	250	0	63	170	78	11	240	146	2	0.59	0.02	0.39	0.01	21.16	1.02	+ve	+ve	Unsafe				
646	KAS-646	Sajja Kalan	Saral Noshehra	Pattoki	Jamia Masjid Ghosia	Inj.Pump	110	45	390	8.6	0.1	Class	Un-Obj	Un-Obj	180	2	90	20	21	25	46	4	130	12	2	0.56	0.07	0.17	0.10	55.88	0.06	+ve	+ve	Unsafe				
647	KAS-647	Sajja Kalan	Saral Noshehra	Pattoki	Manzoor Baq S/O Sheer baq mughal	H.Pump	70	45	681	8.2	0.0	Class	Un-Obj	Un-Obj	409	5	270	0	35	30	46	30	240	32	10	10.39	0.04	0.64	0.10	1.51	4.85	+ve	+ve	Unsafe				
648	KAS-648	Sajja Kalan	Saral Noshehra	Pattoki	Haji Khurshid Ahmed S/O Nazir Ahmed	Inj.Pump	110	45	619	7.8	0.9	Class	Un-Obj	Un-Obj	371	4	190	0	21	87	58	35	290	19	8	0.68	0.05	0.73	0.21	1.64	1.38	-ve	-ve	Safe				
649	KAS-649	Sajja Kalan	Saral Noshehra	Pattoki	Dera Ismail S/O Allah Raik. Aseem	Inj.Pump	120	40	675	8.0	1.3	Class	Un-Obj	Un-Obj	405	5	240	0	51	34	52	24	230	52	3	1.51	0.04	0.51	0.11	2.33	2.22	-ve	-ve	Safe				
650	KAS-650	Sajja Kalan	Saral Noshehra	Pattoki	M.Tufail S/O M.Shafiq	Inj.Pump	100	40	990	8.4	7.0	Class	Un-Obj	Un-Obj	599	6	300	10	57	112	10	7	55	225	5	0.00	0.03	1.50	0.13	30.58	2.52	-ve	-ve	Unsafe				
651	KAS-651	Saral Mughal	Saral Noshehra	Pattoki	Govt. Jamia Hamidia High School	H.Pump	55	35	2622	8.8	0.0	Class	Objct	Un-Obj	1573	8	420	40	142	480	52	46	220	330	16	0.12	0.02	0.71	0.04	22.30	3.42	+ve	+ve	Unsafe				
652	KAS-652	Saral Mughal	Saral Noshehra	Pattoki	Dera Bakir Shamis Dera	H.Pump	80	40	1089	8.0	0.3	Objct	Un-Obj	Un-Obj	721	6	320	0	68	24																		