

Sr. No.	Sample Code	Village	Union Council	Tehsil	Location	Source	Depth (R)	Water Table Depth (m)	EC (µS/cm)	pH	Turbidity (NTU)	Color	Taste	Odor	TDS	Alk (mg/l)	HCO ₃ (mg/l)	CO ₃ (mg/l)	Cl (mg/l)	SO ₄ (mg/l)	Ca (mg/l)	Mg (mg/l)	Hardness (mg/l)	Na (mg/l)	K (mg/l)	NO ₃ (mg/l)	PO ₄ (mg/l)	F (mg/l)	Fe (mg/l)	As (ppb)	Pb (ppb)	Total Coliform	E.Coli	Safe/ Unsafe
104	RWP-104	Gakhar	Dakhali	Kahuta	Inwail home	M. Pump	100	38	1291	7.8	0.2	C.Less	Un.Obj	Un.Obj	774	8	420	0	82	96	40	17	170	220	2	4.10	0.00	0.80	0.07	0.15	1.02	+	+	Safe
105	RWP-105	Gakhar	Dakhali	Kahuta	Qamar home	M. Pump	98	45	620	8.2	0.0	C.Less	Un.Obj	Un.Obj	359	6	290	0	18	22	56	22	230	52	1	0.00	0.19	0.83	0.11	0.66	1.80	+	+	Unsafe
106	RWP-106	Sard	Dakhali	Kahuta	M Tarabai home	M. Pump	98	46	1615	7.6	0.1	C.Less	Un.Obj	Un.Obj	999	7	350	0	106	116	120	70	590	124	2	35.00	0.35	0.33	0.01	BDL	1.01	+	+	Unsafe
107	RWP-107	Sard	Dakhali	Kahuta	M Naam home	Well	42	15	2050	7.4	0.1	C.Less	Un.Obj	Un.Obj	1077	8	400	0	167	268	240	10	1077	27	27	39.00	0.58	0.31	0.17	BDL	1.07	+	+	Unsafe
108	RWP-108	Sard	Dakhali	Community	Community	Well	30	5	1816	7.7	0.0	C.Less	Un.Obj	Un.Obj	1162	8	420	0	167	94	224	29	680	122	2	21.14	0.27	0.20	0.21	0.40	1.96	+	+	Unsafe
109	RWP-109	Sard	Dakhali	Kahuta	M Mushtaq home	M. Pump	180	90	840	8.0	0.0	C.Less	Un.Obj	Un.Obj	504	8	410	0	14	10	68	32	305	74	1	1.45	0.27	0.74	0.19	0.09	2.02	+	+	Unsafe
110	RWP-110	Sard	Dakhali	Kahuta	Sabri Ali home	Well	25	12	1190	7.6	0.0	C.Less	Un.Obj	Un.Obj	214	9	465	0	67	29	128	17	390	118	2	2.08	0.22	0.71	0.14	0.01	2.13	+	+	Unsafe
111	RWP-111	Kalama	Dakhali	Kahuta	Khadai home	Well	140	70	960	8.4	10.4	Turbid	Un.Obj	Un.Obj	376	9	450	0	25	12	104	9	295	104	4	0.24	0.23	0.65	0.01	0.06	2.76	+	+	Unsafe
112	RWP-112	Kalama	Dakhali	Kahuta	Gulshaher home	M. Pump	150	45	780	8.1	29.2	Turbid	Un.Obj	Un.Obj	436	7	340	0	14	8	52	7	100	122	1	10.45	0.45	2.09	0.01	BDL	3.19	+	+	Unsafe
113	RWP-113	Kalama	Dakhali	Kahuta	Aurangabi home	M. Pump	150	50	940	7.7	2.6	C.Less	Un.Obj	Un.Obj	564	6	300	0	74	64	92	19	310	95	3	0.21	0.09	0.34	0.07	0.06	3.17	+	+	Unsafe
114	RWP-114	Kalama	Dakhali	Kahuta	M Jawad home	M. Pump	150	1008	7.7	0.9	C.Less	Un.Obj	Un.Obj	579	5	250	0	53	37	72	36	230	52	2	38.00	0.33	0.45	0.03	0.86	29.60	+	+	Unsafe	
115	RWP-115	Kalama	Dakhali	Kahuta	M Niaz home	Well	56	9	2380	7.6	1.3	C.Less	Un.Obj	Un.Obj	1048	6	290	0	199	137	332	15	940	126	4	1.04	0.53	0.04	0.09	3.02	+	+	Unsafe	
116	RWP-116	Kahuta	Kahuta-II	Kahuta	Agr. Officer	M. Pump	75	25	1760	7.1	6.6	C.Less	Un.Obj	Un.Obj	1126	6	310	0	145	61	264	23	755	62	2	59.01	0.23	0.58	0.05	BDL	2.56	+	+	Unsafe
117	RWP-117	Kahuta	Kahuta-II	Kahuta	School	M. Pump	78	25	1750	7.1	1.5	C.Less	Un.Obj	Un.Obj	316	5	260	0	25	9	80	2	210	22	1	0.92	0.20	0.40	0.04	0.06	2.19	+	+	Unsafe
118	RWP-118	Kahuta	Kahuta-II	Kahuta	Raza home	W. Supply	60	7	660	7.7	4.0	C.Less	Un.Obj	Un.Obj	396	6	305	0	28	17	80	15	260	44	1	2.81	0.37	0.34	0.07	0.62	0.18	+	+	Safe
119	RWP-119	Kahuta	Kahuta-II	Kahuta	M Ayaz home	M. Pump	100	30	1391	7.3	0.0	C.Less	Un.Obj	Un.Obj	834	8	390	0	103	97	140	29	470	120	3	3.16	0.08	0.90	0.03	0.59	0.16	+	+	Unsafe
120	RWP-120	Kahuta	Kahuta-II	Kahuta	M Younis home	M. Pump	75	15	1613	7.2	5.0	Turbid	Un.Obj	Un.Obj	998	8	410	0	121	124	208	10	560	128	7	2.13	0.60	0.70	0.11	0.10	0.39	+	+	Safe
121	RWP-121	Sone	Parajar	Kahuta	M Zakir home	W. Supply	100	7	989	7.3	0.2	C.Less	Un.Obj	Un.Obj	545	8	400	0	35	42	66	35	210	91	1	4.31	0.29	1.14	0.04	0.01	0.57	+	+	Unsafe
122	RWP-122	Sone	Parajar	Kahuta	Behramullah home	W. Supply	100	7	1006	7.4	0.0	C.Less	Un.Obj	Un.Obj	615	8	410	0	50	43	64	27	270	135	1	6.21	0.27	1.02	0.05	BDL	0.00	+	+	Unsafe
123	RWP-123	Sone	Parajar	Kahuta	Master Tarar home	W. Supply	100	7	780	7.8	0.1	C.Less	Un.Obj	Un.Obj	474	8	380	0	25	19	82	35	350	42	0	5.38	0.47	0.79	0.04	0.09	0.00	+	+	Unsafe
124	RWP-124	Sone	Parajar	Kahuta	Nasim Jawad home	W. Supply	100	7	1369	7.1	0.1	C.Less	Un.Obj	Un.Obj	821	8	375	0	74	128	128	63	580	94	3	40.49	0.37	0.27	0.01	0.15	0.56	+	+	Unsafe
125	RWP-125	Sone	Parajar	Kahuta	M Usman home	M. Pump	95	15	665	7.8	0.0	C.Less	Un.Obj	Un.Obj	351	6	300	0	13	18	92	16	295	21	1	2.24	0.24	0.33	0.02	0.16	0.00	+	+	Safe
126	RWP-126	Parajar	Parajar	Kahuta	Sagib home	Well	60	30	615	7.8	0.0	C.Less	Un.Obj	Un.Obj	356	6	300	0	11	16	92	14	290	24	2	1.80	0.28	0.03	0.03	0.09	0.13	+	+	Unsafe
127	RWP-127	Parajar	Parajar	Kahuta	M Munir home	Spring	1580	7.4	5.8	C.Less	Un.Obj	Un.Obj	880	8	400	0	117	104	132	19	410	178	7	9.55	0.27	0.16	0.04	0.30	11.00	+	+	Unsafe		
128	RWP-128	Parajar	Parajar	Kahuta	Wajid home	Spring	1550	7.1	10.4	C.Less	Un.Obj	Un.Obj	961	7	330	0	78	174	198	32	630	62	9	4.93	0.21	0.69	0.03	0.09	1.02	+	+	Unsafe		
129	RWP-129	Parajar	Parajar	Kahuta	Tawsoo home	Well	20	8	1960	7.4	0.4	C.Less	Un.Obj	Un.Obj	615	8	410	0	44	37	88	24	240	110	1	0.98	0.10	0.43	0.10	0.27	1.08	+	+	Unsafe
130	RWP-130	Parajar	Parajar	Kahuta	M Saghar home	T. Well	92	40	895	7.6	0.9	C.Less	Un.Obj	Un.Obj	519	6	280	0	57	15	122	28	420	21	1	14.37	0.37	0.87	0.04	0.12	0.01	+	+	Unsafe
131	RWP-131	Nasar	Nasar	Kahuta	Community	Spring	600	7.2	4.8	C.Less	Un.Obj	Un.Obj	509	6	320	0	39	15	124	22	220	21	1	8.47	0.31	0.33	0.05	0.00	1.02	+	+	Safe		
132	RWP-132	Nasar	Nasar	Kahuta	Sohail home	Spring	637	7.2	0.0	C.Less	Un.Obj	Un.Obj	350	6	300	0	18	14	100	16	140	12	2	7.01	0.17	0.20	0.01	0.02	0.88	+	+	Safe		
133	RWP-133	Nasar	Nasar	Kahuta	Muzamil home	Well	70	33	1326	7.3	0.0	C.Less	Un.Obj	Un.Obj	468	6	300	0	130	84	126	45	360	92	17	7.15	0.29	0.63	0.01	0.04	0.78	+	+	Unsafe
134	RWP-134	Nasar	Nasar	Kahuta	Ch Abid home	Spring	844	7.3	4.5	C.Less	Un.Obj	Un.Obj	464	8	390	0	18	17	150	50	240	21	1	0.00	0.01	0.33	0.02	BDL	0.69	+	+	Safe		
135	RWP-135	Nasar	Nasar	Kahuta	Yasin home	W. Supply	665	7.4	0.0	C.Less	Un.Obj	Un.Obj	370	6	290	0	14	20	80	7	230	65	2	1.32	0.28	0.53	0.04	0.20	0.19	+	+	Safe		
136	RWP-136	Sang	Khadyot	Kahuta	M Ghifor home	Spring	100	7	1007	7.3	0.0	C.Less	Un.Obj	Un.Obj	465	6	300	0	14	13	60	14	200	3	1	0.90	0.44	0.03	0.02	0.00	0.00	+	+	Unsafe
137	RWP-137	Sang	Khadyot	Kahuta	Namdarabad Saghar home	M. Pump	150	45	768	7.8	2.4	C.Less	Un.Obj	Un.Obj	429	6	300	0	32	30	76	31	320	41	2	3.16	0.34	0.57	0.07	BDL	0.96	+	+	Unsafe
138	RWP-138	Sang	Khadyot	Kahuta	M Ayaz home	M. Pump	130	30	495	7.8	4.5	Turbid	Un.Obj	Un.Obj	272	5	240	0	14	13	60	19	230	29	3	3.18	0.21	0.22	0.10	BDL	1.89	+	+	Safe
139	RWP-139	Sang	Khadyot	Kahuta	Shahid home	Spring	442	7.0	0.7	C.Less	Un.Obj	Un.Obj	243	4	190	0	7	2	44	19	70	10	920	0.41	0.25	0.11	0.22	0.24	+	+	Safe			
140	RWP-140	Sang	Khadyot	Kahuta	M Guadroz home	Well	30	12	114	7.4	0.0	C.Less	Un.Obj	Un.Obj	48	4	37	0	44	88	28	240	110	1	5.68	0.29	0.64	0.06	0.14	0.00	+	+	Unsafe	
141	RWP-141	Hothla	Hothla	Kahuta	M Khan home	M. Pump	70	25	688	6.9	2.9	C.Less	Un.Obj	Un.Obj	378	6	310	0	7	47	128	7	350	12	5	1.86	0.39	0.31	0.07	0.05	7.15	+	+	Safe
142	RWP-142	Hothla	Hothla	Kahuta	A Razzaq home	Well	100	65	724	7.0	0.0	C.Less	Un.Obj	Un.Obj	398	6	310	0	21	3	112	18	355	14	5	2.17	0.06	0.42	0.03	0.03	2.10	+	+	Unsafe

Sr. No	Sample Code	Village	Union Council	Tehsil	Location	Source	Depth (ft)	Water Table Depth (ft)	EC (µs/cm)	pH	Turbidity (NTU)	Color	Taste	Odor	TDS	Alk (mg/l)	HCO ₃ (mg/l)	CO ₃ (mg/l)	Cl (mg/l)	SO ₄ (mg/l)	Ca (mg/l)	Mg (mg/l)	Hardness (mg/l)	Na (mg/l)	K (mg/l)	NO ₃ (mg/l)	PO ₄ (mg/l)	F (mg/l)	Fe (mg/l)	As (ppb)	Pb (ppb)	Total Coliform	E.Coli	Safe/ Unsafe
209	RWP-209	Kanoha	Kanoha	Kallar Savaydan	Haji Ishaq Hussain	Well	65	18	685	7.4	17.0	Turbid	Un.Org	Un.Org	300	7	360	0	14	10	102	15	315	29	2	0.38	0.09	0.11	0.23	BDL	0.19	+	-ve	Unsafe
210	RWP-210	Kanoha	Kanoha	Kallar Savaydan	Haji Shaukat Ali House	M. Pump	120	80	680	7.3	4.8	Turbid	Un.Org	Un.Org	380	7	350	0	14	9	96	18	315	28	2	0.31	0.06	0.10	0.16	BDL	2.87	+	-ve	Unsafe
211	RWP-211	Sakote	Sakote	Kallar Savaydan	Anwar of Haq house	W. Supply			615	7.8	0.0	C.Less	Un.Org	Un.Org	356	6	300	0	11	16	92	14	290	24	2	1.80	0.28	0.03	0.03	0.09	3.13	+	+ve	Unsafe
212	RWP-212	Sakote	Sakote	Kallar Savaydan	Uthman Ahmad House	W. Supply			1580	7.4	0.0	C.Less	Un.Org	Un.Org	980	8	330	0	117	104	390	18	170	7	9.55	0.27	0.16	0.04	0.30	11.00	+	+ve	Unsafe	
213	RWP-213	Sakote	Sakote	Kallar Savaydan	Uthman Ahmad House	W. Supply	70	35	1550	7.1	10.4	C.Less	Un.Org	Un.Org	961	7	330	0	78	174	198	33	630	62	9	4.93	0.21	0.05	0.03	0.09	1.02	+	+ve	Unsafe
214	RWP-214	Sakote	Sakote	Kallar Savaydan	Asad Muhammad House	M. Pump	75	40	1435	7.3	0.8	C.Less	Un.Org	Un.Org	861	6	320	0	64	238	196	32	620	77	10	32.36	0.10	0.41	0.01	0.27	1.09	+	+ve	Unsafe
215	RWP-215	Sakote	Sakote	Kallar Savaydan	Rashid Hussain House	Well	85	45	895	7.6	0.9	C.Less	Un.Org	Un.Org	519	6	280	0	57	15	122	28	420	21	1	18.97	0.37	0.87	0.04	0.12	1.01	+	+ve	Unsafe
216	RWP-216	Balashar	Balashar	Kallar Savaydan	Qasr Muhammad Younsar	Well	51	13	879	7.2	4.5	C.Less	Un.Org	Un.Org	509	6	320	0	39	15	124	27	420	21	1	8.47	0.31	0.33	0.05	0.00	1.02	+	+ve	Unsafe
217	RWP-217	Balashar	Sakote	Kallar Savaydan	Hassan Ahmad House	M. Pump	150	70	837	7.2	0.0	C.Less	Un.Org	Un.Org	350	6	300	0	18	14	100	26	360	14	2	7.01	0.17	0.29	0.01	0.02	0.88	+	-ve	Unsafe
218	RWP-218	Balashar	Sakote	Kallar Savaydan	Ch. Qurban House	M. Pump	150	45	1326	7.3	0.0	C.Less	Un.Org	Un.Org	795	8	390	0	110	84	126	41	485	92	17	7.15	0.79	0.61	0.01	0.04	0.78	+	+ve	Unsafe
219	RWP-219	Balashar	Sakote	Kallar Savaydan	M. Zain House	Well	12	5	844	7.3	4.1	C.Less	Un.Org	Un.Org	464	8	360	0	54	17	50	28	240	84	12	0.00	0.01	0.33	0.02	BDL	0.69	+	-ve	Unsafe
220	RWP-220	Balashar	Sakote	Kallar Savaydan	Basic Health Center	M. Pump	180	60	666	7.4	0.0	C.Less	Un.Org	Un.Org	366	6	290	0	14	20	98	9	270	62	2	1.32	0.28	0.53	0.04	0.20	0.19	+	-ve	Unsafe
221	RWP-221	Doberan Kalan	Sakote	Kallar Savaydan	Basic Health Center	M. Pump	170	65	1197	7.3	1.4	C.Less	Un.Org	Un.Org	720	9	450	0	46	746	136	34	390	200	3	2.33	0.00	0.46	0.03	0.07	0.15	+	+ve	Unsafe
222	RWP-222	Doberan Kalan	Sakote	Kallar Savaydan	Anjuman Faiz-ul-Islam	Well	150	70	1292	7.1	1.0	C.Less	Un.Org	Un.Org	775	9	450	0	46	44	130	17	395	91	6	9.10	0.05	0.05	0.00	0.12	0.21	+	-ve	Unsafe
223	RWP-223	Doberan Kalan	Sakote	Kallar Savaydan	M. Zain House	Well	120	60	761	7.1	0.9	C.Less	Un.Org	Un.Org	420	7	360	0	18	24	106	29	385	20	2	1.56	0.03	0.03	0.09	0.03	0.62	+	-ve	Unsafe
224	RWP-224	Doberan Kalan	Sakote	Kallar Savaydan	Sarwan Mora Idress But	W. Supply	120	60	1024	7.2	3.2	C.Less	Un.Org	Un.Org	614	8	420	0	43	37	124	24	410	63	14	9.86	0.01	0.01	0.03	0.01	0.56	+	-ve	Unsafe
225	RWP-225	Doberan Kalan	Nala Musalmanan	Kallar Savaydan	Naseem of Hassan House	H. Pump	135	55	846	7.1	1.4	C.Less	Un.Org	Un.Org	482	8	415	0	18	25	80	52	415	30	2	0.18	0.00	0.00	0.04	BDL	5.16	+	+ve	Unsafe
226	RWP-226	Nala Musalmanan	Nala Musalmanan	Kallar Savaydan	Akhtar Hussain House	Well	120	60	949	7.3	1.9	Turbid	Un.Org	Un.Org	550	8	400	0	43	31	96	27	350	77	1	0.70	0.02	0.02	0.07	0.24	3.19	+	+ve	Unsafe
227	RWP-227	Nala Musalmanan	Nala Musalmanan	Kallar Savaydan	Ch. Lalail House	Well	200	80	1930	7.0	8.4	C.Less	Un.Org	Un.Org	1158	7	370	0	223	115	164	81	745	114	2	26.66	0.03	0.03	0.01	BDL	6.94	+	+ve	Unsafe
228	RWP-228	Nala Musalmanan	Nala Musalmanan	Kallar Savaydan	M. Aarif House	Well	135	75	5220	7.1	0.2	C.Less	Un.Org	Un.Org	674	8	380	0	20	289	130	38	480	420	52	236.00	0.05	0.05	0.04	BDL	7.01	+	+ve	Unsafe
229	RWP-229	Nala Musalmanan	Nala Musalmanan	Kallar Savaydan	M. Iyees House	Well	140	50	1067	7.4	2.5	C.Less	Un.Org	Un.Org	652	7	360	0	85	56	88	33	355	104	3	0.13	0.03	0.03	0.03	BDL	2.57	+	-ve	Unsafe
230	RWP-230	Nala Musalmanan	Nala Musalmanan	Kallar Savaydan	Basic Health Center	H. Pump	120	76	745	7.3	1.3	C.Less	Un.Org	Un.Org	428	7	350	0	28	19	44	24	210	102	3	0.31	0.06	0.06	0.06	BDL	1.17	+	+ve	Unsafe
231	RWP-231	Bir Garan	Sehr Bagla	Murree	Zahoor Akad House	Spring	848	72	42	7.2	0.0	Turbid	Un.Org	Un.Org	491	8	420	0	35	22	96	41	410	33	3	1.37	0.25	0.18	0.07	BDL	0.65	+	-ve	Unsafe
232	RWP-232	Bir Garan	Sehr Bagla	Murree	M. Inshad House	Spring	659	76	1.4	7.4	0.0	C.Less	Un.Org	Un.Org	362	6	320	0	28	15	62	29	275	32	5	1.68	0.05	0.14	0.01	0.00	0.91	+	+ve	Unsafe
233	RWP-233	Bir Garan	Sehr Bagla	Murree	Sanaullah House	Spring	634	74	0.2	7.4	0.0	C.Less	Un.Org	Un.Org	349	6	310	0	14	7	96	18	315	13	2	2.37	0.03	0.12	0.13	0.07	0.00	+	+ve	Unsafe
234	RWP-234	Bir Garan	Sehr Bagla	Murree	M. Af House	Well	80	11	6	7.6	0.0	C.Less	Un.Org	Un.Org	309	6	310	0	41	2	22	32	210	30	1	4.12	0.01	0.13	0.09	0.53	1.86	+	+ve	Unsafe
235	RWP-235	Bir Garan	Sehr Bagla	Murree	Community	Well	52	15	710	7.4	2.4	C.Less	Un.Org	Un.Org	404	7	330	0	16	32	76	32	320	41	3	2.00	0.03	0.16	0.09	BDL	0.56	+	+ve	Unsafe
236	RWP-236	Nambi Romal	Phagwari	Murree	Irfan House	H. Pump	120	45	780	7.5	1.3	C.Less	Un.Org	Un.Org	429	7	340	0	26	19	44	27	220	102	3	4.60	0.02	0.18	0.03	BDL	4.17	+	+ve	Unsafe
237	RWP-237	Nambi Romal	Phagwari	Murree	M. Wilas House	Spring	1359	87	0.0	7.6	0.0	C.Less	Un.Org	Un.Org	815	11	540	0	33	159	8	23	400	29	4	1.82	0.09	0.06	0.06	BDL	2.59	+	+ve	Unsafe
238	RWP-238	Nambi Romal	Phagwari	Murree	M. Nurdeen House	Spring	138	5	21	7.4	0.0	C.Less	Un.Org	Un.Org	286	2	260	0	16	26	24	290	20	4	1.16	0.10	0.33	0.05	BDL	1.08	+	+ve	Unsafe	
239	RWP-239	Nambi Romal	Phagwari	Murree	Shafiq House	Spring	311	8.3	9.6	7.3	0.0	C.Less	Un.Org	Un.Org	202	3	145	0	16	26	128	2	310	4	2	0.90	0.03	0.09	0.03	BDL	3.07	+	+ve	Unsafe
240	RWP-240	Nambi Romal	Phagwari	Murree	Abdul Qadir House	Spring	328	8.0	3.3	7.3	0.0	C.Less	Un.Org	Un.Org	164	3	150	0	7	28	48	15	180	4	2	2.33	0.05	0.28	0.07	BDL	2.07	+	-ve	Unsafe
241	RWP-241	Potha Sharif	Potha Sharif	Murree	Mehar Special School	H. Pump	45	64	525	7.6	0.0	C.Less	Un.Org	Un.Org	288	5	320	0	11	14	10	13	110	13	1	1.68	0.07	0.15	0.03	BDL	1.96	+	+ve	Unsafe
242	RWP-242	Potha Sharif	Potha Sharif	Murree	Sharif	H. Pump	20	35	733	7.2	0.3	C.Less	Un.Org	Un.Org	410	4	350	0	23	4	114	28	400	11	3	3.12	0.06	0.13	0.01	0.10	2.64	+	+ve	Unsafe
243	RWP-243	Potha Sharif	Potha Sharif	Murree	Haji Almas House	Spring	810	7.5	4.5	7.5	0.0	Turbid	Un.Org	Un.Org	469	8	390	0	71	22	23	88	420	28	2	2.60	0.05	0.14	0.07	BDL	0.43	+	-ve	Unsafe
244	RWP-244	Potha Sharif	Potha Sharif	Murree	Govt High School	Spring	708	7.8	0.6	7.8	0.0	C.Less	Un.Org	Un.Org	396	6	320	0	18	7	96	19	320	12	1	1.30	0.04	0.15	0.11	BDL	0.68	+	-ve	Unsafe
245	RWP-245	Potha Sharif	Potha Sharif	Murree	M. Ibrahim House	Spring	848	7.4	0.0	7.4	0.0	C.Less	Un.Org	Un.Org	282	7	320	0	9	14	10	14	220	8	1	2.68	0.03	0.10	0.14	BDL	0.78	+	-ve	Unsafe
246	RWP-246	Ghel	Ghel	Murree	Raja Ishaq House	Spring	803	7.3	1.4	7.3	0.0	C.Less	Un.Org	Un.Org	466	7	330	0	64	21														

Sr. No.	Sample Code	Village	Union Council	Tehsil	Location	Source	Depth (ft)	Water Table Depth (ft)	EC µS/cm	pH	Turbidity NTU	Color	Taste	Odor	TDS	Alk mg/l	HCO ₃ mg/l	CO ₃ mg/l	Cl mg/l	SO ₄ mg/l	Ca mg/l	Mg mg/l	Hardness mg/l	Na mg/l	K mg/l	NO ₃ mg/l	PO ₄ mg/l	F mg/l	Fe mg/l	As ppb	Pb ppb	Total Coliform	E.Coli	Safe/ Unsafe	Permissible Limit (PCCO)	
																																			MP	SI
314	RWP-314	Khuram Parscha	Khuram Parscha	Tailla	School	Tap	603	72	0.0	<0.5	Class	Un_Obr	Un_Obr	2005	NCIS	NCIS	NCIS	350	500	NCIS	500	200	NCIS	1500	NCIS	1.50	0.20	50.00	50.00	-ve	-ve	Safe	0.5	5		
315	RWP-315	Khuram Parscha	Uman Khattar	Tailla	M Zahoore home	W. Supply	601	71	0.0	<0.5	Un_Obr	Un_Obr	Un_Obr	330	6	320	0	11	23	102	22	345	7	1	0.30	0.07	0.43	0.07	BDL	2.20	-ve	-ve	Safe	0.5	5	
316	RWP-316	Uman Khattar	Uman Khattar	Tailla	Maslin Khan home	W. Supply	418	76	0.0	<0.5	Un_Obr	Un_Obr	Un_Obr	230	3	150	0	7	58	62	15	715	7	2	0.50	0.06	0.27	0.01	2.12	2.27	-ve	-ve	Safe	0.5	5	
317	RWP-317	Uman Khattar	Uman Khattar	Tailla	B.H.U	W. Supply	417	77	0.0	<0.5	Un_Obr	Un_Obr	Un_Obr	229	3	150	0	14	66	13	220	3	8	1	0.90	0.09	0.27	0.13	8.20	3.42	-ve	-ve	Safe	0.5	5	
318	RWP-318	Uman Khattar	Uman Khattar	Tailla	School	W. Supply	419	76	0.0	<0.5	Un_Obr	Un_Obr	Un_Obr	230	3	160	0	11	57	66	13	220	8	2	0.90	0.08	0.27	0.09	0.74	4.05	-ve	-ve	Safe	0.5	5	
319	RWP-319	Uman Khattar	Uman Khattar	Tailla	School	W. Supply	416	76	0.0	<0.5	Un_Obr	Un_Obr	Un_Obr	228	3	160	0	11	53	66	13	220	7	1	0.80	0.03	0.27	0.04	0.43	4.20	-ve	-ve	Safe	0.5	5	
320	RWP-320	Uman Khattar	Uman Khattar	Tailla	Shaheed Nawaz home	W. Supply	418	77	0.0	<0.5	Un_Obr	Un_Obr	Un_Obr	229	3	150	0	11	55	60	17	220	7	2	1.00	0.12	0.27	0.07	0.04	4.18	-ve	-ve	Unsafe	0.5	5	
321	RWP-321	Bhatar Top	Garhee Sikandar	Tailla	Daral Community	Water	320	72	7.5	0.2	<0.5	Un_Obr	Un_Obr	365	5	290	0	16	89	12	123	500	17	3	3.60	0.19	0.26	0.10	BDL	2.37	-ve	-ve	Safe	0.5	5	
322	RWP-322	Bhatar Top	Garhee Sikandar	Tailla	Shoqat dshah home	W. Supply	426	77	0.0	<0.5	Un_Obr	Un_Obr	Un_Obr	234	3	165	0	11	54	60	12	200	7	2	3.60	0.08	0.27	0.04	1.65	2.10	-ve	-ve	Safe	0.5	5	
323	RWP-323	Bhatar Top	Garhee Sikandar	Tailla	Almal Khan home	W. Supply	424	76	0.0	<0.5	Un_Obr	Un_Obr	Un_Obr	233	3	170	0	7	59	56	17	210	17	1	0.90	0.10	0.27	0.03	BDL	1.72	-ve	-ve	Safe	0.5	5	
324	RWP-324	Bhatar Top	Garhee Sikandar	Tailla	Niaz Hassan home	M. Pump	110	50	745	7.3	0.1	<0.5	Un_Obr	Un_Obr	417	6	320	0	11	84	96	39	400	19	3	2.10	0.08	0.29	0.07	BDL	2.94	-ve	-ve	Safe	0.5	5
325	RWP-325	Bhatar Top	Garhee Sikandar	Tailla	Haji Hasratia home	M. Pump	155	80	794	7.3	0.0	<0.5	Un_Obr	Un_Obr	403	6	320	0	11	86	88	34	360	17	3	1.30	0.07	0.27	0.03	0.24	0.97	-ve	-ve	Safe	0.5	5
326	RWP-326	Wari	Thaata Khail	Tailla	Haji Sabir home	M. Pump	120	1040	7.4	0.0	<0.5	Un_Obr	Un_Obr	624	8	390	0	64	10	76	17	260	126	1	20.00	0.10	0.35	0.04	BDL	7.20	-ve	-ve	Unsafe	0.5	5	
327	RWP-327	Wari	Thaata Khail	Tailla	Malik shah Khan home	Well	40	20	1231	7.1	0.0	<0.5	Un_Obr	Un_Obr	704	7	350	0	96	26	80	58	440	128	2	30.00	0.15	0.32	0.06	BDL	5.42	-ve	-ve	Unsafe	0.5	5
328	RWP-328	Wari	Community	Tailla	Community	Well	150	40	1124	7.2	0.0	<0.5	Un_Obr	Un_Obr	691	6	320	0	89	43	72	24	280	150	2	21.00	0.13	0.31	0.05	BDL	3.45	-ve	-ve	Unsafe	0.5	5
329	RWP-329	Wari	Thaata Khail	Tailla	Shair Muhammad home	Well	54	949	7.3	0.8	<0.5	Un_Obr	Un_Obr	540	6	310	0	53	43	68	32	300	98	2	20.00	0.17	0.37	0.03	BDL	7.52	-ve	-ve	Unsafe	0.5	5	
330	RWP-330	Wari	Thaata Khail	Tailla	Haji Ghulam sarwar home	M. Pump	150	50	5260	6.9	0.0	<0.5	Un_Obr	Un_Obr	3366	5	260	0	667	60	436	112	1550	400	4	14.00	0.13	0.25	0.05	BDL	2.42	-ve	-ve	Unsafe	0.5	5
331	RWP-331	Thaata Khail	Thaata Khail	Tailla	Uman corral	M. Pump	70	30	770	7.2	0.0	<0.5	Un_Obr	Un_Obr	431	8	375	0	28	4	56	27	250	90	1	0.90	0.15	0.65	0.10	BDL	1.07	-ve	-ve	Safe	0.5	5
332	RWP-332	Thaata Khail	Thaata Khail	Tailla	Boys school	M. Pump	150	70	755	7.2	4.5	<0.5	Un_Obr	Un_Obr	422	7	350	0	39	2	68	15	291	90	1	2.00	0.09	0.68	0.13	BDL	1.94	-ve	-ve	Safe	0.5	5
333	RWP-333	Thaata Khail	Thaata Khail	Tailla	Haji Nawab home	M. Pump	170	40	1279	7.0	0.0	<0.5	Un_Obr	Un_Obr	742	7	350	0	67	79	112	29	400	126	1	3.90	0.11	0.43	0.09	BDL	3.21	-ve	-ve	Safe	0.5	5
334	RWP-334	Thaata Khail	Thaata Khail	Tailla	M Saddique home	Well	70	40	2110	7.4	0.0	<0.5	Un_Obr	Un_Obr	1435	8	390	0	163	109	108	49	470	310	1	85.00	0.07	0.45	0.03	BDL	3.77	-ve	-ve	Unsafe	0.5	5
335	RWP-335	Thaata Khail	Thaata Khail	Tailla	Jama Masjid	W. Supply	233	71	4.6	<0.5	Turbid	Un_Obr	Un_Obr	157	2	100	0	18	26	36	5	110	13	3	9.50	0.04	0.18	0.04	0.22	0.40	-ve	-ve	Safe	0.5	5	
336	RWP-336	Thugian	Jalala	Tailla	M Asghar home	M. Pump	70	60	756	7.0	0.0	<0.5	Un_Obr	Un_Obr	454	6	280	0	25	98	120	24	400	20	1	1.00	0.13	0.43	0.02	0.48	4.56	-ve	-ve	Safe	0.5	5
337	RWP-337	Thugian	Jalala	Tailla	Muhammad Din home	M. Pump	120	78	950	7.1	0.0	<0.5	Un_Obr	Un_Obr	570	6	300	0	53	113	124	24	410	61	1	2.00	0.18	0.37	0.07	0.94	3.25	-ve	-ve	Safe	0.5	5
338	RWP-338	Thugian	Jalala	Tailla	Vocational Training Institute	M. Pump	200	30	1250	7.0	0.0	<0.5	Un_Obr	Un_Obr	748	7	340	0	124	128	184	102	630	33	1	1.00	0.09	0.27	0.01	0.19	1.71	-ve	-ve	Safe	0.5	5
339	RWP-339	Thugian	Jalala	Tailla	Abdul oppoon home	M. Pump	80	60	941	7.3	0.0	<0.5	Un_Obr	Un_Obr	365	5	290	0	39	49	112	0	102	92	5	2.00	0.07	0.36	0.01	0.41	1.86	-ve	-ve	Safe	0.5	5
340	RWP-340	Thugian	Jalala	Tailla	Shahk Liaqat home	Well	100	35	1215	7.2	0.1	<0.5	Un_Obr	Un_Obr	838	7	350	0	85	57	164	39	570	49	2	28.00	0.18	0.26	BDL	1.45	-ve	-ve	Safe	0.5	5	
341	RWP-341	Wah	Wah	Tailla	Shah Ahmed home	W. Supply	492	72	0.0	<0.5	Un_Obr	Un_Obr	Un_Obr	270	4	200	0	11	55	72	15	240	9	2	1.50	0.06	0.04	0.02	0.05	0.79	-ve	-ve	Unsafe	0.5	5	
342	RWP-342	Wah	Wah	Tailla	F.G. High School Wah	Spring	485	77	0.0	<0.5	Un_Obr	Un_Obr	Un_Obr	266	4	170	0	11	54	68	12	230	30	2	1.40	0.00	0.25	0.03	0.78	3.15	-ve	-ve	Safe	0.5	5	
343	RWP-343	Wah	Wah	Tailla	M. Binshah Awais home	W. Supply	494	73	0.0	<0.5	Un_Obr	Un_Obr	Un_Obr	270	4	200	0	11	50	72	15	270	9	3	1.60	0.07	0.25	0.07	BDL	2.00	-ve	-ve	Unsafe	0.5	5	
344	RWP-344	Wah	Wah	Tailla	M. Malik Sadiq home	W. Supply	501	73	0.0	<0.5	Un_Obr	Un_Obr	Un_Obr	275	4	200	0	11	53	74	21	270	9	3	1.60	0.07	0.25	0.07	BDL	5.40	-ve	-ve	Unsafe	0.5	5	
345	RWP-345	Wah	Wah	Tailla	Wah (Jamia Mosque)	Spring	481	75	0.0	<0.5	Un_Obr	Un_Obr	Un_Obr	264	4	200	0	11	51	96	9	275	9	2	1.30	0.08	0.22	0.04	2.65	2.27	-ve	-ve	Unsafe	0.5	5	
346	RWP-346	Sakina Thatha	Lab Thatho	Tailla	Hassan Din home	H. Pump	180	30	146	7.5	0.0	<0.5	Un_Obr	Un_Obr	255	4	200	0	14	45	10	46	10	2	1.00	0.05	0.15	0.03	BDL	3.42	-ve	-ve	Safe	0.5	5	
347	RWP-347	Sakina Thatha	Lab Thatho	Tailla	M Rafiq home	H. Pump	180	25	464	7.5	0.3	<0.5	Un_Obr	Un_Obr	255	4	200	0	14	45	80	19	280	9	2	1.90	0.15	0.21	0.03	BDL	4.65	-ve	-ve	Safe	0.5	5
348	RWP-348	Sakina Thatha	Lab Thatho	Tailla	Mirza Khan home	Well	100	10	852	7.2	4.0	<0.5	Un_Obr	Un_Obr	486	7	330	0	35	39	64	44	340	31	3	13.00	0.27	0.33	0.07	0.26	4.20	-ve	-ve	Unsafe	0.5	5
349	RWP-349	Sakina Thatha	Lab Thatho	Tailla	Community	H. Pump	160	70	1245	7.1	0.8	<0.5	Un_Obr	Un_Obr	722	7	330	0	25	4	116	78	610	73	2	15.00	0.15	0.25	0.04	BDL	4.18	-ve	-ve	Unsafe	0.5	5
350	RWP-350	Sakina Thatha	Lab Thatho	Tailla	Abdul Aziz home	Well	110	11	1110	7.1	0.0	<0.5	Un_Obr	Un_Obr	492	5																				

Sr. No.	Sample Code	Village	Union Council	Tehsil	Location	Source	Depth (ft)	Water Table Depth (ft)	EC /µs/cm	pH	Turbidity NTU	Color	Taste	Odor	TDS	Alk mg/l	HCO ₃ mg/l	CO ₃ mg/l	Cl mg/l	SO ₄ mg/l	Ca mg/l	Mg mg/l	Hardness mg/l	Na mg/l	K mg/l	NO ₃ mg/l	PO ₄ mg/l	F mg/l	Fe mg/l	As ppb	Pb ppb	Total Coliform	E.Coli	Safe/Unsafe	Remarks	
																																			Permissible Limit (MCL)	6.5-8.5
419	RWP-419	Dhangopin Iran	Qazian	Gujar Khan	Mirza M Saddique home	Well	95	8	1292	7.5	0.4	C.Less	Un. Obj	Un. Obj	775	10	490	0	67	120	54	33	270	210	2	7.20	0.01	0.79	BDL	0.61	5.65	+ve	+ve	Unsafe		
420	RWP-420	Dhangopin Iran	Qazian	Gujar Khan	Ch Yasin home	Well	100	4	1391	7.6	0.1	C.Less	Un. Obj	Un. Obj	792	8	420	0	31	135	68	51	380	174	1	3.00	0.06	0.49	0.01	0.22	1.52	+ve	+ve	Unsafe		
421	RWP-421	Rabata	Qazian	Gujar Khan	Community	Well	80	10	1009	7.7	0.1	C.Less	Un. Obj	Un. Obj	659	8	420	0	39	35	48	22	210	154	1	3.00	0.01	0.71	0.04	BDL	1.02	+ve	+ve	Unsafe		
422	RWP-422	Rabata	Qazian	Gujar Khan	Abdul Malik home	Well	75	25	1013	7.8	0.0	C.Less	Un. Obj	Un. Obj	607	410	39	35	410	230	156	1	1300	0.13	0.72	0.03	0.15	2.78	+ve	+ve	Unsafe					
423	RWP-423	Rabata	Qazian	Gujar Khan	Community	Well	48	20	914	7.4	0.0	C.Less	Un. Obj	Un. Obj	548	8	390	0	28	76	43	370	62	2	12.00	0.38	0.50	0.03	0.45	10.46	+ve	+ve	Unsafe			
424	RWP-424	Rabata	Qazian	Gujar Khan	M Yousef home	M.Pump	100	20	763	7.2	0.0	C.Less	Un. Obj	Un. Obj	442	5	260	0	25	42	88	36	370	30	1	30.00	0.05	0.37	0.07	0.40	0.00	+ve	+ve	Unsafe		
425	RWP-425	Rabata	Qazian	Gujar Khan	M Ayoub home	M.Pump	80	15	1038	7.4	0.0	C.Less	Un. Obj	Un. Obj	630	8	400	0	53	36	60	44	330	90	2	16.00	0.11	0.54	0.01	BDL	2.20	+ve	+ve	Unsafe		
426	RWP-426	Miani Bangi	Qazian	Gujar Khan	Malik Hussain home	M.Pump	130	28	773	7.4	0.0	C.Less	Un. Obj	Un. Obj	448	8	400	0	16	22	76	41	340	40	2	0.50	0.04	0.45	0.02	0.26	2.30	+ve	+ve	Unsafe		
427	RWP-427	Miani Bangi	Qazian	Gujar Khan	M Yasin home	M.Pump	90	80	941	7.5	0.0	C.Less	Un. Obj	Un. Obj	545	9	430	0	25	36	52	43	310	93	3	25.00	0.03	0.70	0.01	0.66	BDL	+ve	+ve	Unsafe		
428	RWP-428	Miani Bangi	Qazian	Gujar Khan	M parvez home	Well	80	10	843	7.5	0.0	C.Less	Un. Obj	Un. Obj	489	8	410	0	18	25	40	33	235	104	2	5.00	0.16	0.63	0.01	1.47	BDL	+ve	+ve	Unsafe		
429	RWP-429	Miani Bangi	Qazian	Gujar Khan	M Afzal home	Well	90	9	753	7.5	0.0	C.Less	Un. Obj	Un. Obj	429	7	340	0	28	25	72	24	280	63	2	4.00	0.06	0.37	BDL	0.17	5.83	+ve	+ve	Unsafe		
430	RWP-430	Miani Bangi	Qazian	Gujar Khan	Nasir Ahmed home	Well	90	10	688	7.6	0.0	C.Less	Un. Obj	Un. Obj	356	6	310	0	18	23	32	29	250	99	3	3.00	0.35	0.52	0.04	2.70	BDL	+ve	+ve	Unsafe		
431	RWP-431	Geosoor	Thathi	Gujar Khan	Raja Nasir home	M.Pump	80	40	1060	7.6	0.4	C.Less	Un. Obj	Un. Obj	636	9	430	0	43	62	36	5	110	220	2	33.00	0.17	0.56	0.07	BDL	BDL	+ve	+ve	Unsafe		
432	RWP-432	Geosoor	Thathi	Gujar Khan	M Younis home	M.Pump	48	10	1624	7.4	0.0	C.Less	Un. Obj	Un. Obj	997	7	340	0	117	135	16	143	630	118	3	62.00	0.12	0.51	0.13	BDL	7.59	+ve	+ve	Unsafe		
433	RWP-433	Geosoor	Thathi	Gujar Khan	Raja Araf home	M.Pump	60	15	2240	7.2	0.1	C.Less	Un. Obj	Un. Obj	859	8	590	0	220	292	128	61	570	293	3	22.00	0.08	0.54	0.06	BDL	2.63	+ve	+ve	Unsafe		
434	RWP-434	Geosoor	Thathi	Gujar Khan	School	Well	100	20	1890	8.1	0.0	C.Less	Un. Obj	Un. Obj	1152	13	670	0	149	22	32	13	135	420	2	24.00	0.05	0.32	0.04	BDL	BDL	+ve	+ve	Unsafe		
435	RWP-435	Geosoor	Thathi	Gujar Khan	Mr. Asmi home	M.Pump	100	25	2120	7.9	1.2	C.Less	Un. Obj	Un. Obj	1243	9	460	0	333	167	48	7	150	380	3	2.00	0.04	0.47	0.03	0.46	BDL	+ve	+ve	Unsafe		
436	RWP-436	Thathi	Thathi	Gujar Khan	Ch. Ghulam Mustafa Thathi	M.Pump	50	25	1714	8.0	0.0	C.Less	Un. Obj	Un. Obj	994	8	390	0	64	254	88	46	410	240	3	6.00	0.06	1.28	0.02	0.50	2.74	+ve	+ve	Unsafe		
437	RWP-437	Thathi	Thathi	Gujar Khan	Nasira Khan home	Well	21	12	748	7.4	0.0	C.Less	Un. Obj	Un. Obj	436	7	350	0	18	32	72	34	320	209	1	2.20	0.04	1.08	0.04	0.84	BDL	+ve	+ve	Unsafe		
438	RWP-438	Thathi	Thathi	Gujar Khan	M Naeem home	Well	33	10	976	7.4	0.0	C.Less	Un. Obj	Un. Obj	525	9	440	0	25	64	68	24	270	116	1	4.00	0.44	1.25	0.01	0.55	BDL	+ve	+ve	Unsafe		
439	RWP-439	Thathi	Thathi	Gujar Khan	M Basim home	M.Pump	100	35	1232	8.0	2.5	C.Less	Un. Obj	Un. Obj	714	8	380	0	117	98	6	1	10	295	2	2.60	0.13	0.03	0.03	0.10	2.78	+ve	+ve	Unsafe		
440	RWP-440	Thathi	Thathi	Gujar Khan	Thathi (Gadir Campus) Egnic School System	M.Pump	130	25	1909	8.2	2.0	C.Less	Un. Obj	Un. Obj	1155	10	490	0	240	145	12	6	55	450	3	9.00	0.01	0.85	0.04	0.93	5.31	+ve	+ve	Unsafe		
441	RWP-441	Bayam Pandori	Thathi	Gujar Khan	Raja Heboob home	M.Pump	150	50	1789	7.7	0.0	C.Less	Un. Obj	Un. Obj	599	7	470	0	77	776	44	29	230	370	2	7.00	0.02	0.83	0.03	BDL	2.39	+ve	+ve	Unsafe		
442	RWP-442	Bayam Pandori	Thathi	Gujar Khan	Sardar Saifdar home	M.Pump	200	150	1724	7.6	0.0	C.Less	Un. Obj	Un. Obj	1000	12	600	0	113	108	64	46	350	295	3	18.00	0.00	0.84	0.07	BDL	1.69	+ve	+ve	Unsafe		
443	RWP-443	Bayam Pandori	Thathi	Gujar Khan	Community	M.Pump	120	40	1801	7.5	0.7	C.Less	Un. Obj	Un. Obj	1030	13	650	0	121	116	40	60	350	303	3	8.00	0.05	0.81	0.10	BDL	8.01	+ve	+ve	Unsafe		
444	RWP-444	Bayam Pandori	Thathi	Gujar Khan	M Yasir home	M.Pump	90	10	1020	7.6	0.0	C.Less	Un. Obj	Un. Obj	603	6	350	0	13	50	104	44	280	88	1	3.50	0.04	0.47	0.09	0.20	BDL	+ve	+ve	Unsafe		
445	RWP-445	Bayam Pandori	Thathi	Gujar Khan	Masjid	M.Pump	140	20	1334	7.9	0.1	C.Less	Un. Obj	Un. Obj	473	13	640	0	25	45	12	17	100	310	3	6.00	0.07	1.59	0.05	0.22	3.22	+ve	+ve	Unsafe		
446	RWP-446	Sohawa Mirza	Beawal	Gujar Khan	Khalid Ahmed home	M.Pump	100	10	1378	7.4	0.0	C.Less	Un. Obj	Un. Obj	756	5	270	0	117	101	128	48	520	89	3	7.00	0.05	0.29	0.03	0.12	4.74	+ve	+ve	Unsafe		
447	RWP-447	Sohawa Mirza	Beawal	Gujar Khan	Aadil home	Well	90	15	646	7.6	0.0	C.Less	Un. Obj	Un. Obj	355	6	280	0	18	15	28	29	290	93	2	6.00	0.31	0.43	0.02	1.25	3.59	+ve	+ve	Unsafe		
448	RWP-448	Sohawa Mirza	Beawal	Gujar Khan	Raja Zaher home	Well	90	12	668	7.6	0.0	C.Less	Un. Obj	Un. Obj	306	6	280	0	18	36	100	36	290	73	2	32.00	0.03	0.37	0.01	0.69	3.39	+ve	+ve	Unsafe		
449	RWP-449	Sohawa Mirza	Beawal	Gujar Khan	Faisal Shah home	Well	76	20	1355	7.5	0.0	C.Less	Un. Obj	Un. Obj	769	6	300	0	92	104	120	53	520	93	3	11.00	0.42	0.36	BDL	0.53	2.29	+ve	+ve	Unsafe		
450	RWP-450	Sohawa Mirza	Beawal	Gujar Khan	Abdul Malik home	Well	90	40	2140	7.2	1.9	C.Less	Un. Obj	Un. Obj	1268	6	300	0	184	107	252	39	790	130	3	112.00	0.19	0.34	BDL	0.44	0.00	+ve	+ve	Unsafe		
451	RWP-451	Trakwal	Panrang Kalan	Gujar Khan	M Saif home	M.Pump	100	40	1050	7.9	0.0	C.Less	Un. Obj	Un. Obj	602	13	540	0	107	130	146	36	260	290	1	10.00	0.07	0.56	0.02	0.70	BDL	+ve	+ve	Unsafe		
452	RWP-452	Trakwal	Panrang Kalan	Gujar Khan	M Doraz home	Well	70	40	2146	7.0	0.0	C.Less	Un. Obj	Un. Obj	612	8	420	0	46	63	28	36	220	182	3	7.30	0.02	0.73	0.03	0.13	6.80	+ve	+ve	Unsafe		
453	RWP-453	Trakwal	Panrang Kalan	Gujar Khan	School	M.Pump	75	45	980	7.2	1.6	C.Less	Un. Obj	Un. Obj	558	7	370	0	57	85	156	43	570	12	3	18.00	0.15	0.35	0.04	0.10	3.34	+ve	+ve	Unsafe		
454	RWP-454	Trakwal	Panrang Kalan	Gujar Khan	Muladaraher home	M.Pump	120	50	789	7.8	0.0	C.Less	Un. Obj	Un. Obj	434	7	370	0	21	84	22	150	130	3	6.00	0.02	0.12	BDL	0.22	3.53	+ve	+ve	Unsafe			
455	RWP-455	Trakwal	Panrang Kalan	Gujar Khan	M Nawaz home	M.Pump	150	130	700	8.1	0.0	C.Less																								

Sr. No	Sample Code	Village	Union Council	Tehsil	Location	Source	Depth (ft)	Water Table Depth (ft)	EC /µs/cm	pH	Turbidity NTU	Color	Taste	Odor	TDS	Alk mg/l	HCO ₃ mg/l	CO ₃ mg/l	Cl mg/l	SO ₄ mg/l	Ca mg/l	Mg mg/l	Hardness mg/l	Na mg/l	K mg/l	NO ₃ mg/l	PO ₄ mg/l	F mg/l	Fe mg/l	As ppb	Pb ppb	Total Coliform	E.Coli	Safe/ Unsafe
524	RWP-524	Dhakrali Badhal	Su Cheeman	Gujar Khan	Abdul Qadir House	Well	45	12	1361	7.5	0.1	C.Less	Un.Obj	Un.Obj	808	10	85	65	68	36	350	176	2	18.00	0.11	0.67	BDL	0.12	4.66	+	-ve	Safe		
525	RWP-525	Dhakrali Badhal	Su Cheeman	Gujar Khan	M Shaifi home	W. Supply	130	40	939	7.5	0.1	C.Less	Un.Obj	Un.Obj	469	8	380	0	32	36	44	19	126	2	2.00	0.10	0.57	BDL	0.26	2.42	+	-ve	Safe	
526	RWP-526	Gulayana	Gulayana	Gujar Khan	Skali Ahmed home	Well	135	45	854	7.5	0.0	C.Less	Un.Obj	Un.Obj	610	10	480	0	28	25	44	47	305	150	4	7.00	0.14	0.38	0.02	0.02	3.39	+	-ve	Unsafe
527	RWP-527	Gulayana	Gulayana	Gujar Khan	M T Ali home	M. Pump	130	15	74	7.6	0.1	C.Less	Un.Obj	Un.Obj	492	8	480	14	60	215	156	4	4	60	9	4.00	0.13	0.20	0.01	0.57	0.34	+	-ve	Unsafe
528	RWP-528	Gulayana	Gulayana	Gujar Khan	Arshad Ahmed home	M. Pump	145	30	1218	7.4	0.1	C.Less	Un.Obj	Un.Obj	745	9	470	0	64	60	52	69	385	156	5	18.00	0.15	0.37	0.01	1.10	10.60	+	-ve	Unsafe
529	RWP-529	Gulayana	Gulayana	Gujar Khan	Bhikhar Ali home	M. Pump	135	130	866	7.5	0.0	C.Less	Un.Obj	Un.Obj	493	8	420	0	28	20	42	39	265	92	4	3.00	0.09	0.28	0.01	0.23	1.25	+	-ve	Safe
530	RWP-530	Gulayana	Gulayana	Gujar Khan	Sahbaq Hussain home	Well	135	70	785	7.5	5.0	Turbid	Un.Obj	Un.Obj	431	9	440	0	21	11	32	38	235	78	4	0.00	0.10	0.45	BDL	0.97	2.32	+	-ve	Unsafe
531	RWP-531	Suzail	Kanai Khalil	Gujar Khan	Naseem Ali home	M. Pump	250	40	1884	7.4	0.0	C.Less	Un.Obj	Un.Obj	243	6	320	0	92	564	188	68	750	146	6	8.00	0.07	1.03	BDL	0.10	1.75	+	-ve	Unsafe
532	RWP-532	Suzail	Kanai Khalil	Gujar Khan	M Ullat home	M. Pump	90	30	2050	7.5	0.0	C.Less	Un.Obj	Un.Obj	1230	8	400	0	227	217	80	73	500	290	3	21.00	0.06	0.50	0.01	1.07	2.79	+	-ve	Unsafe
533	RWP-533	Suzail	Kanai Khalil	Gujar Khan	Mehnoob Hussain home	Well	30	9	2600	7.5	0.4	C.Less	Un.Obj	Un.Obj	1332	11	570	0	209	232	60	66	420	410	2	35.00	0.05	0.88	BDL	4.00	3.03	+	-ve	Unsafe
534	RWP-534	Suzail	Kanai Khalil	Gujar Khan	M Naeem home	Well	40	15	1609	7.7	0.0	C.Less	Un.Obj	Un.Obj	1000	9	460	0	88	201	48	39	280	290	3	25.00	0.04	0.57	0.00	0.17	2.00	+	-ve	Unsafe
535	RWP-535	Suzail	Community	Gujar Khan	Community	M. Pump	100	30	1523	7.5	0.0	C.Less	Un.Obj	Un.Obj	976	9	450	0	124	139	68	41	240	245	1	14.00	0.07	0.41	0.09	0.68	2.74	+	-ve	Unsafe
536	RWP-536	Kuntliya	Kuntliya	Gujar Khan	Dr. Shoukat Iqbal home	M. Pump	45	10	1160	7.2	0.1	C.Less	Un.Obj	Un.Obj	996	10	500	0	110	89	106	85	615	90	3	27.00	0.10	0.56	BDL	0.26	2.64	+	-ve	Unsafe
537	RWP-537	Kuntliya	Kuntliya	Gujar Khan	Haji Sabir home	Well	45	12	1609	7.1	0.0	C.Less	Un.Obj	Un.Obj	643	9	450	0	57	33	92	62	385	63	3	5.00	0.17	0.41	BDL	0.32	1.16	+	-ve	Unsafe
538	RWP-538	Kuntliya	Kuntliya	Gujar Khan	M Bahfaq home	Well	130	60	1586	7.8	0.1	C.Less	Un.Obj	Un.Obj	919	8	400	0	141	93	78	103	610	116	4	24.00	0.09	0.40	0.01	0.73	6.89	+	-ve	Unsafe
539	RWP-539	Kuntliya	Kuntliya	Gujar Khan	M Bahfaq home	Well	75	25	1521	7.5	0.0	C.Less	Un.Obj	Un.Obj	885	10	490	0	113	67	98	63	500	150	3	16.00	0.03	0.42	0.03	0.58	BDL	+	-ve	Unsafe
540	RWP-540	Kuntliya	Kuntliya	Gujar Khan	Basic Health Center	Well	130	60	942	7.2	0.2	C.Less	Un.Obj	Un.Obj	536	9	440	0	35	10	74	49	390	65	2	4.00	0.05	0.36	BDL	0.59	3.83	+	-ve	Unsafe
541	RWP-541	Bakra	Kanai Khalil	Gujar Khan	M Salim (Wali Naam)	Well	65	13	1276	8.0	0.0	C.Less	Un.Obj	Un.Obj	740	10	500	0	74	55	24	19	140	265	2	6.00	0.08	0.39	BDL	0.55	1.02	+	-ve	Unsafe
542	RWP-542	Bakra	Kanai Khalil	Gujar Khan	Baja Sirka home	Well	60	20	1898	7.7	0.0	C.Less	Un.Obj	Un.Obj	1100	10	500	0	167	184	24	23	155	225	3	3.40	0.10	0.40	0.10	2.22	6.00	+	-ve	Unsafe
543	RWP-543	Bakra	Kanai Khalil	Gujar Khan	Safai pavez home	Well	54	9	1099	7.4	0.0	C.Less	Un.Obj	Un.Obj	626	11	530	0	21	37	32	43	260	184	3	3.00	0.09	0.88	0.36	0.62	6.13	+	-ve	Unsafe
544	RWP-544	Bakra	Kanai Khalil	Gujar Khan	Haji Barkat home	M. Pump	130	15	1302	7.9	0.0	C.Less	Un.Obj	Un.Obj	742	11	530	0	57	28	8	17	90	305	2	10.00	0.17	0.30	0.13	0.10	0.51	+	-ve	Unsafe
545	RWP-545	Bakra	Kanai Khalil	Gujar Khan	M Zameer home	M. Pump	130	30	1107	7.8	0.0	C.Less	Un.Obj	Un.Obj	602	6	480	0	53	34	44	29	230	210	2	15.00	0.12	0.20	BDL	0.24	5.30	+	-ve	Unsafe
546	RWP-546	Birjana	Mohra Noori	Gujar Khan	Ch, M Zameer home	M. Pump	120	25	1025	7.5	0.0	C.Less	Un.Obj	Un.Obj	584	2	470	0	25	23	36	26	200	156	2	8.00	0.12	1.09	BDL	0.25	2.05	+	-ve	Safe
547	RWP-547	Birjana	Mohra Noori	Gujar Khan	Abdur Rashid home	M. Pump	65	30	1621	7.6	0.1	C.Less	Un.Obj	Un.Obj	940	8	380	0	135	118	40	62	355	240	5	40.00	0.11	0.25	0.04	0.17	0.59	+	-ve	Unsafe
548	RWP-548	Birjana	Mohra Noori	Gujar Khan	Ch. Mushtaq home	M. Pump	120	30	1600	7.5	0.0	C.Less	Un.Obj	Un.Obj	928	9	470	0	89	209	48	75	430	184	4	24.00	0.08	0.26	0.02	0.06	2.34	+	-ve	Unsafe
549	RWP-549	Birjana	Mohra Noori	Gujar Khan	Hudhank Ali home	M. Pump	120	40	1890	7.6	0.3	C.Less	Un.Obj	Un.Obj	1000	10	500	0	88	119	44	38	188	165	14	10.00	0.07	0.44	0.03	0.14	5.36	+	-ve	Unsafe
550	RWP-550	Birjana	Mohra Noori	Gujar Khan	Memorial School	M. Pump	100	50	1175	7.5	0.4	C.Less	Un.Obj	Un.Obj	669	8	480	0	35	33	48	56	350	91	2	36.00	0.09	0.52	0.14	0.11	2.05	+	-ve	Unsafe
551	RWP-551	Hastala	Mohra Noori	Gujar Khan	Haji Bifaz Hussain home	M. Pump	126	70	1006	7.3	0.2	C.Less	Un.Obj	Un.Obj	573	8	300	0	30	13	48	49	320	116	2	16.00	0.03	0.56	0.02	1.09	0.00	+	-ve	Unsafe
552	RWP-552	Hastala	Mohra Noori	Gujar Khan	Taqiullah Hussain home	M. Pump	40	20	844	7.3	0.3	C.Less	Un.Obj	Un.Obj	561	8	410	25	36	44	260	91	4	60	3	4.00	0.10	0.53	BDL	1.33	1.00	+	-ve	Unsafe
553	RWP-553	Hastala	Mohra Noori	Gujar Khan	Tameer Ahmed home	M. Pump	45	6	1700	7.6	0.1	C.Less	Un.Obj	Un.Obj	1000	12	620	0	88	119	44	38	188	165	14	10.00	0.05	0.62	BDL	1.06	6.69	+	-ve	Unsafe
554	RWP-554	Hastala	Mohra Noori	Gujar Khan	Auser house	M. Pump	45	15	1300	7.6	0.1	C.Less	Un.Obj	Un.Obj	627	10	480	0	35	57	40	49	300	150	6	7.00	0.04	0.63	0.01	0.82	0.00	+	-ve	Unsafe
555	RWP-555	Hastala	Mohra Noori	Gujar Khan	G P School	M. Pump	120	30	1006	7.4	0.4	C.Less	Un.Obj	Un.Obj	604	8	410	0	39	40	98	16	310	88	17	13.00	0.07	0.65	0.07	0.90	5.81	+	-ve	Unsafe
556	RWP-556	Hata	Mohra Noori	Gujar Khan	Abdul Jabbar house	M. Pump	84	10	1100	7.4	0.0	C.Less	Un.Obj	Un.Obj	720	10	500	0	39	40	98	16	310	88	17	13.00	0.07	0.65	0.07	0.90	5.81	+	-ve	Unsafe
557	RWP-557	Hata	Mohra Noori	Gujar Khan	Abdul Jabbar house	M. Pump	130	60	7310	7.4	8.6	C.Less	Un.Obj	Un.Obj	4422	7	370	0	1021	938	222	157	1023	1189	79	12.00	0.09	0.88	0.09	0.56	BDL	+	-ve	Unsafe
558	RWP-558	Hata	Mohra Noori	Gujar Khan	Community	Well	130	30	1699	7.5	0.1	C.Less	Un.Obj	Un.Obj	985	9	450	0	131	173	56	46	330	255	5	28.00	0.10	1.13	0.10	0.81	0.00	+	-ve	Unsafe
559	RWP-559	Hata	Mohra Noori	Gujar Khan	Naeem Hussain house	M. Pump	60	15	1182	7.5	0.1	C.Less	Un.Obj	Un.Obj	672	10	500	0	35	44	34	23	215	205	2	15.00	0.09	0.86	0.09	0.05	BDL	+	-ve	Unsafe
560	RWP-560	Hata	Mohra Noori	Gujar Khan	Bhikhar Hussain house	M. Pump	60	20	1890	7.6	0.3	C.Less	Un.Obj	Un.Obj	976	9	360	0	170	405	148	53	980	200	3	105.00	0.11	0.84	0.11	0.29	0.00	+	-ve	Unsafe
561	RWP-561	Dera Muslim	Karumb Blyas	Gujar Khan	M. Af house	M. Pump	115	9	665	7.3	0.6	C.Less	Un.Obj	Un.Obj	365	6	300	0	14	17	32	12	170</											

Sr. No.	Sample Code	Village	Union Council	Tehsil	Location	Source	Depth (ft)	Water Table Depth (ft)	EC µs/cm	pH	Turbidity NTU	Color	Taste	Odor	TDS	Alk mg/l	HCO ₃ mg/l	CO ₃ mg/l	Cl mg/l	SO ₄ mg/l	Ca mg/l	Mg mg/l	Hardness mg/l	Na mg/l	K mg/l	NO ₃ mg/l	PO ₄ mg/l	F mg/l	Fe mg/l	As ppb	Pb ppb	Total Coliform	E.Coli	Safe/ Unsafe
629	RWP-629	Kandol	Kalian Awan	Gujar Khan	Maik Mushiba home	H. Pump	120	20	1605	7.3	0.4	C.Less	Un.Obj	Un.Obj	983	8	390	0	145	158	104	53	480	176	3	24.00	0.13	0.60	0.19	0.27	0.00	+	+	Safe
630	RWP-630	Kandol	Kalian Awan	Gujar Khan	Kalian Darian	H. Pump	160	40	4090	7.6	0.8	C.Less	Un.Obj	Un.Obj	2863	9	430	0	560	374	128	63	580	640	5	12.00	0.10	0.26	0.32	BDL	BDL	+	-	Unsafe
631	RWP-631	Mosam Shah	Kalian Awan	Gujar Khan	Zulfkar Ali shah	Well	90	60	768	7.5	0.0	C.Less	Un.Obj	Un.Obj	422	7	370	0	18	23	44	26	215	98	1	3.20	0.09	0.31	0.16	0.23	1.24	+	+	Unsafe
632	RWP-632	Mosam Shah	Kalian Awan	Gujar Khan	Faz Ahmed home	Well	40	10	465	7.6	2.1	C.Less	Un.Obj	Un.Obj	255	17	330	0	70	372	96	82	535	269	1	14.00	0.07	0.30	0.22	1.03	2.15	+	+	Unsafe
633	RWP-633	Mosam Shah	Kalian Awan	Gujar Khan	Haji Zahoor Hussain home	Well	42	2	845	7.7	1.0	C.Less	Un.Obj	Un.Obj	471	7	330	0	64	78	23	18	122	1	1.00	0.06	0.36	0.14	BDL	5.15	+	+	Unsafe	
634	RWP-634	Mosam Shah	Kalian Awan	Gujar Khan	Sultan Mehmood House	Well	48	10	869	7.9	0.1	C.Less	Un.Obj	Un.Obj	498	8	405	0	28	32	53	300	178	1	6.00	0.05	0.37	0.11	0.22	2.10	+	+	Unsafe	
635	RWP-635	Mosam Shah	Kalian Awan	Gujar Khan	Naveed Akhtar home	Well	9	6	1740	7.8	0.0	C.Less	Un.Obj	Un.Obj	1000	12	600	0	174	133	30	19	155	273	1	3.00	0.09	0.75	0.09	1.67	0.75	+	+	Unsafe
636	RWP-636	Potha		Gujar Khan	Qasid sirm home	H. Pump	110	25	785	7.5	0.2	C.Less	Un.Obj	Un.Obj	431	8	400	0	11	9	88	47	340	49	3	4.00	0.13	0.33	0.24	0.84	5.38	+	+	Unsafe
637	RWP-637	Potha		Gujar Khan	Munir home	H. Pump	120	30	1262	7.4	87.0	Turbid	Un.Obj	Un.Obj	419	8	400	0	11	8	54	47	330	48	3	3.00	0.17	0.38	2.99	0.36	0.55	+	+	Unsafe
638	RWP-638	Potha		Gujar Khan	M Ishaq home	H. Pump	165	90	652	7.3	7.2	Turbid	Un.Obj	Un.Obj	359	6	320	0	10	9	36	29	120	54	3	6.00	0.16	0.33	2.20	0.61	0.00	+	+	Unsafe
639	RWP-639	Potha		Gujar Khan	Abdul Qadir House	H. Pump	75	15	965	7.3	1.0	C.Less	Un.Obj	Un.Obj	550	10	490	0	25	31	58	63	405	74	4	6.30	0.11	0.77	0.10	0.52	0.72	+	+	Unsafe
640	RWP-640	Potha		Gujar Khan	Zafar Iqbal home	Well	24	20	1907	7.5	0.7	C.Less	Un.Obj	Un.Obj	508	10	500	0	14	14	54	56	235	95	4	4.00	0.17	0.72	0.10	0.28	0.25	+	+	Unsafe
641	RWP-641	Pakral Rajgan		Gujar Khan	Wahid Iqbal home	H. Pump	150	70	913	7.5	1.4	C.Less	Un.Obj	Un.Obj	511	6	300	0	71	28	68	34	310	76	2	4.00	0.13	0.68	0.08	0.22	5.11	+	+	Unsafe
642	RWP-642	Pakral Rajgan		Gujar Khan	Abdul Khilj home	H. Pump	170	90	718	7.4	0.3	C.Less	Un.Obj	Un.Obj	395	7	340	0	25	11	52	29	250	74	2	3.00	0.17	0.32	0.05	0.30	0.26	+	+	Safe
643	RWP-643	Pakral Rajgan		Gujar Khan	Raja Arshad home	H. Pump	142	50	670	7.5	0.0	Turbid	Un.Obj	Un.Obj	368	7	350	0	18	11	56	24	280	63	2	4.00	0.13	0.35	0.01	0.49	0.38	+	+	Unsafe
644	RWP-644	Pakral Rajgan		Gujar Khan	Mesjid	H. Pump	150	80	170	7.9	0.3	C.Less	Un.Obj	Un.Obj	390	7	340	0	32	4	52	41	300	59	1	4.70	0.14	0.30	0.13	0.43	0.00	+	+	Unsafe
645	RWP-645	Pakral Rajgan		Gujar Khan	Community	Well	50	30	1271	7.6	0.8	C.Less	Un.Obj	Un.Obj	737	7	370	0	107	122	82	43	380	128	3	4.00	0.21	0.58	0.09	0.52	3.28	+	+	Unsafe
646	RWP-646	Pari Ferzawl		Gujar Khan	M Salidar home	H. Pump	120	70	777	7.2	0.2	C.Less	Un.Obj	Un.Obj	464	5	270	0	43	19	112	14	240	19	1	5.00	0.23	0.32	0.11	1.56	6.44	+	+	Unsafe
647	RWP-647	Pari Ferzawl		Gujar Khan	Karamat Hussain home	H. Pump	150	120	1913	7.5	0.1	Turbid	Un.Obj	Un.Obj	1148	10	500	0	250	142	80	29	320	310	2	2.00	0.21	0.42	0.04	0.21	1.19	+	+	Unsafe
648	RWP-648	Pari Ferzawl		Gujar Khan	M Hanif home	H. Pump	100	20	627	7.3	1.8	C.Less	Un.Obj	Un.Obj	370	6	310	0	21	11	96	24	340	21	1	6.00	0.19	0.33	0.05	0.30	0.66	+	+	Unsafe
649	RWP-649	Pari Ferzawl		Gujar Khan	M Mahmood home	H. Pump	125	70	775	7.7	0.0	C.Less	Un.Obj	Un.Obj	426	6	320	0	216	16	56	27	250	79	1	4.60	0.15	0.37	0.07	0.33	0.38	+	+	Unsafe
650	RWP-650	Pari Rajgan		Gujar Khan	Karamat Hussain home	H. Pump	120	65	1848	7.4	0.6	Turbid	Un.Obj	Un.Obj	1076	6	320	0	175	139	60	33	360	253	2	4.00	0.14	0.71	0.01	0.00	4.39	+	+	Unsafe
651	RWP-651	Bhar Ratyal		Gujar Khan	M Rashid home	H. Pump	110	60	963	7.6	0.1	C.Less	Un.Obj	Un.Obj	57	53	32	35	225	130	3	740	113	0.62	0.03	0.05	5.44	+	+	Unsafe				
652	RWP-652	Bhar Ratyal		Gujar Khan	Nasir Ahmed home	H. Pump	60	30	2330	8.0	0.5	C.Less	Un.Obj	Un.Obj	1398	16	790	0	135	241	24	40	225	500	3	3.00	0.12	1.36	0.07	0.78	2.35	+	+	Unsafe
653	RWP-653	Bhar Ratyal		Gujar Khan	Community	Well	100	30	843	7.7	0.0	C.Less	Un.Obj	Un.Obj	464	7	370	0	18	37	68	35	215	65	1	12.00	0.09	0.39	0.06	0.66	1.87	+	+	Unsafe
654	RWP-654	Bhar Ratyal		Gujar Khan	Khwar Ahmed home	Well	110	70	1127	7.5	0.2	C.Less	Un.Obj	Un.Obj	493	7	350	0	43	29	126	3	3	1	1.00	0.07	0.32	0.08	0.93	2.43	+	+	Unsafe	
655	RWP-655	Bhar Ratyal		Gujar Khan	Abdul Rashid home	Well	68	35	1663	7.7	0.0	C.Less	Un.Obj	Un.Obj	964	7	350	0	141	140	54	82	475	158	4	34.00	0.06	0.42	0.11	1.01	2.96	+	+	Unsafe
656	RWP-656	Bhar Katali		Gujar Khan	Ghulam Mustafa home	H. Pump	65	10	2040	7.5	0.0	C.Less	Un.Obj	Un.Obj	1224	10	475	0	141	194	96	65	485	290	2	4.80	0.11	0.95	0.19	0.32	0.05	+	+	Unsafe
657	RWP-657	Bhar Katali		Gujar Khan	Nasir Ahmed home	H. Pump	120	25	1147	7.8	0.3	C.Less	Un.Obj	Un.Obj	1083	10	460	0	100	445	205	62	7.00	0.13	0.62	0.21	0.09	2.01	+	+	Unsafe			
658	RWP-658	Bhar Katali		Gujar Khan	Tahir mehmood musajil home	H. Pump	135	60	1862	7.4	0.0	C.Less	Un.Obj	Un.Obj	1084	10	480	0	207	186	102	66	175	2	8.00	0.07	0.37	0.16	0.18	0.00	+	+	Unsafe	
659	RWP-659	Bhar Katali		Gujar Khan	M Fazl home	H. Pump	130	60	6370	7.4	0.0	C.Less	Un.Obj	Un.Obj	4459	12	600	0	801	1203	420	292	2250	530	4	9.00	0.11	0.32	0.09	0.49	0.08	+	+	Unsafe
660	RWP-660	Bhar Katali		Gujar Khan	M Mehsud home	H. Pump	160	80	1145	7.7	0.0	C.Less	Un.Obj	Un.Obj	652	7	330	0	110	91	42	35	250	150	3	2.00	0.09	0.52	0.11	0.03	1.17	+	+	Safe
661	RWP-661	Bhangaal Gujar		Gujar Khan	M Mehsud home	H. Pump	160	80	1145	7.7	0.0	C.Less	Un.Obj	Un.Obj	652	7	330	0	110	91	42	35	250	150	3	2.00	0.09	0.52	0.11	0.03	1.17	+	+	Safe
662	RWP-662	Bhangaal Gujar		Gujar Khan	M Jjaz home	H. Pump	90	45	1492	7.3	0.0	C.Less	Un.Obj	Un.Obj	667	8	410	0	103	124	80	51	410	194	1	26.00	0.06	0.88	0.06	0.08	0.00	+	+	Unsafe
663	RWP-663	Bhangaal Gujar		Gujar Khan	Raja Tahir House	W. Supply	120	50	1410	7.6	0.5	C.Less	Un.Obj	Un.Obj	846	10	480	0	99	134	74	58	425	150	3	5.50	0.04	0.46	BDL	0.40	0.11	+	+	Unsafe
664	RWP-664	Bhangaal Gujar		Gujar Khan	M Anwar home	H. Pump	202	260	3890	7.9	0.7	Turbid	Un.Obj	Un.Obj	2265	3	230	0	102	65	20	10	90	850	3	1.50	0.03	0.73	0.11	0.35	0.09	+	+	Unsafe
665	RWP-665	Bhangaal Gujar		Gujar Khan	Hedrasal	W. Supply	165	55	1323	8.1	0.0	C.Less	Un.Obj	Un.Obj	951	7	310	0	90	120	60	20	2	5.00	0.05	0.86	0.10	0.39	1.20	+	+	Unsafe		
666	RWP-666	Devi		Gujar Khan	M Ayyub home	W. Supply	165	55	1347	7.7	0.1	C.Less	Un.Obj	Un.Obj	781	11	565	0	78	84	44	29	230	245	1	2.00	0.09	0.87	0.03	1.38	2.14	+	+	Unsafe
667	RWP-667	Devi		Gujar Khan	Babar salem home	H. Pump	50	40	1880	7.6	0.5	C.Less	Un.Obj	Un.Obj																				

Sr. No	Sample Code	Village	Union Council	Tehsil	Location	Source	Depth (R)	Water Table Depth (m)	EC/µm	pH	Turbidity NTU	Color	Taste	Odor	TDS	Alk m/m/l	HCO ₃ mg/l	CO ₃ mg/l	Cl mg/l	SO ₄ mg/l	Ca mg/l	Mg mg/l	Hardness mg/l	Na mg/l	K mg/l	NO ₃ mg/l	PO ₄ mg/l	F mg/l	Fe mg/l	As ppb	Pb ppb	Total Coliform	E.Coli	Safe/ Unsafe	
																																			Permissible Limit (MCL)
837	RWP-837	Nakrali	Chapper	Rawalpindi	Sohal Nadeem Nakrali Village	Well	40	35	814	6.8	1.3	C	Unobj	Unobj	472	6	370	0	13	69	72	46	390	35	1	3.00	0.14	0.63	0.00	0.02	5.63	+	+	Safe	
838	RWP-838	Nakrali	Chapper	Rawalpindi	M. Hessonob Nakrali	Well	15	10	2030	6.9	10.4	C	Unobj	Unobj	1818	7	370	0	250	229	276	112	1150	180	4	104.00	0.09	0.14	0.00	0.00	BDL	0.00	+	+	Unsafe
839	RWP-839	Nakrali	Chapper	Rawalpindi	Niaz Hussain Nakrali	T. Well	50	44	3630	7.3	0.0	C	Unobj	Unobj	2178	8	1140	0	770	280	240	168	220	347	6	16.00	0.10	0.63	0.13	0.56	1.19	+	+	Unsafe	
840	RWP-840	Nakrali	Chapper	Rawalpindi	M. Hessonob Nakrali	T. Well	150	150	3630	7.3	0.0	C	Unobj	Unobj	2178	8	1139	0	765	269	221	188	1235	347	5	16.00	0.10	0.64	0.01	0.96	3.14	+	+	Unsafe	
841	RWP-841	Khana	Taraya	Rawalpindi	M. Ghulam Faraz Khana	H. Pump	240	220	1417	7.4	0.3	C	Unobj	Unobj	720	7	360	0	85	110	60	36	300	151	1	5.00	0.13	0.43	0.00	0.44	2.47	+	+	Unsafe	
842	RWP-842	Khana	Taraya	Rawalpindi	M. Ghulam Faraz Khana	H. Pump	240	200	2425	7.2	0.9	C	Unobj	Unobj	1406	7	345	0	336	313	124	73	610	244	2	8.00	0.07	0.33	0.00	BDL	1.96	+	+	Unsafe	
843	RWP-843	Khana	Taraya	Rawalpindi	M. Yaseen Khana	H. Pump	265	200	1211	7.8	2.3	C	Unobj	Unobj	714	6	320	0	86	54	52	29	250	163	2	3.00	0.06	0.40	0.00	0.34	9.09	+	+	Unsafe	
844	RWP-844	Khana	Taraya	Rawalpindi	Hezar Nisar Khana	T. Well	265	210	1278	7.6	4.3	C	Unobj	Unobj	761	8	385	0	98	150	62	37	310	161	2	4.00	0.09	0.35	0.08	0.47	5.07	+	+	Unsafe	
845	RWP-845	Khana	Taraya	Rawalpindi	Sharif Khana	T. Well	275	160	5410	7.0	25.3	C	Unobj	Unobj	3246	2	120	0	1258	700	436	136	1650	466	4	20.00	0.07	0.16	0.00	0.64	17.17	+	+	Unsafe	
846	RWP-846	Gangal	Taraya	Rawalpindi	M. Alabi Gangal	T. Well	100	60	737	7.3	0.7	C	Unobj	Unobj	427	6	310	0	22	34	104	27	390	27	1	5.00	0.11	0.27	0.00	0.59	2.89	+	+	Unsafe	
847	RWP-847	Gangal	Taraya	Rawalpindi	Haji M. Nawa	T. Well	45	40	980	8.0	1.4	C	Unobj	Unobj	626	6	320	0	73	58	136	32	570	43	1	20.00	0.13	0.33	0.01	0.48	1.22	+	+	Unsafe	
848	RWP-848	Gangal	Taraya	Rawalpindi	M. Ghulam Marizta	H. Pump	60	50	794	7.2	1.4	C	Unobj	Unobj	443	7	355	0	17	25	74	3	300	50	2	4.00	0.17	0.34	0.00	1.33	2.78	+	+	Unsafe	
849	RWP-849	Gangal	Taraya	Rawalpindi	M. Yaqub Gangal	T. Well	75	65	1400	7.3	0.3	C	Unobj	Unobj	812	7	335	0	83	166	112	7	560	83	6	15.00	0.09	0.23	0.00	0.04	3.42	+	+	Unsafe	
850	RWP-850	Gangal	Taraya	Rawalpindi	M. Raazay	H. Pump	120	100	698	6.9	26.7	Turbid	Unobj	Unobj	405	7	340	0	14	21	84	29	330	38	2	5.00	0.13	0.26	0.00	0.95	0.59	+	+	Unsafe	
851	RWP-851	Kurt Khuda Bux	Banda	Rawalpindi	Village Kurt Khuda Bux	T. Well	30	10	1200	7.7	10.2	C	Unobj	Unobj	754	8	420	0	84	60	36	24	230	89	2	2.00	0.09	0.61	0.02	0.46	0.63	+	+	Unsafe	
852	RWP-852	Kurt Khuda Bux	Banda	Rawalpindi	Kurt Khuda Bux	T. Well	45	35	2100	7.5	2.2	C	Unobj	Unobj	1218	10	500	0	152	284	64	53	380	256	18	140.00	0.07	0.79	0.02	0.56	BDL	0.00	+	+	Unsafe
853	RWP-853	Kurt Khuda Bux	Banda	Rawalpindi	Kurt Khuda Bux	T. Well	49	40	1261	7.5	2.4	C	Unobj	Unobj	731	9	460	0	77	86	28	30	195	227	1	1.00	0.07	0.38	0.00	1.17	0.59	+	+	Unsafe	
854	RWP-854	Kurt Khuda Bux	Banda	Rawalpindi	Main Banaris of Village Kurt Khuda Bux	T. Well	80	60	1252	7.4	1.9	C	Unobj	Unobj	751	9	435	0	84	112	32	15	140	230	1	0.10	0.10	0.39	0.00	1.28	0.45	+	+	Unsafe	
855	RWP-855	Kurt Khuda Bux	Banda	Rawalpindi	Mosque Kurt Khuda Bux	T. Well	65	50	1293	7.9	2.4	C	Unobj	Unobj	921	9	440	0	67	115	16	27	150	222	3	0.00	0.13	0.38	0.01	1.55	3.19	+	+	Unsafe	
856	RWP-856	Banda	Banda	Rawalpindi	Village Banda Zafar Iqbal	T. Well	121	121	7.6	0.4	0.0	C	Unobj	Unobj	703	7	330	0	84	101	50	27	235	170	2	0.00	0.14	0.41	0.01	2.22	1.26	+	+	Unsafe	
857	RWP-857	Banda	Banda	Rawalpindi	Govt. High School Banda	Well	1307	7.5	0.9	C	Unobj	Unobj	758	8	390	0	138	31	56	60	450	130	2	1.00	0.09	0.35	0.00	2.72	1.57	+	+	Unsafe			
858	RWP-858	Banda	Banda	Rawalpindi	Main School of Village Banda	W. Supply	1307	7.5	0.8	C	Unobj	Unobj	758	8	390	0	134	31	56	60	450	130	2	1.00	0.10	0.35	0.00	1.81	1.15	+	+	Unsafe			
859	RWP-859	Banda	Banda	Rawalpindi	Ch. Afzaf of Village Banda	Well	1307	7.6	0.8	C	Unobj	Unobj	758	8	390	0	139	31	56	60	450	130	2	1.00	0.13	0.33	0.00	2.31	2.10	+	+	Unsafe			
860	RWP-860	Banda	Banda	Rawalpindi	Ahlan Raza of Village Banda	W. Supply	1307	7.6	0.8	C	Unobj	Unobj	758	8	390	0	139	31	56	60	450	130	2	1.00	0.07	0.35	0.00	0.04	1.69	+	+	Unsafe			
861	RWP-861	Piyal	Banda	Rawalpindi	M. Anjaf of Village Piyal	W. Supply	190	170	2025	7.3	0.5	C	Unobj	Unobj	1216	7	330	0	226	190	118	37	450	280	2	19.00	0.05	0.57	0.00	BDL	2.29	+	+	Unsafe	
862	RWP-862	Piyal	Banda	Rawalpindi	Piyal Village	T. Well	60	70	1312	8.7	2.1	C	Unobj	Unobj	741	3	380	0	102	102	102	102	102	102	74	3	5.00	0.09	0.37	0.00	0.15	1.96	+	+	Unsafe
863	RWP-863	Piyal	Banda	Rawalpindi	Ch. Latif Piyal Village	H. Pump	190	160	1652	7.2	0.0	C	Unobj	Unobj	991	6	310	0	129	120	208	56	750	29	3	53.00	0.10	0.58	0.00	BDL	3.14	+	+	Unsafe	
864	RWP-864	Piyal	Banda	Rawalpindi	Piyal Village Haji Bashir	T. Well	64	30	1424	7.2	0.3	C	Unobj	Unobj	826	7	360	0	90	128	84	53	430	116	2	26.00	0.14	0.47	0.01	0.37	1.09	+	+	Unsafe	
865	RWP-865	Piyal	Banda	Rawalpindi	Ch. Akbar Piyal	Well	40	15	985	7.6	4.9	C	Unobj	Unobj	508	3	300	0	35	85	24	25	149	3	5.00	0.10	0.99	0.01	0.51	4.14	+	+	Unsafe		
866	RWP-866	Santal	Banda	Rawalpindi	Santal Village Ghulam Nabi	T. Well	80	70	1081	7.6	0.4	C	Unobj	Unobj	508	5	270	0	22	90	120	40	300	100	2	1.00	0.17	0.40	0.00	0.40	0.51	+	+	Unsafe	
867	RWP-867	Santal	Banda	Rawalpindi	Mosque Village Santal	T. Well	80	70	1081	7.8	0.3	C	Unobj	Unobj	685	7	360	0	57	121	40	51	310	132	1	12.00	0.17	1.81	0.00	0.91	3.38	+	+	Unsafe	
868	RWP-868	Santal	Banda	Rawalpindi	Santal Village	T. Well	45	40	1070	7.7	2.1	C	Unobj	Unobj	670	7	330	0	35	80	36	34	330	200	2	1.00	0.11	0.55	0.00	1.01	5.46	+	+	Unsafe	
869	RWP-869	Santal	Banda	Rawalpindi	Haji Ahnais Village Santal	T. Well	35	30	1510	8.7	0.0	C	Unobj	Unobj	698	8	420	0	102	102	102	102	102	102	69	1	7.00	0.09	0.34	0.01	0.02	1.00	+	+	Unsafe
870	RWP-870	Santal	Banda	Rawalpindi	Well of Village Santal	T. Well	70	60	1590	6.9	0.1	C	Unobj	Unobj	1000	7	330	0	135	283	96	36	450	240	2	5.00	0.07	0.28	0.01	BDL	0.22	+	+	Unsafe	
871	RWP-871	Chak Ball Khan	Chak Ball Khan	Rawalpindi	Police Chak Chak Ball Khan	T. Well	40	10	2118	7.4	0.1	C	Unobj	Unobj	1356	9	530	0	250	200	96	100	600	113	3	35.00	0.07	0.37	0.00	BDL	1.29	+	+	Unsafe	
872	RWP-872	Chak Ball Khan	Chak Ball Khan	Rawalpindi	Tipoo House Ramoo Road	H. Pump	100	80	3723	7.9	0.0	C	Unobj	Unobj	2223	14	700	0	776	400	40	57	235	674	1	88.00	0.10	0.28	0.00	0.52	3.46	+	+	Unsafe	
873	RWP-873	Chak Ball Khan	Chak Ball Khan	Rawalpindi	Genara Hospital Ramoo Road	H. Pump	105	80	4200	7.7	0.7	C	Unobj	Unobj	2453	6	300	0	360	160	48	28	400	510	2	20.00	0.14	0.55	0.01	0.49	1.64	+	+	Unsafe	
874	RWP-874	Chak Ball Khan	Chak Ball Khan	Rawalpindi	Janjua House Chak Ball Khan	H. Pump	190	150	3880	7.2	0.6	C	Unobj	Unobj	2856	11	530	0	470	1666	248	272	1740	212	39	140.00	0.11	0.27	0.00</						

