

**DRINKING WATER QUALITY - DISTRICT ABBOTTABAD RURAL AREAS**

Sr.#	Sample Code	Villages	Union Council	Thesil	Location	Source	Depth (ft)	Water Table Depth (ft)	EC µS/cm	pH	Turbidity NTU	Color	Taste	Odour	Permissible Limit (PSCA)														Total Coliforms	E.Coli	Safe/Unsafe			
															TDS mg/l	Alk mg/l	HCO <sub>3</sub> mg/l	CO <sub>2</sub> mg/l	Cl mg/l	SO <sub>4</sub> mg/l	Ca mg/l	Mg mg/l	Hard mg/l	Na mg/l	K mg/l	NO <sub>3</sub> mg/l	PO <sub>4</sub> mg/l	F mg/l				Fe mg/l	As ppb	Pb ppb
1	ABB-R-01	Nawan Shera	Nawan Shera	Abbottabad	S.post opposite ahmad Khan House, Nawansher	Tap			472	7.8	0.0	C.Less	Un-Obj	Un-Obj	1000	NGVS	NGVS	NGVS	250	500	NGVS	NGVS	500	200	NGVS	10.00	NGVS	1.50	0.20	50.00	50.00	-ve	-ve	Safe
2	ABB-R-02	Nawan Shera	Nawan Shera	Abbottabad	WSS, Nawansher	Tap		300	476	7.6	0.0	C.Less	Un-Obj	Un-Obj	302	6	290	0	18	6	44	49	310	2	0	2.20	0.04	0.19	0.30	0.50	BDL	-ve	-ve	Unsafe
3	ABB-R-03	Nawan Shera	Nawan Shera	Abbottabad	Band Wali masjid Nawanshera	Tap	220	170	774	8.0	0.0	C.Less	Un-Obj	Un-Obj	372	7	370	0	21	6	48	66	390	2	0	2.25	0.02	0.17	0.20	0.32	BDL	+ve	+ve	Unsafe
4	ABB-R-04	Nawan Shera	Nawan Shera	Abbottabad	Tube Well, Nawan Sher	T.W	180	80	545	7.8	0.0	C.Less	Un-Obj	Un-Obj	349	6	320	0	21	8	48	61	370	4	0	3.41	0.05	0.25	0.34	0.23	BDL	+ve	+ve	Unsafe
5	ABB-R-05	Nawan Shera	Nawan Shera	Abbottabad	S.post Jason Colony, Nowansher	Tap	230	330	458	7.9	0.0	C.Less	Un-Obj	Un-Obj	313	6	310	0	14	6	44	51	320	2	0	2.19	0.02	0.30	0.09	1.32	0.19	+ve	+ve	Unsafe
6	ABB-R-06	Kakol	Kakol	Abbottabad	Depo, kakol Village	Tap			344	8.0	0.0	C.Less	Un-Obj	Un-Obj	236	4	220	0	14	6	44	36	260	1	0	0.46	0.07	0.19	0.22	0.93	0.25	+ve	+ve	Unsafe
7	ABB-R-07	Kakol	Kakol	Abbottabad	Faheem Khan House, Kakool	Tap			345	8.0	0.0	C.Less	Un-Obj	Un-Obj	241	5	230	0	14	8	36	41	260	1	0	0.49	0.02	0.13	0.21	0.72	0.29	+ve	+ve	Unsafe
8	ABB-R-08	Kakol	Kakol	Abbottabad	Imam Baraagh, Kakool	Tap			348	8.1	0.0	C.Less	Un-Obj	Un-Obj	242	5	230	0	14	6	52	27	240	2	1	0.63	0.05	0.11	0.30	0.32	0.23	+ve	+ve	Unsafe
9	ABB-R-09	Kakol	Kakol	Abbottabad	Alram House Kakool	Tap	100	80	341	8.2	0.3	C.Less	Un-Obj	Un-Obj	234	4	230	0	14	7	64	12	210	3	1	4.26	0.03	0.09	0.22	0.42	BDL	+ve	+ve	Unsafe
10	ABB-R-10	Kakol	Kakol	Abbottabad	S.Post, Village Kakool	Tap		80	343	8.1	0.0	C.Less	Un-Obj	Un-Obj	239	4	240	0	1	13	64	22	250	1	0	0.57	0.01	0.14	0.23	0.72	BDL	+ve	+ve	Unsafe
11	ABB-R-11	Banda Qazi	Thangi	Abbottabad	Spring, Banda Qazi, UC-Jhangli	Spring			560	7.5	1.4	C.Less	Un-Obj	Un-Obj	346	5	250	0	32	17	88	12	270	15	1	7.64	0.05	0.26	0.11	1.32	0.25	+ve	+ve	Unsafe
12	ABB-R-12	Banda Qazi	Thangi	Abbottabad	Spring Chumari, Banda Qazi, UC-Jhangli	Spring			400	7.9	0.2	C.Less	Un-Obj	Un-Obj	256	4	270	0	14	7	68	15	230	9	1	0.06	0.04	0.26	0.19	0.93	0.26	+ve	+ve	Unsafe
13	ABB-R-13	Banda Qazi	Thangi	Abbottabad	Qamar Khan House, Banda Qazi, UC Jhangli	Tap	110	90	405	7.8	0.0	C.Less	Un-Obj	Un-Obj	250	4	250	0	21	6	64	15	220	10	0	3.01	0.04	0.23	0.10	0.62	0.20	+ve	+ve	Unsafe
14	ABB-R-14	Banda Qazi	Thangi	Abbottabad	Malik farid, Banda Qazi, UC Jhangli	W.S			402	8.0	0.0	C.Less	Un-Obj	Un-Obj	240	4	230	0	25	5	76	0	190	12	0	3.01	0.06	0.21	0.27	0.42	0.19	+ve	+ve	Unsafe
15	ABB-R-15	Banda Qazi	Thangi	Abbottabad	Barbar Shop, Main Road, Banda Qazi, UC-Jhangli	Tap	130	70	411	7.9	0.0	C.Less	Un-Obj	Un-Obj	283	5	250	0	18	4	64	22	250	10	0	3.17	0.03	0.16	0.10	0.42	BDL	+ve	+ve	Unsafe
16	ABB-R-16	Paswal mian	Pawa	Abbottabad	S.post Near Majabben P S Paswal Mian, UC Pawa	Tap			237	8.9	4.5	C.Less	Un-Obj	Un-Obj	136	2	90	0	20	21	40	2	110	4	0	2.50	0.05	0.19	0.27	0.72	BDL	+ve	+ve	Unsafe
17	ABB-R-17	Paswal mian	Pawa	Abbottabad	D. Tank WSS, paswal Mian, UC Pawa	Tap			197	7.5	0.0	C.Less	Un-Obj	Un-Obj	186	2	120	0	14	21	24	22	150	10	1	5.60	0.01	0.23	0.31	0.39	0.35	+ve	-ve	Unsafe
18	ABB-R-18	Paswal mian	Pawa	Abbottabad	Mjabben Girls School, Paswal main, UC pawa	W.S			310	7.3	0.0	C.Less	Un-Obj	Un-Obj	175	2	110	0	15	21	22	21	140	12	0	4.50	0.05	0.24	0.12	0.46	0.23	+ve	-ve	Unsafe
19	ABB-R-19	Paswal mian	Pawa	Abbottabad	GPS, Paswal Mian, UC Pawa	W.S	150	70	192	7.7	0.0	C.Less	Un-Obj	Un-Obj	174	2	130	0	11	4	28	12	120	0	0	0.61	0.02	0.20	0.44	0.23	0.42	+ve	+ve	Unsafe
20	ABB-R-20	Paswal mian	Pawa	Abbottabad	Hand Pump, Near Spring, Paswal Mian, UC Pawa	H.P			234	7.1	4.3	C.Less	Un-Obj	Un-Obj	162	2	160	0	26	78	28	14	120	9	1	5.50	0.05	0.19	0.23	0.92	0.41	+ve	+ve	Unsafe
21	ABB-R-21	Pando Than	Pawa	Abbottabad	M. Bashir House, Pando Thana, UC Pawa	nallah			274	8.3	0.0	C.Less	Un-Obj	Un-Obj	174	2	160	0	18	24	44	10	150	4	1	0.40	0.05	0.23	0.25	0.32	0.32	+ve	+ve	Unsafe
22	ABB-R-22	Pando Than	Pawa	Abbottabad	M.Hussain House ,Pando Thana , UC Pawa	Tap			282	8.2	0.0	C.Less	Un-Obj	Un-Obj	184	3	160	0	18	21	40	12	160	5	0	0.13	0.02	0.23	0.30	0.23	BDL	+ve	-ve	Unsafe
23	ABB-R-23	Pando Than	Pawa	Abbottabad	Mir Saitan House,Pando thana UC pawa	Tap			275	8.2	0.0	C.Less	Un-Obj	Un-Obj	178	3	170	0	14	19	48	12	150	6	1	0.54	0.03	0.23	0.24	0.92	0.30	+ve	-ve	Unsafe
24	ABB-R-24	Pando Than	Pawa	Abbottabad	M.Ayub House,Pando thana UC pawa	Spring			289	8.2	0.3	C.Less	Un-Obj	Un-Obj	197	3	180	0	18	21	44	12	170	5	0	0.84	0.01	0.25	0.29	0.36	0.35	+ve	+ve	Unsafe
25	ABB-R-25	Pando Than	Pawa	Abbottabad	B.H.U Jagia ,Pando thana UC pawa	Spring			262	8.3	1.0	C.Less	Un-Obj	Un-Obj	142	2	150	0	18	20	20	2	120	5	0	0.36	0.05	0.16	0.37	0.92	0.32	+ve	-ve	Unsafe
26	ABB-R-26	Rich beu	Pawa	Abbottabad	Spring-1 near Rich ben UC pawa	Tap			123	8.1	0.1	C.Less	Un-Obj	Un-Obj	86	1	80	0	11	5	28	6	75	2	0	1.38	0.05	0.18	0.21	0.36	0.25	+ve	-ve	Unsafe
27	ABB-R-27	Rich beu	Pawa	Abbottabad	Spring-2 near Rich ben UC pawa	Tap			201	8.2	0.0	C.Less	Un-Obj	Un-Obj	129	2	130	0	11	40	32	12	120	2	0	0.00	0.06	0.14	0.22	1.52	0.35	+ve	-ve	Unsafe
28	ABB-R-28	Rich beu	Pawa	Abbottabad	Riyas Hotel Rich ben UC pawa	Tap			204	7.7	13.0	C.Less	Un-Obj	Un-Obj	141	1	130	0	18	10	28	12	130	5	1	2.01	0.01	0.38	0.33	1.03	BDL	+ve	-ve	Unsafe
29	ABB-R-29	Rich beu	Pawa	Abbottabad	Niyasat House Rich ben UC pawa	Tap			209	7.7	18.4	C.Less	Un-Obj	Un-Obj	152	2	130	0	12	12	36	12	120	3	1	0.12	0.04	0.23	0.82	0.93	BDL	+ve	+ve	Unsafe
30	ABB-R-30	Rich beu	Pawa	Abbottabad	Masjid rich ben	Tap			204	8.1	24.5	C.Less	Un-Obj	Un-Obj	106	2	150	0	18	10	24	2	100	2	0	0.40	0.03	0.16	0.53	1.03	0.25	+ve	-ve	Unsafe
31	ABB-R-31	Kothiala	Kothiala	Abbottabad	Masjid near dargah yar muhammasd ghazi	Tap			162	8.2	0.0	C.Less	Un-Obj	Un-Obj	152	2	100	0	18	11	28	22	150	3	0	0.47	0.01	0.15	0.23	0.95	0.23	+ve	-ve	Unsafe
32	ABB-R-32	Kothiala	Kothiala	Abbottabad	Masjid syedan	Tap			158	8.2	0.0	C.Less	Un-Obj	Un-Obj	148	2	110	0	14	11	36	19	150	3	0	0.10	0.05	0.24	0.65	0.32	0.25	+ve	-ve	Unsafe
33	ABB-R-33	Kothiala	Kothiala	Abbottabad	Kai nikki gali	Tap			284	7.7	0.6	C.Less	Un-Obj	Un-Obj	185	2	120	0	25	10	24	19	170	9	2	2.63	0.06	0.13	0.25	0.35	0.22	+ve	-ve	Unsafe
34	ABB-R-34	Kothiala	Kothiala	Abbottabad	Spring collected from SAJJID HOUSE	Spring			152	8.1	0.0	C.Less	Un-Obj	Un-Obj	106	2	110	0	14	5	24	10	100	3	0	0.31	0.07	0.12	0.30	0.26	0.19	+ve	-ve	Unsafe
35	ABB-R-35	Kothiala	Kothiala	Abbottabad	Stand Post	Tap			170	7.8	0.2	C.Less	Un-Obj	Un-Obj	124	2	100	0	14	7	76	15	120	4	0	0.04	0.06	0.21	0.22	0.29	0.21	+ve	-ve	Unsafe
36	ABB-R-36	Paswal	Kothiala	Abbottabad	Daud house	H.P	100	70	1162	7.9	0.2	C.Less	Un-Obj	Un-Obj	711	8	250	0	114	90	64	119	68	24	0	12.24	0.04	0.45	0.07	0.25	BDL	+ve	-ve	Unsafe
37	ABB-R-37	Paswal	Kothiala	Abbottabad	M.Muntaz house	H.P	80	70	886	7.5	0.0	C.Less	Un-Obj	Un-Obj	547	7	250	0	89	49	40	87	520	17	0	7.07	0.03	0.37	0.30	0.34	BDL	+ve	-ve	Unsafe
38	ABB-R-38	Paswal	Kothiala	Abbottabad	Mul Afzar	H.P	150	70	530	7.9	0.0	C.Less	Un-Obj	Un-Obj	344	6	290	0	18	39	40	51	310	20	0	0.32	0.06	0.38	0.18	0.39	BDL	+ve	+ve	Unsafe
39	ABB-R-39	Paswal	Kothiala	Abbottabad	Main Paswal road	Spring	120	60	325	7.8	0.0	C.Less	Un-Obj	Un-Obj	227	4	210	0	18	6	36	29	210	11	2	2.41								

Sr.#	Sample Code	Village	Union Council	Thesil	Location	Source	Depth (ft)	Water Table Depth (ft)	EC µs/cm	pH	Turbidity NTU	Color	Taste	Odour	TDS mg/l	Alk mg/l	HCO <sub>3</sub> mg/l	CO <sub>2</sub> mg/l	Cl mg/l	SO <sub>4</sub> mg/l	Ca mg/l	Mg mg/l	Hard mg/l	Na mg/l	K mg/l	NO <sub>3</sub> mg/l	PO <sub>4</sub> mg/l	F mg/l	Fe mg/l	As ppb	Pb ppb	Total Coliforms	E.Coli	Safe/Unsafe	Permissible Limit (PSCU)	
																																			NG/S	6.5-8.5
66	ABB-R-68	Bomochi	Sherwan	Abbottabad	Spring Village Bamochi	Spring			462	8.5	0.0	C.Less	Un-Obj	Un-Obj	318	5	310	0	18	18	120	2	106	4	1	1.20	0.06	0.10	0.28	0.35	0.26	+ve	+ve	Unsafe	5.0	1000
69	ABB-R-69	Bomochi	Sherwan	Abbottabad	Zahr Iqbal tube well	T.W	70	15	542	7.8	1.3	C.Less	Un-Obj	Un-Obj	375	6	310	0	28	34	106	13	124	12	9	1.49	0.05	0.26	0.42	0.92	BDL	+ve	+ve	Unsafe	5.0	1000
70	ABB-R-70	Bomochi	Sherwan	Abbottabad	Khan Muhammad house	Tap	90	70	999	7.3	1.2	C.Less	Un-Obj	Un-Obj	657	9	360	0	75	47	124	83	230	16	1	6.26	0.01	0.32	0.24	0.92	BDL	+ve	+ve	Unsafe	5.0	1000
71	ABB-R-71	Sheed Abad	Sherwan	Abbottabad	Tap near public school	Tap	80	20	901	7.0	19.5	C.Less	Un-Obj	Un-Obj	630	8	400	0	71	47	230	1	190	19	12	4.75	0.04	0.27	0.23	0.85	BDL	+ve	-ve	Unsafe	5.0	1000
72	ABB-R-72	Sheed Abad	Sherwan	Abbottabad	Fazi ur Rehman house	Tap	80	60	966	7.1	0.4	C.Less	Un-Obj	Un-Obj	664	8	290	0	85	65	190	9	288	42	8	4.93	0.02	0.24	0.20	0.72	BDL	+ve	-ve	Unsafe	5.0	1000
73	ABB-R-73	Sheed Abad	Sherwan	Abbottabad	Muhammad Irshad house	Tap	80	70	3960	6.5	4.4	C.Less	Un-Obj	Un-Obj	4024	7	350	0	284	145	288	46	228	15	7	6.25	0.06	0.37	0.23	0.44	0.35	+ve	-ve	Unsafe	5.0	1000
74	ABB-R-74	Sheed Abad	Sherwan	Abbottabad	Raza Muhammad house	Tap	70	60	1325	6.8	1.8	C.Less	Un-Obj	Un-Obj	917	7	550	0	145	73	228	63	256	46	3	5.44	0.05	0.32	0.21	0.43	0.36	+ve	-ve	Unsafe	5.0	1000
75	ABB-R-75	Sheed Abad	Sherwan	Abbottabad	Muhammad Banarasa house	Tap	80	70	1007	7.1	0.0	C.Less	Un-Obj	Un-Obj	676	8	350	0	85	57	228	7	750	29	5	4.68	0.02	0.26	0.11	0.96	0.37	+ve	-ve	Unsafe	5.0	1000
76	ABB-R-76	Junna	Sherwan	Abbottabad	M. Sahr house	Tap	90	70	1623	7.0	0.2	C.Less	Un-Obj	Un-Obj	941	11	550	0	131	61	256	27	510	59	5	15.00	0.05	0.36	0.43	0.35	0.43	+ve	-ve	Unsafe	5.0	1000
77	ABB-R-77	Junna	Sherwan	Abbottabad	Muhammad Anif house	Tap	105	3500	6.8	0.3	C.Less	Un-Obj	Un-Obj	832	6	450	0	266	63	116	54	190	91	17	9.00	0.06	0.42	0.23	0.92	0.41	+ve	-ve	Unsafe	5.0	1000	
78	ABB-R-78	Junna	Sherwan	Abbottabad	Salf -ur-Rehman house	Tap	90	70	327	7.0	0.7	C.Less	Un-Obj	Un-Obj	227	3	170	0	18	6	60	10	780	13	0	4.00	0.05	0.16	0.25	0.39	0.32	+ve	-ve	Unsafe	5.0	1000
79	ABB-R-79	Junna	Sherwan	Abbottabad	Ameer Nadeem house	Tap	82	70	1368	6.9	20.7	C.Less	Un-Obj	Un-Obj	21	13	400	0	96	80	60	153	660	39	83	5.00	0.04	0.26	0.49	0.35	0.36	+ve	-ve	Unsafe	5.0	1000
80	ABB-R-80	Junna	Sherwan	Abbottabad	GPS village sherawan	Tap	70	50	1128	6.9	1.4	C.Less	Un-Obj	Un-Obj	727	9	420	0	117	72	108	95	670	39	3	5.00	0.01	0.34	0.01	0.53	0.35	+ve	+ve	Unsafe	5.0	1000
81	ABB-R-81	Sherwan	Sherwan	Abbottabad	Ilaquat all house	Tap	80	65	1226	6.9	0.0	C.Less	Un-Obj	Un-Obj	838	10	410	0	139	66	250	11	700	42	9	6.00	0.02	0.32	0.39	1.01	0.11	+ve	-ve	Unsafe	5.0	1000
82	ABB-R-82	Sherwan	Sherwan	Abbottabad	Babeer house	Tap	66	50	1128	6.8	0.0	C.Less	Un-Obj	Un-Obj	785	9	400	0	128	62	270	6	1190	26	1	6.00	0.06	0.26	0.38	1.03	0.19	+ve	-ve	Unsafe	5.0	1000
83	ABB-R-83	Sherwan	Sherwan	Abbottabad	Jamshed khan house	Tap	90	70	2740	7.1	0.0	C.Less	Un-Obj	Un-Obj	1373	20	570	0	153	120	172	185	230	90	38	6.00	0.05	0.47	0.07	1.50	0.21	+ve	-ve	Unsafe	5.0	1000
84	ABB-R-84	Sherwan	Sherwan	Abbottabad	Iftikhar Hussain house	Tap	81	75	411	6.7	2.0	C.Less	Un-Obj	Un-Obj	285	3	130	0	29	17	90	1	350	10	3	13.00	0.03	0.07	0.33	0.96	0.23	+ve	-ve	Unsafe	5.0	1000
85	ABB-R-85	Sherwan	Sherwan	Abbottabad	Muhammad Mumtaz khan house	Tap	90	80	610	7.2	0.1	C.Less	Un-Obj	Un-Obj	423	6	300	0	25	52	130	6	190	12	2	5.00	0.05	0.28	0.32	0.95	0.25	+ve	-ve	Unsafe	5.0	1000
86	ABB-R-86	Kangrora	Pind Kargo Khan	Abbottabad	Basharat house near Degree College	Tap	70	60	340	6.5	0.0	C.Less	Un-Obj	Un-Obj	130	3	110	0	36	21	70	4	340	11	0	1.00	0.07	0.08	0.31	0.84	BDL	+ve	+ve	Unsafe	5.0	1000
87	ABB-R-87	Kangrora	Pind Kargo Khan	Abbottabad	Taj Alkbar house	Tap			499	7.6	0.3	C.Less	Un-Obj	Un-Obj	338	6	240	0	14	13	130	4	370	1	0	2.00	0.02	0.00	0.24	0.63	0.21	+ve	-ve	Unsafe	5.0	1000
88	ABB-R-88	Kangrora	Pind Kargo Khan	Abbottabad	Muhammad Nasir house	Tap			499	7.5	0.8	C.Less	Un-Obj	Un-Obj	349	6	350	0	14	14	90	35	330	1	0	0.60	0.02	0.02	0.11	0.53	0.21	+ve	-ve	Unsafe	5.0	1000
89	ABB-R-89	Kangrora	Pind Kargo Khan	Abbottabad	Oyuum house	Tap	110	110	498	7.5	0.8	C.Less	Un-Obj	Un-Obj	347	6	340	0	11	10	130	1	380	2	0	0.40	0.05	0.03	0.50	0.49	0.23	+ve	-ve	Unsafe	5.0	1000
90	ABB-R-90	Kangrora	Pind Kargo Khan	Abbottabad	Masjid Gulzar Habib	Tap	110	80	488	7.7	1.3	C.Less	Un-Obj	Un-Obj	383	7	350	0	11	11	120	19	410	11	1	1.90	0.04	0.04	0.22	0.29	0.25	+ve	-ve	Unsafe	5.0	1000
91	ABB-R-91	Lakhala	Pind Kargo Khan	Abbottabad	Spring	Spring			493	7.6	0.3	C.Less	Un-Obj	Un-Obj	416	7	350	0	18	9	140	15	580	19	0	0.30	0.02	0.05	0.06	0.32	0.29	+ve	+ve	Unsafe	5.0	1000
92	ABB-R-92	Lakhala	Pind Kargo Khan	Abbottabad	Spring	H.Pump	75	30	922	7.1	0.0	C.Less	Un-Obj	Un-Obj	608	10	500	0	43	35	124	66	690	6	0	5.00	0.06	0.04	0.05	0.93	0.25	+ve	+ve	Unsafe	5.0	1000
93	ABB-R-93	Lakhala	Pind Kargo Khan	Abbottabad	Spring	W.supply			855	7.2	0.0	C.Less	Un-Obj	Un-Obj	714	11	450	0	46	40	248	17	480	0	1	6.00	0.05	0.13	0.04	1.10	BDL	+ve	+ve	Unsafe	5.0	1000
94	ABB-R-94	Lakhala	Pind Kargo Khan	Abbottabad	Stream	Spring			647	7.6	0.0	C.Less	Un-Obj	Un-Obj	469	8	400	0	43	11	132	36	180	0	0	1.60	0.02	0.05	0.22	1.10	BDL	+ve	+ve	Unsafe	5.0	1000
95	ABB-R-95	Lakhala	Pind Kargo Khan	Abbottabad	Stream	Spring			545	7.3	0.6	C.Less	Un-Obj	Un-Obj	306	5	430	0	36	15	60	32	280	7	0	1.40	0.05	0.12	0.12	0.94	BDL	+ve	-ve	Unsafe	5.0	1000
96	ABB-R-96	Pind Kargo Khan	Pind Kargo Khan	Abbottabad	Spring	H.Pump	90	70	264	6.9	0.2	C.Less	Un-Obj	Un-Obj	216	3	150	0	21	13	104	1	190	10	2	1.73	0.06	0.14	0.30	0.89	0.19	+ve	+ve	Unsafe	5.0	1000
97	ABB-R-97	Pind Kargo Khan	Pind Kargo Khan	Abbottabad	Shahzad house 'bone'	H.Pump	110	80	297	7.2	0.2	C.Less	Un-Obj	Un-Obj	236	3	160	0	21	11	112	22	110	10	0	1.80	0.05	0.03	0.15	0.59	0.23	+ve	-ve	Unsafe	5.0	1000
98	ABB-R-98	Pind Kargo Khan	Pind Kargo Khan	Abbottabad	Masjid kargu khan	H.Pump	90	60	350	6.8	1.1	C.Less	Un-Obj	Un-Obj	127	2	60	0	14	7	40	2	200	2	2	2.49	0.04	0.04	0.24	0.49	0.25	+ve	-ve	Unsafe	5.0	1000
99	ABB-R-99	Pind Kargo Khan	Pind Kargo Khan	Abbottabad	Anif rasheed house	H.Pump	150	45	298	7.1	0.0	C.Less	Un-Obj	Un-Obj	229	3	150	0	25	17	75	3	180	11	2	1.40	0.01	0.06	0.25	0.32	0.35	+ve	-ve	Unsafe	5.0	1000
100	ABB-R-100	Pind Kargo Khan	Pind Kargo Khan	Abbottabad	Gali pind kargu khan	H.Pump	170	140	262	6.9	0.0	C.Less	Un-Obj	Un-Obj	219	3	160	0	14	5	70	1	410	14	0	4.04	0.02	0.00	0.06	0.29	0.32	+ve	-ve	Unsafe	5.0	1000
101	ABB-R-101	Gaddah	Pind Kargo Khan	Abbottabad	Jagi ishaq khan house	Tap			502	7.9	0.3	C.Less	Un-Obj	Un-Obj	393	7	350	0	21	12	60	63	300	4	2	4.62	0.06	0.08	0.21	0.20	0.35	+ve	-ve	Unsafe	5.0	1000
102	ABB-R-102	Gaddah	Pind Kargo Khan	Abbottabad	Sahr house	Tap			582	6.4	0.0	C.Less	Un-Obj	Un-Obj	363	3	150	0	57	27	110	6	750	16	0	13.00	0.05	0.12	0.45	0.20	BDL	+ve	-ve	Unsafe	5.0	1000
103	ABB-R-103	Gaddah	Pind Kargo Khan	Abbottabad	All aeghar house	Tap			1076	6.8	14.4	C.Less	Un-Obj	Un-Obj	808	11	300	0	96	66	200	61	380	25	10	4.57	0.04	0.15	0.10	0.22	BDL	+ve	-ve	Unsafe	5.0	1000
104	ABB-R-104	Gaddah	Pind Kargo Khan	Abbottabad	Sajid house main road kargu khan	Tap																														

Sr.#	Sample Code	Village	Union Council	Thesil	Location	Source	Depth (ft)	Water Table Depth (ft)	EC µS/cm	pH	Turbidity NTU	Color	Taste	Odour	TDS mg/l	Alk mg/l	HCO <sub>3</sub> mg/l	CO <sub>2</sub> mg/l	Cl mg/l	SO <sub>4</sub> mg/l	Ca mg/l	Mg mg/l	Hard mg/l	Na mg/l	K mg/l	NO <sub>3</sub> mg/l	PO <sub>4</sub> mg/l	F mg/l	Fe mg/l	As ppb	Pb ppb	Total Coliforms	E.Coli	Safe/Unsafe	Permissible Limit (PSCQA)	
																																			NGVS	6.5-8.5
136	ABB-R-136	Chawhar mera	Chawhar	Abbottabad	Taufail house	Other			372	8.2	0.0	C.Less	Un-Obj	Un-Obj	256	2	90	0	14	27	18	28	160	23	0	20.85	0.07	0.27	0.61	0.32	0.21	+ve	-ve	Unsafe		
137	ABB-R-137	Chawhar mera	Chawhar	Abbottabad	Sohail house	Other			704	7.5	0.0	C.Less	Un-Obj	Un-Obj	486	3	160	0	39	14	22	63	316	18	19	48.30	0.02	0.22	0.59	0.38	0.25	+ve	-ve	Unsafe		
138	ABB-R-138	Chawhar mera	Chawhar	Abbottabad	Altair shah house	Other			186	7.5	0.1	C.Less	Un-Obj	Un-Obj	581	6	284	0	60	34	24	32	192	12	4	55.07	0.05	0.14	0.20	0.52	0.11	+ve	+ve	Unsafe		
139	ABB-R-139	Chawhar mera	Chawhar	Abbottabad	Abdullah house	Other			860	7.6	0.0	C.Less	Un-Obj	Un-Obj	559	3	160	0	57	42	19	72	344	17	38	49.30	0.03	0.23	0.33	0.35	0.25	+ve	+ve	Unsafe		
140	ABB-R-140	Chawhar mera	Chawhar	Abbottabad	Chamak mera spring	Spring			336	8.0	0.0	C.Less	Un-Obj	Un-Obj	213	3	138	0	14	8	13	36	180	11	0	11.00	0.01	0.12	0.76	0.33	0.27	+ve	+ve	Unsafe		
141	ABB-R-141	Bhujarj	Chawhar	Abbottabad	Malik wali dad house	Other			308	8.2	0.0	C.Less	Un-Obj	Un-Obj	118	2	77	0	14	10	13	19	110	5	0	2.49	0.05	0.13	0.24	0.95	0.39	+ve	+ve	Unsafe		
142	ABB-R-142	Bhujarj	Chawhar	Abbottabad		W.S			379	8.2	0.1	C.Less	Un-Obj	Un-Obj	231	1	69	0	18	12	14	30	160	8	2	23.73	0.04	0.08	0.78	1.03	0.35	+ve	+ve	Unsafe		
143	ABB-R-143	Bhujarj	Chawhar	Abbottabad	Mehmood khan house	W.S			290	8.2	0.0	C.Less	Un-Obj	Un-Obj	173	3	163	0	11	11	11	32	160	8	0	0.45	0.04	0.14	0.67	0.94	0.36	+ve	+ve	Unsafe		
144	ABB-R-144	Bhujarj	Chawhar	Abbottabad	Shahzevar house	W.S			288	8.2	0.0	C.Less	Un-Obj	Un-Obj	160	3	129	0	11	12	40	10	140	8	0	0.58	0.06	0.17	0.33	0.35	0.42	+ve	+ve	Unsafe		
145	ABB-R-145	Bhujarj	Chawhar	Abbottabad		W.S			291	8.2	0.0	C.Less	Un-Obj	Un-Obj	162	3	129	0	7	12	45	8	144	8	0	1.00	0.03	0.20	0.02	0.33	0.29	+ve	+ve	Unsafe		
146	ABB-R-146	Uesakka Kalan	Chawhar	Abbottabad	Kassaki spring	Spring			267	8.3	0.7	C.Less	Un-Obj	Un-Obj	163	2	120	0	14	11	30	17	144	8	0	2.46	0.05	0.13	0.17	0.53	0.27	+ve	+ve	Unsafe		
147	ABB-R-147	Uesakka Kalan	Chawhar	Abbottabad	Kassaki hand pump 1	H.P			307	7.9	0.0	C.Less	Un-Obj	Un-Obj	231	2	103	0	14	10	24	2	52	7	0	25.25	0.01	0.01	0.54	0.33	0.22	+ve	+ve	Unsafe		
148	ABB-R-148	Uesakka Kalan	Chawhar	Abbottabad	Kassaki hand pump 2	H.P			824	8.2	0.0	C.Less	Un-Obj	Un-Obj	456	7	353	0	25	22	10	10	64	94	1	18.65	0.05	0.75	0.43	0.28	0.24	+ve	+ve	Unsafe		
149	ABB-R-149	Uesakka Kalan	Chawhar	Abbottabad	Sulaman house	W.S			302	8.1	0.4	C.Less	Un-Obj	Un-Obj	293	7	344	0	11	9	13	5	52	10	0	8.97	0.02	0.19	0.69	0.21	0.23	+ve	+ve	Unsafe		
150	ABB-R-150	Uesakka Kalan	Chawhar	Abbottabad	Kassaki main water supply tank	Spring			295	8.1	0.1	C.Less	Un-Obj	Un-Obj	124	3	129	0	11	9	10	5	44	9	0	0.81	0.05	0.12	0.74	0.21	0.24	+ve	+ve	Unsafe		
151	ABB-R-151	Boldhere	Boldhere	Abbottabad	Govt.primary school	W.S			660	7.8	0.0	C.Less	Un-Obj	Un-Obj	319	5	258	0	25	18	10	16	88	35	1	13.50	0.02	0.15	0.15	0.20	BDL	+ve	+ve	Unsafe		
152	ABB-R-152	Boldhere	Boldhere	Abbottabad	Master Iqbal house	W.S			607	8.0	0.1	C.Less	Un-Obj	Un-Obj	285	4	224	0	29	19	8	19	100	9	0	15.05	0.05	0.12	0.05	0.52	BDL	+ve	+ve	Unsafe		
153	ABB-R-153	Boldhere	Boldhere	Abbottabad	Shamroz house	W.S			638	8.1	0.0	C.Less	Un-Obj	Un-Obj	353	5	249	0	25	18	13	17	104	39	1	20.50	0.06	0.22	BDL	0.44	BDL	+ve	+ve	Unsafe		
154	ABB-R-154	Boldhere	Boldhere	Abbottabad	Near Taj Muhammad house	Other			641	7.8	3.5	C.Less	Un-Obj	Un-Obj	334	6	284	0	18	4	5	33	148	34	1	15.54	0.05	0.10	BDL	0.42	0.24	+ve	-ve	Unsafe		
155	ABB-R-155	Boldhere	Boldhere	Abbottabad	Imran house	Other			509	7.5	4.6	C.Less	Un-Obj	Un-Obj	284	5	241	0	11	5	28	128	9	0	18.49	0.04	0.16	BDL	0.91	0.23	+ve	+ve	Unsafe			
156	ABB-R-156	Serhourah	Serhourah	Abbottabad	Gul zar house	W.S			348	8.1	0.0	C.Less	Un-Obj	Un-Obj	185	3	155	0	11	8	21	28	168	8	0	3.69	0.01	0.07	0.48	0.39	0.24	+ve	+ve	Unsafe		
157	ABB-R-157	Serhourah	Serhourah	Abbottabad	Ayub house	W.S			373	8.1	2.1	C.Less	Un-Obj	Un-Obj	239	3	155	0	14	21	38	5	116	1	0	15.00	0.02	0.17	0.00	0.32	0.21	+ve	+ve	Unsafe		
158	ABB-R-158	Serhourah	Serhourah	Abbottabad	Poultry farm Serbia	W.S			376	8.0	0.0	C.Less	Un-Obj	Un-Obj	212	3	163	0	14	8	22	9	92	1	0	13.44	0.06	0.03	0.00	0.31	0.21	+ve	+ve	Unsafe		
159	ABB-R-159	Serhourah	Serhourah	Abbottabad	M.Kaiz house	W.S			348	8.2	0.0	C.Less	Un-Obj	Un-Obj	176	3	172	0	11	8	14	14	92	2	0	5.54	0.05	0.06	0.44	0.26	0.31	+ve	+ve	Unsafe		
160	ABB-R-160	Serhourah	Serhourah	Abbottabad	Jamia masjid near water tank	Spring			347	8.2	0.0	C.Less	Un-Obj	Un-Obj	159	3	155	0	11	6	14	17	108	1	0	3.72	0.04	0.04	0.39	0.32	BDL	+ve	+ve	Unsafe		
161	ABB-R-161	Phail kot	Phail kot	Abbottabad	Sarwar house	W.S			501	7.8	0.0	C.Less	Un-Obj	Un-Obj	250	3	155	0	21	64	13	19	112	2	0	11.20	0.01	0.18	0.00	0.35	BDL	+ve	+ve	Unsafe		
162	ABB-R-162	Phail kot	Phail kot	Abbottabad	Matan house	W.S			475	8.2	0.0	C.Less	Un-Obj	Un-Obj	244	3	163	0	18	66	18	17	116	4	1	5.05	0.02	0.16	0.35	0.33	0.33	+ve	+ve	Unsafe		
163	ABB-R-163	Phail kot	Phail kot	Abbottabad		W.S			486	8.1	0.0	C.Less	Un-Obj	Un-Obj	255	3	172	0	14	7	14	17	108	3	1	6.93	0.06	0.20	0.00	0.35	0.29	+ve	+ve	Unsafe		
164	ABB-R-164	Phail kot	Phail kot	Abbottabad	Ramzan house	W.S			476	8.2	0.0	C.Less	Un-Obj	Un-Obj	252	3	163	0	21	66	11	20	112	4	0	7.15	0.05	0.20	0.00	0.19	0.29	+ve	+ve	Unsafe		
165	ABB-R-165	Phail kot	Phail kot	Abbottabad	Jamia masjid	Spring			478	8.3	0.0	C.Less	Un-Obj	Un-Obj	219	3	163	0	14	48	10	23	120	4	0	5.02	0.04	0.22	0.48	0.35	0.21	+ve	+ve	Unsafe		
166	ABB-R-166	Nowli Mera	Nowli Mera	Abbottabad	Muhallah bari	W.S			335	8.0	0.0	C.Less	Un-Obj	Un-Obj	200	3	138	0	18	5	22	5	76	3	0	14.57	0.06	0.07	0.59	0.26	0.22	+ve	-ve	Unsafe		
167	ABB-R-167	Nowli Mera	Nowli Mera	Abbottabad	Sardar house bitall	W.S			336	7.9	0.0	C.Less	Un-Obj	Un-Obj	207	3	138	0	18	8	11	12	76	4	0	16.22	0.02	0.06	0.74	0.22	0.22	+ve	+ve	Unsafe		
168	ABB-R-168	Nowli Mera	Nowli Mera	Abbottabad	Tap near Naweed G.Store	W.S			1245	7.8	0.0	C.Less	Un-Obj	Un-Obj	314	3	146	0	102	6	2	25	108	3	0	19.81	0.05	0.20	0.15	0.25	0.21	+ve	-ve	Unsafe		
169	ABB-R-169	Nowli Mera	Nowli Mera	Abbottabad	Shamroz house	W.S			336	8.2	0.0	C.Less	Un-Obj	Un-Obj	207	3	129	0	18	8	14	10	76	3	0	17.29	0.02	0.06	0.00	0.35	0.25	+ve	-ve	Unsafe		
170	ABB-R-170	Nowli Mera	Nowli Mera	Abbottabad	Spring near G.P.S	Spring			319	7.9	0.0	C.Less	Un-Obj	Un-Obj	219	2	120	0	18	9	13	12	80	3	0	20.85	0.07	0.07	0.44	0.32	0.28	+ve	+ve	Unsafe		
171	ABB-R-171	Bagh	Bagh	Abbottabad	Tap near Public School	W.S			103.2	7.5	10.1	C.Less	Un-Obj	Un-Obj	96	1	52	0	11	6	8	3	32	4	0	7.45	0.02	0.08	0.11	0.34	0.29	+ve	+ve	Unsafe		
172	ABB-R-172	Bagh	Bagh	Abbottabad	Fareed house	W.S			97.3	7.8	8.8	C.Less	Un-Obj	Un-Obj	79	1	52	0	7	6	8	1	24	2	0	5.41	0.05	0.02	0.15	0.32	0.26	+ve	+ve	Unsafe		
173	ABB-R-173	Bagh	Bagh	Abbottabad	Jamia masjid Bagh	W.S			135.3	7.9	15.0	C.Less	Un-Obj	Un-Obj	106	1	60	0	7	7	10	5	44	2	0	8.81	0.03	0.00	0.44	0.33	BDL	+ve	+ve	Unsafe		
174	ABB-R-174	Bagh	Bagh	Abbottabad	Aurangzeb house	W.S			131.3	7.8	1.2	C.Less	Un-Obj	Un-Obj	312	1	60	0	14	7	10	3	36	1	0	54.39	0.01	0.04	0.04	0.35	BDL	+ve	+ve	Unsafe		
175	ABB-R-175	Bagh	Bagh	Abbottabad	Khanwaiz house	W.S			136	8.4	0.4	C.Less	Un-Obj	Un-Obj	111	1	69	0	11	7	8	5	40	1	0	8.68	0.05	0.04	0.61	0.49	0.33	+ve	+ve	Unsafe		
176	ABB-R-176	Bagan	Nathialgali	Abbottabad	Saeed house Bagh	W.S			457	7.7	0.0	C.Less	Un-Obj	Un-Obj	238	3	172	0	18	49	26	9	100	4	0	6.77	0.02	0.20	0.07	0.22	0.26	+ve	+ve	Unsafe		
177	ABB-R-177	Bagan	Nathialgali	Abbottabad	Abdullah house	W.S			533	8.2	1.4	C.Less	Un-Obj	Un-Obj	254	4	206	0	18	46	32	5	100	5	1	5.31	0.06	0.17	0.44	0.33	0.24	+ve	+ve	Unsafe		
178	ABB-R-178	Bagan	Nathialgali	Abbottabad	Altair house	W.S			588	8.1	0.4	C.Less	Un-Obj	Un-Obj	259	5	241	0																		

Sr.#	Sample Code	Village	Union Council	Thesil	Location	Source	Depth (ft)	Water Table Depth (ft)	EC µS/cm	pH	Turbidity NTU	Color	Taste	Odour	TDS mg/l	Alk mg/l	HCO <sub>3</sub> mg/l	CO <sub>2</sub> mg/l	Cl mg/l	SO <sub>4</sub> mg/l	Ca mg/l	Mg mg/l	Hard mg/l	Na mg/l	K mg/l	NO <sub>3</sub> mg/l	PO <sub>4</sub> mg/l	F mg/l	Fe mg/l	As ppb	Pb ppb	Total Coliforms	E.Coli	Safe/Unsafe
204	ABB-R-204	Phala	Phala	Abbottabad	Water supply tank phalak	Other			378	8.0	0.9	C.Less	Un-Obj	Un-Obj	186	3	172	0	11	19	19	5	68	3	0	5.96	0.07	0.23	0.13	0.86	BDL	+ve	+ve	Safe
205	ABB-R-205	Phala	Phala	Abbottabad	Ali asghar house	W.S			377	8.1	2.6	C.Less	Un-Obj	Un-Obj	174	3	155	0	7	22	19	8	80	3	0	4.95	0.02	0.19	0.14	0.75	BDL	+ve	+ve	Unsafe
206	ABB-R-206	Rahi	Phala	Abbottabad	Iranan house	W.S			365	7.4	0.0	C.Less	Un-Obj	Un-Obj	297	6	301	0	14	24	11	23	124	3	0	9.23	0.02	0.23	0.37	0.35	0.35	+ve	+ve	Unsafe
207	ABB-R-207	Rahi	Phala	Abbottabad	Ali asghar house	W.S			677	7.5	0.0	C.Less	Un-Obj	Un-Obj	350	7	353	0	14	12	8	26	128	4	1	16.41	0.05	0.19	0.00	0.25	0.43	+ve	+ve	Unsafe
208	ABB-R-208	Rahi	Phala	Abbottabad	Javed house	W.S			645	7.3	0.0	C.Less	Un-Obj	Un-Obj	291	6	283	0	11	35	11	23	123	4	1	8.29	0.04	0.16	0.00	0.36	0.44	+ve	+ve	Unsafe
209	ABB-R-209	Rahi	Phala	Abbottabad	Madeena masjid school	W.S			578	7.8	0.4	C.Less	Un-Obj	Un-Obj	286	6	275	0	14	23	10	20	108	3	1	11.33	0.02	0.19	0.00	0.91	0.43	+ve	+ve	Unsafe
210	ABB-R-210	Rahi	Phala	Abbottabad	Raja yousaf house	W.S			947	7.4	0.0	C.Less	Un-Obj	Un-Obj	586	7	352	0	28	24	11	17	100	4	4	64.45	0.06	0.20	0.04	0.84	0.39	+ve	+ve	Unsafe
211	ABB-R-211	Ghourbir	Phalak	Abbottabad	Ghousia Danul uloom jamia	W.S			549	7.7	0.0	C.Less	Un-Obj	Un-Obj	267	5	267	0	11	13	45	6	88	4	2	5.96	0.02	0.30	0.00	0.85	0.25	+ve	+ve	Unsafe
212	ABB-R-212	Ghourbir	Phalak	Abbottabad	Haji Salir house	W.S			463	7.7	0.0	C.Less	Un-Obj	Un-Obj	280	5	267	0	11	16	43	9	72	4	0	8.39	0.05	0.27	0.01	0.86	0.35	+ve	+ve	Unsafe
213	ABB-R-213	Ghourbir	Phalak	Abbottabad	Haroon Abbasi house	W.S			408	7.7	0.0	C.Less	Un-Obj	Un-Obj	276	5	267	0	11	13	43	14	52	4	0	7.09	0.06	0.30	0.00	0.89	0.13	+ve	+ve	Unsafe
214	ABB-R-214	Ghourbir	Phalak	Abbottabad	Zafar house	W.S			414	7.7	1.5	C.Less	Un-Obj	Un-Obj	275	5	267	0	11	14	45	15	52	4	0	5.89	0.05	0.30	0.00	0.86	0.32	+ve	+ve	Unsafe
215	ABB-R-215	Ghourbir	Phalak	Abbottabad	Spring Village Ghambir	Spring			571	7.3	0.0	C.Less	Un-Obj	Un-Obj	450	8	404	0	21	10	66	29	44	8	7	15.20	0.04	0.23	0.00	0.84	BDL	+ve	+ve	Unsafe
216	ABB-R-216	Lora	Lora	Abbottabad	Wajid house	Spring			703	7.4	0.0	C.Less	Un-Obj	Un-Obj	473	7	327	0	14	58	70	36	28	7	2	20.07	0.01	0.45	0.07	0.82	BDL	+ve	+ve	Unsafe
217	ABB-R-217	Lora	Lora	Abbottabad	Jail ur Rehman house	Spring			437	7.7	0.0	C.Less	Un-Obj	Un-Obj	316	5	267	0	14	29	50	22	32	5	0	8.00	0.02	0.47	0.00	0.85	BDL	+ve	+ve	Unsafe
218	ABB-R-218	Lora	Lora	Abbottabad	Dram Water	W.S			505	7.7	0.0	C.Less	Un-Obj	Un-Obj	295	5	267	0	11	6	43	20	24	4	0	11.50	0.06	0.29	0.00	0.84	0.32	+ve	+ve	Unsafe
219	ABB-R-219	Lora	Lora	Abbottabad	Iranan house	W.S			429	7.7	0.0	C.Less	Un-Obj	Un-Obj	310	6	284	0	11	24	51	26	20	4	1	5.05	0.05	0.49	0.08	0.20	0.33	+ve	+ve	Unsafe
220	ABB-R-220	Lora	Lora	Abbottabad	Lal masjid Bazar	W.S			405	7.8	0.0	C.Less	Un-Obj	Un-Obj	263	5	258	0	14	7	40	17	28	3	0	5.96	0.04	0.29	0.00	0.25	0.29	+ve	+ve	Unsafe
221	ABB-R-221	Rahala	Rahala	Abbottabad	Siddiqi house	W.S			621	7.8	3.0	C.Less	Un-Obj	Un-Obj	361	8	396	0	14	45	14	27	148	4	2	3.69	0.01	0.42	0.00	0.94	0.25	+ve	+ve	Unsafe
222	ABB-R-222	Rahala	Rahala	Abbottabad	M.Adid house	W.S			644	7.9	6.8	C.Less	Un-Obj	Un-Obj	307	6	318	0	7	37	24	21	148	4	2	4.79	0.02	0.38	0.05	0.25	0.35	+ve	+ve	Unsafe
223	ABB-R-223	Rahala	Rahala	Abbottabad	Jamli house	W.S			672	7.8	0.8	C.Less	Un-Obj	Un-Obj	340	7	335	0	7	56	14	30	160	4	2	5.70	0.06	0.22	0.00	0.29	0.32	+ve	+ve	Unsafe
224	ABB-R-224	Rahala	Rahala	Abbottabad	Lal masjid	W.S			632	7.8	0.7	C.Less	Un-Obj	Un-Obj	325	6	310	0	11	54	6	33	152	4	2	6.70	0.05	0.38	0.16	0.35	0.32	+ve	+ve	Unsafe
225	ABB-R-225	Rahala	Rahala	Abbottabad	Zameer house	W.S			631	7.9	4.6	C.Less	Un-Obj	Un-Obj	341	6	301	0	14	59	8	31	148	4	21	5.12	0.03	0.46	0.14	0.33	0.43	+ve	+ve	Unsafe
226	ABB-R-226	Nagri Tothal	Nagri Tothal	Abbottabad	Al-Qamar Public school	W.S			347	7.6	0.0	C.Less	Un-Obj	Un-Obj	225	4	189	0	14	12	16	10	80	2	0	12.95	0.05	0.50	0.07	0.30	0.42	+ve	+ve	Unsafe
227	ABB-R-227	Nagri Tothal	Nagri Tothal	Abbottabad	Mukhdoom house	W.S			329	7.5	0.0	C.Less	Un-Obj	Un-Obj	216	4	181	0	11	9	16	12	88	2	0	13.27	0.07	0.51	0.00	0.95	0.43	+ve	+ve	Unsafe
228	ABB-R-228	Nagri Tothal	Nagri Tothal	Abbottabad	Tap road side	W.S			358	8.0	0.0	C.Less	Un-Obj	Un-Obj	243	4	215	0	14	11	14	14	92	2	0	13.18	0.02	0.50	0.03	1.90	0.45	+ve	+ve	Unsafe
229	ABB-R-229	Nagri Tothal	Nagri Tothal	Abbottabad	Gustab house	W.S			323	7.5	0.0	C.Less	Un-Obj	Un-Obj	233	4	189	0	11	9	19	8	80	2	0	16.12	0.02	0.48	0.00	1.60	0.43	+ve	+ve	Unsafe
230	ABB-R-230	Nagri Tothal	Nagri Tothal	Abbottabad	Jamia masjid	W.S			294	7.5	0.5	C.Less	Un-Obj	Un-Obj	213	3	163	0	11	13	19	7	76	2	0	14.47	0.05	0.46	0.00	1.90	0.26	+ve	+ve	Unsafe
231	ABB-R-231	Goreni	Goreni	Abbottabad	Shafiq ahmad house	Tap			894	7.3	0.0	C.Less	Un-Obj	Un-Obj	312	5	258	0	18	53	26	40	228	6	0	3.37	0.04	0.60	0.08	0.86	0.28	+ve	+ve	Unsafe
232	ABB-R-232	Goreni	Goreni	Abbottabad	Jamia masjid	W.S			389	7.8	0.0	C.Less	Un-Obj	Un-Obj	246	4	224	0	11	37	32	6	104	3	0	5.18	0.02	0.41	0.08	0.53	0.32	+ve	+ve	Unsafe
233	ABB-R-233	Goreni	Goreni	Abbottabad	Spring-1 Gorini	Spring			448	7.4	0.5	C.Less	Un-Obj	Un-Obj	279	5	241	0	14	48	6	24	116	5	1	7.87	0.06	0.44	0.00	0.96	0.35	+ve	+ve	Unsafe
234	ABB-R-234	Goreni	Goreni	Abbottabad	Spring-2 Gorini	Spring			480	7.1	0.1	C.Less	Un-Obj	Un-Obj	270	5	232	0	11	22	8	22	112	5	1	14.05	0.02	0.33	0.12	0.96	0.39	+ve	+ve	Unsafe
235	ABB-R-235	Goreni	Goreni	Abbottabad	Mushtaq house	W.S			497	7.7	0.0	C.Less	Un-Obj	Un-Obj	218	5	232	0	14	9	5	24	112	3	0	5.31	0.05	0.47	0.00	0.95	0.29	+ve	+ve	Unsafe
236	ABB-R-236	Satora	Nara	Abbottabad	M.Akram house	Tap			344	7.1	8.4	C.Less	Un-Obj	Un-Obj	177	3	146	0	11	23	18	8	76	5	1	5.50	0.06	0.37	0.01	0.85	0.26	+ve	+ve	Unsafe
237	ABB-R-237	Satora	Nara	Abbottabad	Yousaf house	W.S			396	7.4	0.2	C.Less	Un-Obj	Un-Obj	298	5	232	0	18	6	18	13	96	9	3	20.88	0.05	0.18	0.15	0.79	0.25	+ve	+ve	Unsafe
238	ABB-R-238	Satora	Nara	Abbottabad	M.Jalil Akhtar house	W.S			470	8.0	0.0	C.Less	Un-Obj	Un-Obj	291	5	241	0	18	8	3	22	100	8	2	19.21	0.04	0.18	0.17	0.53	0.22	+ve	+ve	Unsafe
239	ABB-R-239	Satora	Nara	Abbottabad	Near Inayat house	W.S			391	7.5	0.0	C.Less	Un-Obj	Un-Obj	264	4	224	0	18	7	6	18	92	3	0	17.35	0.01	0.12	0.00	0.95	0.22	+ve	+ve	Unsafe
240	ABB-R-240	Satora	Nara	Abbottabad	Jamia masjid store	W.S			291	8.0	1.7	C.Less	Un-Obj	Un-Obj	171	3	146	0	11	9	16	6	64	8	0	7.64	0.02	0.35	0.08	0.63	0.22	+ve	+ve	Unsafe
241	ABB-R-241	Nara	Nara	Abbottabad	M.Zubair house	H.P			482	7.2	63.0	C.Less	Un-Obj	Un-Obj	340	6	292	0	16	10	38	11	142	8	0	18.39	0.06	0.10	0.03	0.39	0.21	+ve	+ve	Unsafe
242	ABB-R-242	Nara	Nara	Abbottabad	Mir Ahmad house	H.P			528	7.3	0.0	C.Less	Un-Obj	Un-Obj	360	7	327	0																

Sr.#	Sample Code	Village	Union Council	Thesil	Location	Source	Depth (ft)	Water Table Depth (ft)	EC µS/cm	pH	Turbidity NTU	Color	Taste	Odour	TDS mg/l	Alk mg/l	HCO <sub>3</sub> mg/l	CO <sub>2</sub> mg/l	Cl mg/l	SO <sub>4</sub> mg/l	Ca mg/l	Mg mg/l	Hard mg/l	Na mg/l	K mg/l	NO <sub>3</sub> mg/l	PO <sub>4</sub> mg/l	F mg/l	Fe mg/l	As ppb	Pb ppb	Total Coliforms	E.Coli	Safe/Unsafe
272	ABB-R-272	Havallan	Janghran	Abbottabad	Moh Saroullah	WSS	483	8.0	0.3	C.Less	Un-Obj	Un-Obj	285	5	240	0	18	16	45	33	250	20	1	1.80	0.05	0.30	0.09	0.85	0.35	+ve	+ve	Unsafe		
273	ABB-R-273	Havallan	Janghran	Abbottabad	Moh. Kangar Walla	WSS	485	7.7	0.0	C.Less	Un-Obj	Un-Obj	268	4	180	0	25	25	60	5	170	35	1	2.11	0.06	0.28	0.00	0.83	0.36	-ve	-ve	Unsafe		
274	ABB-R-274	Havallan	Janghran	Abbottabad	T.well Moh. Khan	T.well	385	7.8	0.0	C.Less	Un-Obj	Un-Obj	251	4	200	0	21	12	48	15	180	26	1	1.90	0.05	0.29	0.00	0.63	0.29	-ve	-ve	Safe		
275	ABB-R-275	Havallan	Janghran	Abbottabad	Moh. Khan Khel	WSS	386	7.8	0.2	C.Less	Un-Obj	Un-Obj	242	4	190	0	22	9	45	15	175	28	1	1.70	0.04	0.31	0.26	0.53	0.29	+ve	+ve	Unsafe		
276	ABB-R-276	Phulan Wali	Bandi Attal Khan	Abbottabad	Moh. Mera Phulan	T.well	352	7.2	1.1	C.Less	Un-Obj	Un-Obj	240	4	180	0	25	3	65	1	168	27	0	2.40	0.01	0.33	0.00	0.55	0.39	+ve	+ve	Unsafe		
277	ABB-R-277	Phulan Wali	Bandi Attal Khan	Abbottabad	Moh. Mughal Mera	H.Pump	500	7.0	0.1	C.Less	Un-Obj	Un-Obj	299	5	240	0	21	12	70	19	255	18	0	3.10	0.02	0.35	0.39	0.52	0.29	+ve	+ve	Unsafe		
278	ABB-R-278	Phulan Wali	Bandi Attal Khan	Abbottabad	Suleman Home	H.Pump	416	7.4	0.2	C.Less	Un-Obj	Un-Obj	263	4	240	0	25	4	40	39	260	8	0	3.00	0.06	0.30	0.00	0.23	0.19	+ve	+ve	Unsafe		
279	ABB-R-279	Phulan Wali	Bandi Attal Khan	Abbottabad	Haji Talib Hussain	H.Pump	305	7.3	5.5	C.Less	Un-Obj	Un-Obj	213	3	150	0	25	3	40	22	190	15	0	4.20	0.05	0.29	0.26	0.26	0.16	+ve	-ve	Unsafe		
280	ABB-R-280	Phulan Wali	Bandi Attal Khan	Abbottabad	Moh. Meri Mohammad	H.Pump	297	8.1	2.3	C.Less	Un-Obj	Un-Obj	203	3	163	0	25	3	30	24	175	9	1	3.00	0.04	0.36	0.00	0.19	0.17	+ve	+ve	Unsafe		
281	ABB-R-281	Heja	Majhan	Abbottabad	Moh. D.A Khan	WSS	271	8.5	0.0	C.Less	Un-Obj	Un-Obj	183	3	150	0	14	4	32	21	165	14	0	1.80	0.01	0.24	0.47	0.29	0.18	+ve	+ve	Unsafe		
282	ABB-R-282	Heja	Majhan	Abbottabad	Subsalar sadiqu	H.Pump	293	6.9	3.7	C.Less	Un-Obj	Un-Obj	173	2	115	0	25	4	28	17	140	13	0	3.90	0.02	0.24	0.26	0.35	0.19	+ve	+ve	Unsafe		
283	ABB-R-283	Haja	Majhan	Abbottabad	Haji Gulam Rasool	H.Pump	536	7.1	16.5	C.Less	Un-Obj	Un-Obj	308	3	160	0	46	16	70	9	210	26	1	10.00	0.06	0.28	0.73	0.39	0.17	+ve	+ve	Unsafe		
284	ABB-R-284	Haja	Majhan	Abbottabad	Maliar Ka Pathan	Spring	505	7.2	0.0	C.Less	Un-Obj	Un-Obj	294	4	220	0	32	15	50	30	250	20	0	3.40	0.05	0.31	0.20	0.26	0.19	+ve	+ve	Unsafe		
285	ABB-R-285	Haja	Majhan	Abbottabad	Haji Mohammad Ayub	H.Pump	652	7.1	0.0	C.Less	Un-Obj	Un-Obj	369	5	240	0	43	25	88	19	300	24	1	11.50	0.03	0.35	0.06	0.93	BDL	+ve	-ve	Unsafe		
286	ABB-R-286	Samwala	Majhan	Abbottabad	Moh. Kangara Mera	H.Pump	581	7.3	2.3	C.Less	Un-Obj	Un-Obj	330	4	220	0	35	19	64	22	250	30	1	6.10	0.05	0.31	0.07	0.79	BDL	+ve	+ve	Unsafe		
287	ABB-R-287	Samwala	Majhan	Abbottabad	Haji Zardad HP	H.Pump	786	7.1	0.0	C.Less	Un-Obj	Un-Obj	454	5	270	0	85	10	88	34	360	32	0	11.00	0.07	0.36	0.00	0.79	BDL	-ve	-ve	Unsafe		
288	ABB-R-288	Samwala	Majhan	Abbottabad	Haji Abdur Rahim	H.Pump	563	6.6	0.1	C.Less	Un-Obj	Un-Obj	387	5	270	0	53	14	75	35	330	25	0	5.30	0.02	0.31	0.10	0.95	0.25	+ve	+ve	Unsafe		
289	ABB-R-289	Samwala	Majhan	Abbottabad	Haji Farman	H.Pump	414	7.9	0.0	C.Less	Un-Obj	Un-Obj	237	3	165	0	25	4	80	2	210	8	0	4.30	0.02	0.33	0.35	0.84	0.23	+ve	+ve	Unsafe		
290	ABB-R-290	Samwala	Majhan	Abbottabad	Maskasi Spring	Spring	420	7.0	0.2	C.Less	Un-Obj	Un-Obj	252	3	140	0	28	4	70	1	180	20	0	12.00	0.05	0.30	0.00	1.03	0.35	+ve	+ve	Unsafe		
291	ABB-R-291	Langrial	Langrial	Abbottabad	Langrial Da Khan	H.Pump	1250	7.0	0.0	C.Less	Un-Obj	Un-Obj	752	6	290	0	223	35	235	3	600	35	2	13.00	0.06	0.26	0.00	0.98	0.32	+ve	-ve	Unsafe		
292	ABB-R-292	Langrial	Langrial	Abbottabad	Haripur Jabri Road	H.Pump	636	7.2	0.6	C.Less	Un-Obj	Un-Obj	360	5	250	0	35	4	110	4	290	23	1	12.50	0.05	0.19	0.00	1.10	0.31	-ve	-ve	Unsafe		
293	ABB-R-293	Langrial	Langrial	Abbottabad	Sajid home langrial	T.well	926	7.1	0.1	C.Less	Un-Obj	Un-Obj	534	8	400	0	36	35	110	43	450	35	2	7.60	0.04	0.40	0.00	1.40	0.29	+ve	-ve	Unsafe		
294	ABB-R-294	Langrial	Langrial	Abbottabad	Abdul halq yusain shah home	T.well	1338	6.8	1.2	C.Less	Un-Obj	Un-Obj	738	9	440	0	142	38	108	44	450	120	3	4.40	0.01	0.36	0.00	0.99	0.33	+ve	+ve	Unsafe		
295	ABB-R-295	Langrial	Langrial	Abbottabad	Mohd younas home	T.well	1235	7.4	17.1	C.Less	Un-Obj	Un-Obj	617	232	0	43	59	208	22	300	17	1	5.70	0.02	0.84	0.49	0.86	0.32	+ve	+ve	Unsafe			
296	ABB-R-296	Langra	Langra	Abbottabad	Moh kunda Ahrif H Pump	H.Pump	500	7.7	0.1	C.Less	Un-Obj	Un-Obj	320	5	250	0	32	4	90	16	290	11	1	3.60	0.06	0.28	0.00	0.53	0.29	+ve	-ve	Unsafe		
297	ABB-R-297	Langra	Langra	Abbottabad	Safdar S/O Sultan Khan home	C.Less	467	8.4	1.0	C.Less	Un-Obj	Un-Obj	285	4	190	0	32	7	75	8	220	22	2	5.75	0.05	0.29	0.33	0.49	0.29	+ve	+ve	Unsafe		
298	ABB-R-298	Langra	Langra	Abbottabad	PHED Tube well	T.well	415	8.0	0.3	C.Less	Un-Obj	Un-Obj	273	4	200	0	21	17	80	5	220	20	1	2.00	0.03	0.31	0.33	0.93	0.25	+ve	+ve	Unsafe		
299	ABB-R-299	Langra	Langra	Abbottabad	Mr.Sultan home langra	WSS	419	7.9	0.0	C.Less	Un-Obj	Un-Obj	231	3	170	0	18	11	70	4	190	17	1	2.00	0.05	0.31	0.22	0.29	0.39	+ve	+ve	Unsafe		
300	ABB-R-300	Langra	Langra	Abbottabad	Lanier wala Mosque	T.well	424	7.9	0.0	C.Less	Un-Obj	Un-Obj	258	4	200	0	21	11	72	15	240	7	1	2.50	0.07	0.31	0.26	0.11	0.43	+ve	-ve	Unsafe		
301	ABB-R-301	Bandi Attal Khan	Bandi Attal Khan	Abbottabad	Old WSS Storage tank	Nallah	243	7.8	0.1	C.Less	Un-Obj	Un-Obj	165	2	120	0	21	3	55	3	150	8	0	0.56	0.02	0.09	0.16	0.19	0.42	+ve	+ve	Unsafe		
302	ABB-R-302	Bandi Attal Khan	Bandi Attal Khan	Abbottabad	Bandi upper spring B A Khan	Spring	238	8.0	2.9	C.Less	Un-Obj	Un-Obj	164	3	130	0	18	3	55	1	140	8	0	0.40	0.02	0.09	0.69	BDL	0.43	+ve	+ve	Unsafe		
303	ABB-R-303	Bandi Attal Khan	Bandi Attal Khan	Abbottabad	Bandi lower spring B A Khan	Spring	425	7.6	0.0	C.Less	Un-Obj	Un-Obj	237	4	200	0	14	15	52	17	200	15	1	0.54	0.05	0.11	0.25	BDL	0.49	+ve	+ve	Unsafe		
304	ABB-R-304	Bandi Attal Khan	Bandi Attal Khan	Abbottabad	Mr.khan wala khan home	T.well	254	7.7	0.0	C.Less	Un-Obj	Un-Obj	178	2	120	0	25	4	55	1	140	7	1	3.00	0.04	0.11	0.02	BDL	BDL	+ve	+ve	Unsafe		
305	ABB-R-305	Bandi Attal Khan	Bandi Attal Khan	Abbottabad	Jamia Mosq B A khan	WSS	254	7.9	0.0	C.Less	Un-Obj	Un-Obj	174	3	130	0	21	3	55	3	150	8	1	1.10	0.01	0.10	0.00	0.12	BDL	+ve	+ve	Unsafe		
306	ABB-R-306	Dewal Manal	Dewal Manal	Abbottabad	Soaba Spring	Spring	520	7.3	3.1	C.Less	Un-Obj	Un-Obj	293	4	210	0	25	15	72	22	270	7	0	5.90	0.02	0.09	0.11	0.19	BDL	+ve	+ve	Unsafe		
307	ABB-R-307	Dewal Manal	Dewal Manal	Abbottabad	Near qabra qatar spring	Spring	584	7.4	0.0	C.Less	Un-Obj	Un-Obj	322	6	290	0	28	6	32	51	290	18	0	2.90	0.06	0.08	0.10	BDL	0.20	+ve	+ve	Unsafe		
308	ABB-R-308	Dewal Manal	Dewal Manal	Abbottabad	spring-2 near qabra qatar	Spring	562	7.5	0.1	C.Less	Un-Obj	Un-Obj	310	5	260	0	32	4	85	14	270	12	0	1.60	0.02	0.08	0.00	BDL	0.29	+ve	+ve	Unsafe		
309	ABB-R-309	Dewal Manal	Dewal Manal	Abbottabad	Mr.Hasro khan home	H.Pump	239	8.1	11.5	C.Less	Un-Obj	Un-Obj	154	2	100	0	25	3	50	1	130	6	0	2.10	0.05	0.07	0.19	0.94	0.23	+ve	+ve	Unsafe		
310	ABB-R-310	Dewal Manal	Dewal Manal	Abbottabad	Mr Rustam khan home	H.Pump	391	7.2	0.5	C.Less	Un-Obj	Un-Obj	227	2	100	0	46	10	65	2	170	10	0	7.80	0.06	0.00	0.07	0.86	0.25	+ve	+ve	Unsafe		
311	ABB-R-311	Ghangran	Ghangran	Abbottabad	Moh Kai kesi Afzal home	WSS	386	7.8	0.0	C.Less	Un-Obj	Un-Obj	217	3	170	0	18	4	65	2	170	14	1	2.60	0.05	0.12	0.00	0.53	0.25	+ve	+ve	Unsafe		
312	ABB-R-312	Ghangran	Ghangran	Abbottabad	Mr Hulam farid home	WSS	383	8.0	0.7	C.Less	Un-Obj	Un-Obj	268	4	220	0	14	4	90	1	230	14	1	2.60	0.04	0.12	0.00	BDL	0.29	+ve	+ve	Unsafe		
313	ABB-R-313	Ghangran	Ghangran	Abbottabad	Mah zirat jangra	WSS	397	7.7	0.0	C.Less	Un-Obj	Un-Obj	253	4	200	0	18	6	80	2	210	15	1	2.50	0.01	0.15	0.00	0.53	0.35	+ve	+ve	Unsafe		
314	ABB-R-314	Ghangran	Ghangran	Abbottabad	Qatrio wala tube well	Well	810	7.5	0.0	C.Less	Un-Obj	Un-Obj	452	7	330	0	39	31	135	3	350	24	3	4.20	0.02	0.26	0.00	0.54	0.36	+ve	+ve	Unsafe		
315	ABB-R-315	Ghangran	Ghangran	Abbottabad	H Pump Moh Arrangan	H.Pump	674	7.8	0.0	C.Less	Un-Obj	Un-Obj	404	7	350	0	25	9	120	2	310	35	0	0.53	0.06	0.17	0.30	0.92	0.32	+ve	-ve	Unsafe		
316	ABB-R-316	Rajoya	Ghari Phulgran	Abbottabad	Nalla Dora Rajoya	Nallah	394	7.8	0.0	C.Less	Un-Obj	Un-Obj	246	4	180	0	18	13	90	1	230	5	1	2.30	0.05	0.11	0							

Sr.#	Sample Code	Village	Union Council	Thesil	Location	Source	Depth (ft)	Water Table Depth (ft)	EC µS/cm	pH	Turbidity NTU	Color	Taste	Odour	TDS mg/l	Alk mg/l	HCO <sub>3</sub> mg/l	CO <sub>2</sub> mg/l	Cl mg/l	SO <sub>4</sub> mg/l	Cs mg/l	Mg mg/l	Hard mg/l	Na mg/l	K mg/l	NO <sub>3</sub> mg/l	PO <sub>4</sub> mg/l	F mg/l	Fe mg/l	As ppb	Pb ppb	Total Coliforms	E.Coli	Safe/ Unsafe	
									Permissible Limit (PSCOU)																										
									NGVS	6.5-8.5	5.0	C.Less	Un-Obj	Un-Obj	1000	NGVS	NGVS	NGVS	250	300	NGVS	300	200	NGVS	10.00	NGVS	1.50	0.30	50.00	50.00			-ve	-ve	Safe
340	ABB-R-340	Themawal	Banda Pir Khan	Abbottabad	Haroon Khan home	Spring			335	2.2	2.1	C.Less	Un-Obj	Un-Obj	188	3	160	0	7	7	70	1	180	1	0	1.21	0.02	0.01	0.43	0.30	0.26	+ve	+ve	Unsafe	
341	ABB-R-341	Dalola	Dalola	Abbottabad	Moh Buraq Spring	Spring			458	8.0	0.0	C.Less	Un-Obj	Un-Obj	229	4	198	0	18	44	148	4	100	4	1	1.90	0.05	0.16	0.00	0.39	0.11	+ve	+ve	Unsafe	
342	ABB-R-342	Dalola	Dalola	Abbottabad	Bela Spring Moh Bela	Spring			523	7.8	0.0	C.Less	Un-Obj	Un-Obj	289	4	210	0	21	31	90	4	240	6	2	2.00	0.06	0.17	0.43	0.93	0.19	-ve	-ve	Unsafe	
343	ABB-R-343	Dalola	Dalola	Abbottabad	Aslam home	WSS			427	7.9	0.0	C.Less	Un-Obj	Un-Obj	260	4	180	0	14	44	80	2	210	6	2	0.80	0.05	0.17	0.44	0.19	BDL	+ve	-ve	Unsafe	
344	ABB-R-344	Dalola	Dalola	Abbottabad	Ashraf home	WSS			114	7.9	2.4	C.Less	Un-Obj	Un-Obj	57	1	52	0	7	7	52	1	32	1	1	1.10	0.04	0.00	0.98	0.35	BDL	+ve	+ve	Unsafe	
345	ABB-R-345	Dalola	Dalola	Abbottabad	Shrif home	WSS			421	7.9	0.0	C.Less	Un-Obj	Un-Obj	210	3	172	0	14		136	2	96	6	2	1.40	0.01	0.22	0.06	0.96	BDL	+ve	+ve	Unsafe	
346	ABB-R-346	Didal	Boi	Abbottabad	Moh mera Didal	Spring			369	8.4	0.0	C.Less	Un-Obj	Un-Obj	225	4	180	0	11	20	72	2	190	6	1	1.10	0.02	0.15	0.26	1.35	BDL	+ve	+ve	Unsafe	
347	ABB-R-347	Didal	Boi	Abbottabad	Mohd Junaid home Didal	WSS			380	8.4	2.5	C.Less	Un-Obj	Un-Obj	247	4	200	0	14	11	74	6	210	6	2	3.10	0.06	0.10	0.16	1.96	0.29	+ve	+ve	Unsafe	
348	ABB-R-348	Didal	Boi	Abbottabad	Basharat home didal	Hallah			384	8.4	1.7	C.Less	Un-Obj	Un-Obj	214	3	160	0	18	23	56	10	180	6	1	1.10	0.05	0.11	0.26	0.98	0.29	+ve	-ve	Unsafe	
349	ABB-R-349	Didal	Boi	Abbottabad	Pegonowala spring	Spring			322	8.1	0.0	C.Less	Un-Obj	Un-Obj	182	3	130	0	18	11	54	1	140	10	0	2.33	0.03	0.10	0.00	1.00	0.29	+ve	+ve	Unsafe	
350	ABB-R-350	Didal	Boi	Abbottabad	Didal spring Boi Road	Spring			329	8.1	0.0	C.Less	Un-Obj	Un-Obj	187	3	130	0	21	13	50	6	150	9	0	2.20	0.05	0.10	0.15	0.89	0.23	+ve	+ve	Unsafe	
351	ABB-R-351	Boi	Boi	Abbottabad	Jame Mosque Boi	Spring			697	8.0	0.0	C.Less	Un-Obj	Un-Obj	385	7	350	0	21	11	104	15	320	19	3	0.50	0.07	0.17	0.14	1.00	0.29	+ve	+ve	Unsafe	
352	ABB-R-352	Boi	Boi	Abbottabad	Boi Upper bazar	WSS			696	8.1	0.0	C.Less	Un-Obj	Un-Obj	385	6	320	0	18	32	84	26	319	29	2	0.30	0.01	0.19	0.44	0.63	0.25	+ve	+ve	Unsafe	
353	ABB-R-353	Boi	Boi	Abbottabad	Ran kot road boi	Spring			696	8.0	0.0	C.Less	Un-Obj	Un-Obj	414	8	378	0	14	32	76	42	364	19	2	0.30	0.02	0.21	0.00	0.59	0.11	+ve	-ve	Unsafe	
354	ABB-R-354	Boi	Boi	Abbottabad	Govt. H School boi	Spring			592	7.8	0.0	C.Less	Un-Obj	Un-Obj	385	5	249	0	18	88	84	17	280	27	1	0.30	0.06	0.25	0.24	0.49	0.15	+ve	+ve	Unsafe	
355	ABB-R-355	Boi	Boi	Abbottabad	Civil Hospital Boi	Spring			277	8.1	0.0	C.Less	Un-Obj	Un-Obj	158	2	90	0	14	32	32	5	100	16	0	1.00	0.02	0.06	0.30	0.22	0.16	+ve	+ve	Unsafe	
356	ABB-R-356	Bar Been	Boi	Abbottabad	Moh Butt Barbeen	Spring			538	7.7	0.9	C.Less	Un-Obj	Un-Obj	301	4	190	0	28	17	56	19	220	22	9	1.20	0.05	0.12	0.11	0.22	0.21	+ve	+ve	Unsafe	
357	ABB-R-357	Bar Been	Boi	Abbottabad	Jabra No.2 Spring	Spring			536	7.8	0.0	C.Less	Un-Obj	Un-Obj	320	4	200	0	25	58	44	36	260	32	0	0.95	0.06	0.12	0.00	0.23	0.23	+ve	-ve	Unsafe	
358	ABB-R-358	Bar Been	Boi	Abbottabad	Boi road Barbeen Jabra spring	Spring			512	7.2	0.0	C.Less	Un-Obj	Un-Obj	288	4	224	0	21	18	52	22	220	24	0	3.60	0.05	0.11	0.11	0.96	0.25	+ve	+ve	Unsafe	
359	ABB-R-359	Bar Been	Boi	Abbottabad	Sungi NGO WSS moh jabra	Spring			295	8.0	0.0	C.Less	Un-Obj	Un-Obj	166	2	90	0	14	32	36	2	100	22	0	1.16	0.04	0.05	0.10	0.16	0.29	+ve	+ve	Unsafe	
360	ABB-R-360	Bar Been	Boi	Abbottabad	Masjid Moh Barbeen	Spring			365	7.9	0.0	C.Less	Un-Obj	Un-Obj	209	3	140	0	14	32	32	19	160	23	0	1.10	0.01	0.06	0.24	BDL	0.26	+ve	+ve	Unsafe	
361	ABB-R-361	Sir Banna	Sir Banna	Abbottabad	Jame Mosque Sarbana	Spring			295	8.2	0.0	C.Less	Un-Obj	Un-Obj	184	3	163	0	11	4	64	2	170	1	0	0.92	0.02	0.00	0.30	0.96	0.29	+ve	+ve	Unsafe	
362	ABB-R-362	Sir Banna	Sir Banna	Abbottabad	Jahangir Khan home	WSS			300	7.8	0.0	C.Less	Un-Obj	Un-Obj	179	3	163	0	11	4	62	4	170	1	0	0.10	0.06	0.02	0.17	0.85	0.29	+ve	+ve	Unsafe	
363	ABB-R-363	Sir Banna	Sir Banna	Abbottabad	Shakir Khan home	WSS			297	8.1	0.0	C.Less	Un-Obj	Un-Obj	172	3	163	0	11	3	32	19	160	9	0	0.20	0.05	0.04	0.22	0.60	0.32	+ve	+ve	Unsafe	
364	ABB-R-364	Sir Banna	Sir Banna	Abbottabad	Stand post sarbana	WSS			298	8.1	0.0	C.Less	Un-Obj	Un-Obj	192	2	120	0	21	32	36	18	160	12	0	0.40	0.04	0.02	0.00	0.73	0.32	+ve	+ve	Unsafe	
365	ABB-R-365	Sir Banna	Sir Banna	Abbottabad	Anif Khan home	Well			299	8.1	0.3	C.Less	Un-Obj	Un-Obj	169	3	163	0	11	4	32	22	170	1	0	0.30	0.01	0.04	0.30	0.32	0.30	+ve	+ve	Unsafe	
									<b>%ages of Saples beyond permissible limit</b>																										
									<b>No. of Saples beyond permissible limit out of 365</b>																										
									1.10 8.49									0.55 0.55 0.00 0.00 21.64 0.00 26.85 0.00 0.00 96.99 63.01 98.90																	
									4 31									0 79 0 98 0 0 354 230 361																	
									Min. 65 15 97 2.2 0.0									21 1 25 1 0 2 0 20 0 0 0.00 0.01 0.00 0.00 0.11 0.11																	
									Avg. 113 84 496 7.7 2.3									306 4 223 26 23 37 21 207 11 3 6.56 0.04 0.20 0.22 0.58 0.29																	
									Max. 230 330 3960 8.9 103.0									4024 20 1050 284 300 288 185 1190 120 150 94.00 0.08 0.84 1.53 1.96 0.53																	