

DRINKING WATER QUALITY - DISTRICT MANGORA (SWAT) RURAL AREAS

Sr. No	Sample Code	Village	Union Council	Thesil	Location	Depth (ft)	Water Table Depth (ft)	EC /µs/cm	pH	Turbidity NTU	Color	Taste	Odour	TDS	Alk. m.mol/l		HCO ₃ mg/l		Cl mg/l	SO ₄ mg/l	Ca mg/l	Mg mg/l	Hard mg/l	Na mg/l	K mg/l	NO ₃ mg/l	PO ₄ mg/l	Fe mg/l	F mg/l	As ppb	Pb ppb	Total Coliform	E.coli	Safe/Unsafe
															Ca	Mg	Ca	Mg																
															6.5-8.5				5.0															
															Class				Class															
															Un-Obj				Un-Obj															
1	MAN-R-01	Utror	Utror	Matta	Utror Bazar Ladu spring	spring	57	6.5	16.0	Class	Un-Obj	Un-Obj	40	0	15	0	11	4	8	4	35	1	0	0.66	0.03	0.01	0.00	0.60	0.87	+ve	+ve	Unsafe		
2	MAN-R-02	Utror	Utror	Matta	Gather Spin Utror	spring	300	7.1	11.0	Class	Un-Obj	Un-Obj	170	2	120	0	20	10	56	5	160	4	1	0.39	0.02	0.01	0.00	1.56	0.61	+ve	+ve	Unsafe		
3	MAN-R-03	Utror	Utror	Matta	Batta River Utror battal	spring	54	7.1	6.1	Class	Un-Obj	Un-Obj	68	0	20	5	12	0	30	1	0	0.63	0.08	0.03	0.05	1.36	0.24	+ve	+ve	Unsafe				
4	MAN-R-04	Utror	Utror	Matta	WSS Gul Utror	spring	95	7.7	2.6	Class	Un-Obj	Un-Obj	57	0	20	10	13	8	9	55	2	0	3.50	0.07	0.04	0.06	2.69	1.86	+ve	+ve	Unsafe			
5	MAN-R-05	Utror	Utror	Matta	Gabral River Utror	River	80	7.1	5.0	Class	Un-Obj	Un-Obj	56	0	20	0	11	8	6	9	50	2	1	0.93	BDL	0.27	0.00	3.56	1.92	+ve	+ve	Unsafe		
6	MAN-R-06	Kalam	Kalam	Matta	Kas Kalam	Spring	85	7.0	6.0	Class	Un-Obj	Un-Obj	59	1	25	0	11	10	16	2	50	2	0	0.49	0.04	0.12	0.00	2.98	1.37	+ve	+ve	Unsafe		
7	MAN-R-07	Kalam	Kalam	Matta	Ashrang Kalam	Spring	150	7.9	3.0	Class	Un-Obj	Un-Obj	97	1	45	0	18	10	20	2	60	10	1	2.11	0.09	0.08	0.02	6.87	1.37	+ve	+ve	Unsafe		
8	MAN-R-08	Kalam	Kalam	Matta	Bazar Kalam	Spring	243	7.5	2.0	Class	Un-Obj	Un-Obj	202	2	100	0	21	17	52	7	160	3	1	9.19	0.02	0.09	0.07	4.36	1.92	+ve	+ve	Unsafe		
9	MAN-R-09	Kalam	Kalam	Matta	Kalam River	River	92	7.4	3.0	Class	Un-Obj	Un-Obj	61	0	20	0	12	10	12	2	40	6	1	1.25	0.05	0.13	0.00	5.12	1.38	+ve	+ve	Unsafe		
10	MAN-R-10	Kalam	Kalam	Matta	Jamia Mosque warokaj Bazar Kalam	Spring	346	6.9	4.0	Class	Un-Obj	Un-Obj	201	2	90	0	21	18	52	5	150	5	1	8.21	0.06	0.02	0.19	9.54	1.35	+ve	+ve	Unsafe		
11	MAN-R-11	Torwal	Balakot	Matta	Torwal Spring Kalam Road	Spring	167	7.0	1.2	Class	Un-Obj	Un-Obj	98	1	60	0	18	4	20	7	80	2	0	2.47	0.08	0.00	0.05	1.69	1.76	+ve	+ve	Unsafe		
12	MAN-R-12	Torwal	Balakot	Matta	soren Spin Wss Torwal	Spring	210	7.2	1.7	Class	Un-Obj	Un-Obj	146	1	60	0	8	7	35	3	100	5	0	1.70	BDL	0.00	0.06	3.56	0.59	+ve	+ve	Unsafe		
13	MAN-R-13	Torwal	Balakot	Matta	Mr Saleem Home	Spring	184	7.3	2.7	Class	Un-Obj	Un-Obj	84	1	60	0	14	5	16	7	30	1	1	3.07	BDL	0.04	0.09	4.36	0.22	+ve	+ve	Unsafe		
14	MAN-R-14	Torwal	Torwal	Matta	Kalam Bahrain Road Torwal	Spring	176	7.6	1.8	Class	Un-Obj	Un-Obj	111	1	70	0	14	5	24	10	100	2	1	2.94	0.03	0.11	0.14	11.36	0.94	+ve	+ve	Unsafe		
15	MAN-R-15	Torwal	Balakot	Matta	Torwal Spring Bahrain Road	Spring	247	7.7	12.0	Class	Un-Obj	Un-Obj	141	1	70	0	28	25	20	7	80	17	1	0.48	0.04	0.09	0.12	2.36	1.05	+ve	-ve	Unsafe		
16	MAN-R-16	Bahrain	Bahrain	Matta	Kamaly Bahrain Thankan	Spring	205	7.8	10.0	Class	Un-Obj	Un-Obj	119	1	50	0	20	15	30	6	100	4	0	1.28	0.05	0.04	0.09	2.36	1.58	+ve	+ve	Unsafe		
17	MAN-R-17	Bahrain	Bahrain	Matta	Bahrain Bazar Lagen spring	Spring	52	7.7	5.0	Class	Un-Obj	Un-Obj	36	0	15	0	7	5	8	2	30	1	2	0.78	0.09	0.02	0.00	0.20	0.56	+ve	+ve	Unsafe		
18	MAN-R-18	Bahrain	Bahrain	Matta	Torwali plaza Bahrain village	Spring	50	7.6	4.0	Class	Un-Obj	Un-Obj	32	1	35	0	5	4	8	1	15	0	0	0.83	0.04	0.05	0.05	1.36	2.61	+ve	+ve	Unsafe		
19	MAN-R-19	Bahrain	Bahrain	Matta	Daral River Bahrain	River	40	7.4	2.0	Class	Un-Obj	Un-Obj	26	0	10	0	4	4	6	1	20	1	0	0.80	0.12	0.13	0.00	1.98	1.76	+ve	+ve	Unsafe		
20	MAN-R-20	Bahrain	Bahrain	Matta	WSS Lagan Village Bahrain	River	116	7.1	7.0	Class	Un-Obj	Un-Obj	74	1	30	0	2	9	16	2	50	3	0	2.21	0.06	0.14	0.01	1.68	0.70	+ve	+ve	Unsafe		
21	MAN-R-21	Aien	Mankyal	Matta	Qamar Spring Village	Spring	149	6.8	2.0	Class	Un-Obj	Un-Obj	88	1	50	0	11	4	20	5	70	5	4	2.71	BDL	0.02	0.01	2.56	0.81	+ve	-ve	Unsafe		
22	MAN-R-22	Aien	Mankyal	Matta	Kahwa Spring Village	Spring	141	7.0	1.0	Class	Un-Obj	Un-Obj	84	1	40	0	14	6	16	7	30	1	1	3.07	BDL	0.01	0.01	3.25	0.70	+ve	+ve	Unsafe		
23	MAN-R-23	Aien	Mankyal	Matta	Jamia Mosque Jan Bak spring Aien	Spring	143	7.1	1.5	Class	Un-Obj	Un-Obj	89	1	40	0	18	5	20	5	70	2	0	3.10	BDL	0.05	0.16	3.56	0.19	+ve	+ve	Unsafe		
24	MAN-R-24	Aien	Mankyal	Matta	Wazir Zada Shop	Spring	144	7.1	1.7	Class	Un-Obj	Un-Obj	85	1	45	0	11	6	20	5	70	4	1	2.50	0.05	0.11	0.02	3.98	2.53	+ve	+ve	Unsafe		
25	MAN-R-25	Aien	Mankyal	Matta	Village Aien	Spring	143	7.2	0.0	Class	Un-Obj	Un-Obj	83	1	35	0	14	6	20	2	60	5	1	3.00	0.09	0.07	0.10	4.56	1.00	+ve	+ve	Unsafe		
26	MAN-R-26	Madyan	Madyan	S.W	Madyan Khawar WSS Madyan	S.W	90	7.0	0.0	Class	Un-Obj	Un-Obj	53	1	25	0	13	2	8	2	30	7	1	1.00	0.05	0.04	0.21	6.36	0.81	+ve	+ve	Unsafe		
27	MAN-R-27	Madyan	Madyan	S.W	Madyan Khawar Shagrani Khawar	S.W	130	110	118	7.8	3.0	Class	Un-Obj	Un-Obj	67	35	0	20	0	40	4	1	1.50	BDL	0.03	0.02	2.65	2.26	+ve	+ve	Unsafe			
28	MAN-R-28	Madyan	Madyan	S.W	River Kalam Madyan	S.W	80	6.0	5.0	7.7	4.0	Class	Un-Obj	Un-Obj	41	0	15	0	9	5	8	2	40	3	1	0.70	BDL	0.13	0.00	3.25	2.38	+ve	+ve	Unsafe
29	MAN-R-29	Madyan	Madyan	S.W	Madyan bazar Charayee	S.W	70	5.0	115	7.4	13.0	Class	Un-Obj	Un-Obj	65	1	40	0	6	5	20	0	50	2	1	1.50	0.03	0.13	0.09	6.35	1.06	+ve	+ve	Unsafe
30	MAN-R-30	Madyan	Madyan	S.W	Near Mayan PSU Station	S.W	90	8.0	6.7	1.6	Class	Un-Obj	Un-Obj	270	2	120	0	57	22	57	20	0	6.30	0.05	0.05	0.11	5.36	0.47	+ve	+ve	Unsafe			
31	MAN-R-31	Shanko	Shanko	nallah	Near Khawar Shaikho Balakot All Home	nallah	63	6.8	1.7	Class	Un-Obj	Un-Obj	43	0	20	0	9	12	0	30	2	1	1.40	BDL	0.30	0.02	4.25	1.90	+ve	+ve	Unsafe			
32	MAN-R-32	Shanko	Shanko	nallah	Bashi Gram Khawar Shaikho	nallah	50	6.6	2.0	Class	Un-Obj	Un-Obj	41	1	50	0	6	3	12	0	20	2	0	1.20	BDL	0.06	0.00	7.36	1.87	+ve	+ve	Unsafe		
33	MAN-R-33	Shanko	Shanko	nallah	Near Sankho Inn Besigram Road	spring	208	6.9	6.1	Class	Un-Obj	Un-Obj	142	2	100	0	11	6	28	10	110	12	1	3.30	BDL	0.14	0.01	5.36	1.47	+ve	+ve	Unsafe		
34	MAN-R-34	Shanko	Shanko	nallah	Shako Village Ghat Spin	spring	73	6.9	7.2	Class	Un-Obj	Un-Obj	47	0	20	0	6	5	12	0	30	4	1	1.50	BDL	0.07	0.10	3.25	1.36	+ve	+ve	Unsafe		
35	MAN-R-35	Shanko	Shanko	nallah	Shako Beshi Khawar	spring	135	7.0	0.1	Class	Un-Obj	Un-Obj	87	1	50	0	14	4	20	2	60	8	0	2.00	BDL	0.04	0.00	2.30	0.38	+ve	+ve	Unsafe		
36	MAN-R-36	Mlandam	Mlandam	nallah	PTDC Mlandam	spring	164	7.4	2.1	Class	Un-Obj	Un-Obj	107	1	60	0	21	1	24	7	40	3	1	2.70	0.05	0.07	0.09	3.69	1.46	+ve	+ve	Unsafe		
37	MAN-R-37	Mlandam	Mlandam	nallah	Gabri Spring Mlandam BHU Hospital	G.W	60	4.0	114	7.4	1.8	Class	Un-Obj	Un-Obj	75	1	40	0	11	3	16	5	60	3	1	2.80	0.08	0.07	0.01	4.56	1.52	+ve	+ve	Unsafe
38	MAN-R-38	Mlandam	Mlandam	nallah	Jamiam Mosque Near stream	nallah	217	7.0	1.3	Class	Un-Obj	Un-Obj	130	1	70	0	14	11	32	5	100	5	2	4.40	0.13	0.15	0.06	3.66	1.64	+ve	+ve	Unsafe		
39	MAN-R-39	Mlandam	Mlandam	nallah	Tourist Park Near Piano rama Hotel Mlandam	tap	148	7.2	1.3	Class	Un-Obj	Un-Obj	91	1	40	0	11	12	24	2	70	2	1	3.40	BDL	0.07	0.04	5.36	1.14	+ve	+ve	Unsafe		
40	MAN-R-40	Mlandam	Mlandam	nallah	Khawarbad spring village Mlandam	spring	266	6.8	2.0	Class	Un-Obj	Un-Obj	148	2	180	0	18	9	36	7	120	5	3	5.00	0.04	0.07	0.17	4.26	0.66	+ve	+ve	Unsafe		
41	MAN-R-41	Tirat	Tirat	Matta	Near Jamia Mosque Tirat	spring	205	7.3	1.0	Class	Un-Obj	Un-Obj	119	1	60	0	18	7	20	7	80	7	5	4.10	BDL	0.03	0.27	9.36	1.06	+ve	+ve	Unsafe		
42	MAN-R-42	Tirat	Tirat	Matta	Jamia Mosque Tirat	spring	218	7.5	0.1	Class	Un-Obj	Un-Obj	195	3	140	0	25	5	40	15	160	8	2	3.80	BDL	0.06	0.25	3.36	2.68	+ve	+ve	Unsafe		
43	MAN-R-43	Tirat	Tirat	Matta	Inayat Khan Home Village Tirat	spring	347	7.4	0.9	Class	Un-Obj	Un-Obj	141	2	90	0	16	7	28	10	110	7	1	4.10	0.08	0.12	0.20	3.66	1.60	+ve	+ve	Unsafe		
44	MAN-R-44	Tirat	Tirat	nallah	Mr Spin and home Village Tirat	tap	343	7.5	0.9	Class	Un-Obj	Un-Obj	197	3	140	0	25	6	40	12	150	12	2	3.50	0.07	0.08	0.02	4.65	1.91	+ve	+ve	Unsafe		
45	MAN-R-45	Tirat	Tirat	nallah	Mr Sher Khan Home Village Tirat	tap	247	7.3	0.7	Class	Un-Obj	Un-Obj	139	3	100	0	12	5	24	12	110	8	0	4.00	0.06	0.04	0.06	5.36	0.90	+ve	+ve	Unsafe		
46	MAN-R-46	Jary	Fathepur	Matta	Mr Chara home pial Jkary Kalam Road	well	9	7.4	7.2	0.9	Class	Un-Obj	Un-Obj	215	3	150	0	17	12	40	17	170	12	1	5.80	BDL	0.05	0.03	2.32	0.57	+ve	+ve	Unsafe	
47	MAN-R-47	Jary	Fathepur	Matta	GMS Jary	nallah	325	8.0	0.6	Class	Un-Obj	Un-Obj	182																					

Sr. No.	Sample Code	Village	Union Council	Thesil	Location	Source	Depth (ft)	Water Table Depth (ft)	EC (µS/cm)	pH	Turbidity NTU	Color	Taste	Odour	TDS	Alk m.mol/l	HCO ₃ mg/l	CO ₂ mg/l	SO ₄ mg/l	Ca mg/l	Mg mg/l	Hard mg/l	Na mg/l	K mg/l	NO ₃ mg/l	PO ₄ mg/l	Fe mg/l	F mg/l	As ppb	Pb ppb	Total Coliform	E.Coli	Safe/Unsafe	Permissible Limits (PSCU)			
																																		C/L	U/L		
191.	MAN-R-191	Kala Kalay	Kala Kalay	Swat	Ali Akbar House, KalaKalay	W.S	35	55	641	7.7	0.1	C	Less	Un-Obj	300	6	30	0	60	41	320	20	1	2.00	0.03	0.03	0.15	7.76	1.69	+	+	Safe	0.00	0.00			
192.	MAN-R-192	Kala Kalay	Kala Kalay	Swat	Masjid Umar Khattab, Digi, KalaKalay	Well	40	68	480	7.8	0.8	C	Less	Un-Obj	220	3	290	13	1	5.05	0.09	10.00	6.54	1.74	1.80	0.03	0.03	0.15	7.76	1.69	+	+	Safe	0.00	0.00		
193.	MAN-R-193	Kala Kalay	Kala Kalay	Swat	Sarwar all shah house, KalaKalay	O.Well	30	50	993	7.4	0.0	C	Less	Un-Obj	572	7	360	0	119	19	96	53	460	38	1	6.74	BDL	0.01	0.03	3.36	3.00	+	+	Safe	0.00	0.00	
194.	MAN-R-194	Kala Kalay	Kala Kalay	Swat	Stand Post Adila Kolalety	Tap	91	7.5	0.2	C	Less	Un-Obj	602	7	330	0	155	21	40	53	320	105	7	5.10	BDL	0.01	0.03	3.36	3.06	+	+	Safe	0.00	0.00			
195.	MAN-R-195	Kala Kalay	Kala Kalay	Swat	Stream KalaKalay	Stream	615	8.2	0.6	C	Less	Un-Obj	358	4	200	0	70	38	44	36	260	33	1	3.50	BDL	0.02	0.12	2.36	1.62	+	+	Safe	0.00	0.00			
196.	MAN-R-196	Qalagay	Qalagay	Swat	Amir Zila House, Qalagay	Well	10	3	5	407	7.4	0.1	C	Less	Un-Obj	227	2	120	0	51	14	48	15	180	12	1	3.30	0.05	0.07	0.10	3.36	1.04	+	+	Safe	0.00	0.00
197.	MAN-R-197	Qalagay	Qalagay	Swat	Mosque Kood ray, Qalagay	Well	35	268	8.2	0.1	C	Less	Un-Obj	167	2	110	0	15	36	10	120	14	2	2.81	0.06	0.04	0.09	3.65	0.25	+	+	Safe	0.00	0.00			
198.	MAN-R-198	Qalagay	Qalagay	Swat	Mosque, Qalagay	nallah	266	8.2	0.1	C	Less	Un-Obj	169	2	110	0	15	36	10	130	14	1	2.80	0.02	0.00	0.10	5.21	2.52	+	+	Safe	0.00	0.00				
199.	MAN-R-199	Qalagay	Qalagay	Swat	Tap, Masjid Taru Manja	Tap	35	50	405	7.5	0.2	C	Less	Un-Obj	231	3	170	0	170	18	44	17	180	14	1	4.20	0.08	0.08	0.05	2.33	1.25	+	+	Safe	0.00	0.00	
200.	MAN-R-200	Qalagay	Qalagay	Swat	Spring Kodlary, Qalagay	Spring	441	7.5	0.0	C	Less	Un-Obj	251	2	180	0	35	11	44	22	200	16	1	4.24	0.02	0.03	0.08	3.66	2.69	+	+	Safe	0.00	0.00			
201.	MAN-R-201	Totianobandi	Totianobandi	Swat	Eng. Nadeq Nadeq Sher, Totianobandi	Spring	489	8.3	0.1	C	Less	Un-Obj	277	4	210	0	25	20	40	32	230	16	1	4.04	0.06	0.09	0.12	0.36	0.91	+	+	Safe	0.00	0.00			
202.	MAN-R-202	Totianobandi	Totianobandi	Swat	Zarwar Khan house, Totianobandi	Spring	432	7.2	0.7	C	Less	Un-Obj	256	4	190	0	28	14	48	29	200	17	1	3.20	0.00	0.01	0.00	3.65	3.53	+	+	Safe	0.00	0.00			
203.	MAN-R-203	Totianobandi	Totianobandi	Swat	Jamia Masjid Hazrat, Totianobandi	Tap	46	36	594	7.7	0.2	C	Less	Un-Obj	394	5	270	0	63	8	60	24	250	41	24	2.60	BDL	0.00	0.04	2.26	2.00	+	+	Safe	0.00	0.00	
204.	MAN-R-204	Totianobandi	Totianobandi	Swat	Wair Zada house Kando, Totianobandi	Well	40	60	600	7.7	0.6	C	Less	Un-Obj	381	6	280	0	35	10	68	19	250	6	63	2.70	BDL	0.00	0.00	1.23	0.95	+	+	Safe	0.00	0.00	
205.	MAN-R-205	Totianobandi	Totianobandi	Swat	Hand Pump, Qalagay road, Totianobandi	H.P	55	416	7.3	0.1	C	Less	Un-Obj	268	4	190	0	42	14	52	17	200	22	1	4.00	0.05	0.01	0.00	0.06	1.01	+	+	Safe	0.00	0.00		
206.	MAN-R-206	Barabanda	Barabanda	Swat	Mohallah house, Barabanda	Well	26	258	7.4	0.1	C	Less	Un-Obj	158	2	110	0	17	10	36	5	110	16	1	1.80	0.06	0.08	0.01	5.36	0.01	+	+	Safe	0.00	0.00		
207.	MAN-R-207	Barabanda	Barabanda	Swat	Kali house, Barabanda	O.Well	36	45	1002	7.4	0.1	C	Less	Un-Obj	522	5	270	0	134	50	84	56	440	38	3	5.63	0.09	0.04	0.00	1.32	0.09	+	+	Safe	0.00	0.00	
208.	MAN-R-208	Barabanda	Barabanda	Swat	Opposite street # Jamia Masjid, barabanda	Tap	20	331	7.7	0.3	C	Less	Un-Obj	209	2	110	0	39	12	44	10	150	17	1	4.50	0.07	0.00	0.20	0.90	1.28	+	+	Safe	0.00	0.00		
209.	MAN-R-209	Barabanda	Barabanda	Swat	Abdullah house, Barabandi	Well	40	517	7.4	0.0	C	Less	Un-Obj	304	4	180	0	50	20	68	15	230	19	2	5.00	0.00	0.00	0.11	0.36	3.21	+	+	Safe	0.00	0.00		
210.	MAN-R-210	Barabanda	Barabanda	Swat	Hadi house, Barabandi	W.S	60	40	244	7.3	0.0	C	Less	Un-Obj	146	2	80	0	21	13	32	5	100	14	1	2.74	0.12	0.04	0.10	3.36	0.97	+	+	Safe	0.00	0.00	
211.	MAN-R-211	Koza Bandi	Koza Bandi	Swat	Stand Post opposite Civil Hospital, Koza Bandi	W.S	90	70	461	7.9	0.0	C	Less	Un-Obj	258	4	210	0	14	14	48	27	230	14	1	3.45	0.03	0.00	0.10	2.36	1.03	+	+	Safe	0.00	0.00	
212.	MAN-R-212	Koza Bandi	Koza Bandi	Swat	Jamli house, Tap, kozaBandi	Tap	50	70	462	7.9	0.0	C	Less	Un-Obj	263	5	230	0	14	8	56	17	210	18	1	2.60	BDL	0.00	0.19	5.36	1.35	+	+	Safe	0.00	0.00	
213.	MAN-R-213	Koza Bandi	Koza Bandi	Swat	Jamia Masjid Koza banda	H.P	58	474	7.9	1.0	C	Less	Un-Obj	267	4	220	0	21	12	40	34	240	17	1	4.60	0.08	0.01	0.19	4.36	1.21	+	+	Safe	0.00	0.00		
214.	MAN-R-214	Koza Bandi	Koza Bandi	Swat	Norain Masjid, Koza bandi	H.P	45	35	520	7.8	2.0	C	Less	Un-Obj	296	4	220	0	35	9	56	24	240	18	1	4.50	BDL	0.05	0.64	1.23	0.64	+	+	Safe	0.00	0.00	
215.	MAN-R-215	Koza Bandi	Koza Bandi	Swat	Enginer Qamer house, Koza bandi	Tap	20	20	499	7.5	0.6	C	Less	Un-Obj	243	4	210	0	28	15	56	24	240	12	1	4.70	BDL	0.04	0.13	1.16	0.22	+	+	Safe	0.00	0.00	
216.	MAN-R-216	Sakhra	Sakhra	Swat	Mizraa Chna,Moh,Karameelad,Sakhra U.C Sakhra Swat	Spring	305	70	22.7	7.0	0.0	C	Less	Un-Obj	180	3	140	0	14	9	32	12	130	18	1	2.20	0.06	0.05	0.04	0.03	2.19	+	+	Safe	0.00	0.00	
217.	MAN-R-217	Sakhra	Sakhra	Swat	Water tank, Staff Colony, Sakhra U.C Sakhra Swat	Spring	220	7.2	0.2	7.0	0.0	C	Less	Un-Obj	128	2	90	0	11	3	24	9	110	5	1	4.00	0.02	0.20	0.01	2.36	1.98	+	+	Safe	0.00	0.00	
218.	MAN-R-218	Sakhra	Sakhra	Swat	Tap, near dag,bar pallow, Sakhra U.C Sakhra Swat	Spring	175	7.1	0.4	7.0	0.0	C	Less	Un-Obj	113	1	70	0	9	2	28	5	90	4	1	5.00	0.02	0.01	0.65	1.90	+	+	Safe	0.00	0.00		
219.	MAN-R-219	Sakhra	Sakhra	Swat	Write, Joz pallow, Sakhra U.C Sakhra Swat	Spring	80	67	7.0	7.0	0.0	C	Less	Un-Obj	56	1	30	0	3	5	12	2	40	2	1	2.80	BDL	0.06	0.00	4.36	2.14	+	+	Safe	0.00	0.00	
220.	MAN-R-220	Sakhra	Sakhra	Swat	China,Moh,Daryi,Sakhra U.C Sakhra Swat	Spring	302	7.3	0.2	7.0	0.0	C	Less	Un-Obj	171	3	140	0	11	6	40	12	150	6	2	2.40	BDL	0.08	0.09	5.36	1.79	+	+	Safe	0.00	0.00	
221.	MAN-R-221	Darmi	Darmi	Swat	Hand Pump, near govt School Darmi	Bore	534	7.2	1.5	3.0	0.0	C	Less	Un-Obj	329	5	260	0	21	17	84	22	300	8	1	4.70	BDL	0.03	0.01	1.02	0.46	+	+	Safe	0.00	0.00	
222.	MAN-R-222	Darmi	Darmi	Swat	Well, Ws tafa Kamal House	Well	340	7.0	1.0	7.0	0.0	C	Less	Un-Obj	192	3	170	0	7	11	28	27	180	6	0	2.40	0.00	0.05	0.08	2.36	3.49	+	+	Safe	0.00	0.00	
223.	MAN-R-223	Darmi	Darmi	Swat	Water Supply Scheme Darmi	Bore	195	7.1	1.3	3.0	0.0	C	Less	Un-Obj	130	2	90	0	11	5	28	10	110	4	1	3.80	0.02	0.03	0.05	3.36	3.21	+	+	Safe	0.00	0.00	
224.	MAN-R-224	Darmi	Darmi	Swat	Tap, Moh, Darameed, Darmi	Spring	295	7.5	0.5	7.0	0.0	C	Less	Un-Obj	173	3	140	0	7	10	32	24	240	12	1	0.50	0.02	0.06	5.36	3.98	+	+	Safe	0.00	0.00		
225.	MAN-R-225	Darmi	Darmi	Swat	Hand Pump Near Bus Stand darmi, UC Darmi	Bore	196	8.3	0.2	3.0	0.0	C	Less	Un-Obj	130	2	90	0	10	28	34	64	27	270	10	2	5.20	0.12	0.01	0.61	3.35	1.95	+	+	Safe	0.00	0.00
226.	MAN-R-226	Ashari	Ashari	Swat	Hand Pump Water Supply Scheme Ashri, uc Ashari	Bore	270	6.9	0.5	7.0	0.0	C	Less	Un-Obj	155	2	120	0	11	2	48	2	130	6	0	2.80	0.06	0.06	0.00	4.36	1.65	+	+	Safe	0.00	0.00	
227.	MAN-R-227	Ashari	Ashari	Swat	Water tank main water supply scheme road side, uc Ashari	Spring	90	7.2	1.08	7.0	0.0	C	Less	Un-Obj	60	1	40	0	5	5	12	7	50	2													