



QUARTERLY REPORT BOTTLED WATER QUALITY

(January-March, 2025)



PAKISTAN COUNCIL OF RESEARCH IN WATER RESOURCES
Ministry of water resources
Khyaban-e-Johar, H-8-1, Islamabad. www.pcrwr.gov.pk

January-March, 2025



SUMMARY

The poor quality of drinking water has forced a large cross-section of citizens to buy bottled water. However, many of the mineral water companies were found selling contaminated water. To monitor and improve the quality of bottled water, the government of Pakistan through Ministry of Science and Technology has designated the task for quarterly monitoring of bottled-mineral water brands to PCRWR. According to the monitoring report for the quarter January-March, 2025 following is the brief overview of the findings.

Quarterly Monitoring of Bottled-Mineral Water (January-March, 2025)

Item	No.	% age
Total No. of Brands Collected	171	100
Overall Safe Brands	147	86
Overall Unsafe Brands	24	14
Chemically Safe Brands	159	93
Chemically Unsafe Brands	12	07
Microbiologically Safe Brands	157	92
Microbiologically Unsafe Brands	14	08

Name of Targeted Cities (20)	(Islamabad, Rawalpindi, Peshawar, D.G. Khan, Multan, Sargodha, Faisalabad, Quetta, Tandojam, Gujranwala, Badin, Sialkot, D.I. Khan, Bahawalpur, Karachi, Lahore, Mianwali, Muzaffarabad, Gilgit and Sukkur)
-------------------------------------	---

Essantia	Burma Stop, Lehtrar Road, Islamabad, Pakistan Contact No.0307-8181180
Blue Water	Processed and Packed by Blue Drinking Water, Pull Shoria, Jam Pur Road, Dera Ghazi Khan Contact No.0331-2328245 & 0336-6176661
Maa Jee	Jacob Road, Hyderabad Contact No.0303-0088663
Ice Well	Processed and Packed by Quaint Beverages Industries, Airport Road, Amreak Pura Town, Sambrial, Sialkot
Lasani	The Gujranwala MKS Beverages
Pure Aqua	Collected From Inayatullah, New Moiz Traders, Golarchi road, Badin. Contact No.0333-3893013
Atco Drinking Water	A.K Enterprises Shakra-e-Faisal, Karachi
Miran Drinking Water	Sukkur Office, Near Olper Factory, Sukkur
Ashaz Drinking Water	Ashaz, Sindh Small Industries, Larkana.
Nirmoh Pure Life	Collected from Afzal Shop, Tangha Stand, Old Sukkur Contact No. 0305-1872147



Natural Pure Life	Zam Zam Plastic S.I.T.E Karachi Contact No.0305-1871142
Muskan Premium Drinking Water	Collected from Shakeel Cabin, Wapda Colony, Khp. Sukkur Contact No.0305-181142
Fresh Drop Pure Drinking Water	Collected From A. R General Store Hub, Chowki Bus Stop, Lea. Market, Karachi
Pure Drinking Water	Collected From Café Noor, Hub Bus Stop, Lea Market, Karachi
Mineral Water	Collected From Waqas General Store, Naval Flats, Aqra Taj Colony, Lyari, Karachi
Waterly Pure Drinking Water	Collected From Kainat General Store, Naval Flats, Aqra Taj Colony, Lyari,, Karachi
Douro Pure Drinking Water	Douro Enterprises, Block-16, FB Area, Karachi
Dream Pure	Collected From Insaaf General Store, Jewani Height, Near Super Highway Road, Karachi
Pak Aqua	St.#6, Abdulah Colony, Faisalabad Contact No.0334-6649778
Water Valley	Glorious Food & Beverages, Sanaullah Road, Samanabad, Faisalabad. Contact No 0307-6000198, 0323-6000636
Aqua Way	Post Office, Road Chilas ,District Diamer, Gilgit
Natural	Collected from Bilal Farid, Bilal Medical Store, Old Shuja Abad Road, Multan Contact No.0300-7862299
Classic	Classic Consumables, Plot No.74-B, Industrial Estate Phase II, Multan, UAN. 111-55-77-55
Aqua Indus	M/S AK Enterprises Contact No.0333-3355855 Collected from Nice Super Store, Killi Paind Khan, Quetta



INTRODUCTION

Drinking water quality is deteriorating continually due to biological contamination from human waste, chemical pollutants from industries and agricultural inputs. Piped water also gets contaminated because pipes are laid very close to sewerage lines or open drains and cause many serious water borne diseases. It was found that 45% of infant deaths have been attributed to diarrhea and about 60% to overall infectious waterborne diseases in Pakistan. According to the World Health Organization (WHO) 25-30% of the diseases are gastro-intestinal in nature. The poor quality of drinking water has forced a large cross-section of citizens to buy bottled water. As a consequence of this expanding market a mushroom growth of bottled water industry in the country is witnessed during the last few years. However, many of the mineral water companies were found selling contaminated water. To monitor and improve the quality of bottled water, the government of Pakistan has designated the PCRWR as focal point agency.

1. Ministry of Science & Technology informed PCRWR Vide U.O. No. 5(21)-2004-ATA-II dated 17.10.2005 that the Cabinet in its meeting under the chairmanship of Prime Minister directed Ministry of Science & Technology to undertake regular survey-samples of bottled-mineral water and publicize the results on a quarterly basis and follow up with punitive-legal action.
2. Ministry of Science & Technology has assigned the task of quality monitoring of bottled water and publicize the results to PCRWR Vide U.O. No.1(1)-2005-Secy (MoST) dated 8.12.2005.

PCRWR SAMPLING METHODOLOGY

No. of Brands Collected	171	
No. of Cities Targeted (20)	(Islamabad, Rawalpindi, Peshawar, D.G. Khan, Multan, Sargodha, Faisalabad, Quetta, Tando Jam, Gujranwala, Badin, Sialkot, D.I. Khan, Bahawalpur, Karachi, Lahore, Mianwali, Muzaffarabad, Gilgit and Sukkur)	
Composition of Sampling Team as per MoU Signed between PCRWR & PSQCA	One Research Officer and one Laboratory Assistants from PCRWR and Senior staff member and field officer from PSQCA.	
Sampling Procedure	Samples of commercially available brands of mineral-bottled water were collected from local market of twenty cities of Pakistan. These samples were collected by the senior staff members of National Water Quality Laboratory (NWQL) of PCRWR Head Office and Regional-district Water Quality Laboratories of PCRWR during January-March, 2025. A set of four bottles of each brand was collected and sealed on site. Identification codes were allotted to all the brands according to PCRWR Bottled Water Classification System.	
Transparency	Sample No. 1	Handed over to shopkeeper at the time of sample collection;
	Sample No. 2	Preserved in the National Water Quality Laboratory of PCRWR, Islamabad for future record.
	Sample No. 3	Used for Microbiological Analysis
	Sample No. 4	Used for Physico-chemical Analysis



PCRWR BOTTLED WATER CLASSIFICATION SYSTEM

Sr. #	Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
1.	Oxygen Plus	BWS-01	Islamabad	22-01-25	-	6 Liter	Collected from Manufacturing Point	Plot 86, Street 10, I-9/2, Islamabad
2.	Al Mena	BWS-02	Islamabad	22-01-25	April 2025	6 Liter	Collected from Manufacturing Point	Plot 86, Street 10, I-9/2, Islamabad
3.	Puriffine Premium Drinking Water	BWS-03	Islamabad	22-01-25	-	6 Liter	Muhammad Abdullah, Plot No.4, Ghagri Road, Japan Road, Sihala Islamabad Contact No. 0301-7698986	-
4.	Aquarion	BWS-04	Islamabad	22-01-25	-	6 Liter	Collected from Manufacturing Point	Mr. Sohail Bashir, Langrial Foods and Beverages Pvt Ltd, Lehtrar Road, Islamabad, Pakistan Contact No. 0312-2038203
5.	Springley	BWS-05	Islamabad	23-01-25	Sept 2025	1.5 Liter	Mr. Jehanzaib khan, Sohan, Islamabad, Contact No. 0304-1701322	Qarshi Industries Pvt Ltd, Plot No.56/1-4, Phase I &II, Hattar Industrial Estate, District, Haripur, KPK, Pakistan
6.	Raffino Premium Drinking Water	BWS-06	Islamabad	23-01-25	01-12-25	1.5 Liter	Collected from Manufacturing Point	M-S ANI Foods and Beverages, Japan Road, Zone 5, Sihala, Islamabad Contact No. 0322-5252550
7.	K&S	BWS-07	Islamabad	23-01-25	-	1.5 Liter	Collected from Manufacturing Point	48- F, P&V Scheme, Tarlai, Islamabad Contact No. 0312-5243646
8.	Soloney	BWS-08	Islamabad	23-01-25	01-01-26	1.5 Liter	Collected from Manufacturing Point	Pure Foods and Beverages Pvt Ltd, Plot No.2, Street 13, Ghouri Town, Islamabad
9.	Calci Dew	BWS-09	Islamabad	23-01-25	07-08-25	0.5 Liter	Collected from Manufacturing Point	Plot No.3, Khasra No. 659 Sohan, Near Khalid Bin Waleed Masjid, Federal Area, Sohan, Islamabad
10.	Pacific	BWS-10	Islamabad	22-01-25	01-11-25	1.5 Liter	Collected from Manufacturing Point	1 Km Japan Road, Zone V, Islamabad, Product of Foods & Beverages, Pvt Ltd
11.	Elim	BWS-11	Islamabad	23-01-25	24-04-25	1.5 Liter	Collected from Manufacturing Point	Islamabad Expressway, Near Paradise Complex Kurri Road, Islamabad



Sr. #	Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
12.	Softin	BWS-12	Islamabad	23-01-25	04-11-25	1.5 Liter	Khurram Shehzad, House No.17, Qasim Street, Sohan, Islamabad	A Product of Ayan Foods & Beverages PVT Ltd, Contact No. 0332-5472191
13.	Maple Plus	BWS-13	Islamabad	23-01-25	25-05-25	1.5 Liter	Shahid Ahmed Khan, Sohan Islamabad Contact No. 0334-4250757	Maple Dew Purification Plant, Fahad Bin Zafar Road, Westridge 3, Rawalpindi
14.	Aqua Gleam	BWS-14	Islamabad	22-01-25	19-12-25	1.5 Liter	Ijaz Ahmed Khan, H Block, Street 38, Zubair Plaza, Soan Garden, Islamabad Contact No. 0335-5630031	Aqua Gleam Private Limited, Plot No.27-A, Block-H, Basement Hall, Zubair Plaza, Soan Garden, Islamabad
15.	Alpha Pearl	BWS-15	Islamabad	22-01-25	21-11-25	1.5 Liter	Collected from Manufacturing Point	F-12, Golra Road, Bani Stop, Abu Bakar Siddique Road, Islamabad
16.	Aquvo	BWS-16	Islamabad	22-01-25	12-04-23	1.5 Liter	Collected from Manufacturing Point	Processed & Packed by Aquvo, Service Road, Gangal East, Islamabad Contact No. 0343-5030711
17.	Spark Plus	BWS-17	Islamabad	23-01-25	05-08-25	1.5 Liter	Collected from Manufacturing Point	Al Qasim Street Near Hascol Petrol Pump, Sohan, Islamabad Contact No. 0335-99512178
18.	Aqua Green	BWS-18	Islamabad	23-01-25	22-01-26	0.5 Liter	Collected from Manufacturing Point	Aqua Green: Plot No.372 Japan Road, Naval Encourage, Gate No.5, Islamabad
19.	Aab-e-Koh	BWS-19	Islamabad	22-01-25	-	0.5 Liter	Collected from Manufacturing Point	Bottled by Sahlah Foods & Beverages PVT Ltd, Japan Road, Islamabad
20.	Pure Sip	BWS-20	Islamabad	23-01-25	-	0.5 Liter	Collected from Manufacturing Point	A Project of M.M Beverages, SMC Private limited, Plot No.36, Street No. 13, Ghouri Town, Islamabad Contact No. 0312-1548674
21.	Fresh Spring	BWS-21	Islamabad	22-01-25	-		Collected from Manufacturing Point	Fresh Spring Foods and Beverages PVT Ltd, Plot No.156, Japan Road, Near Express Highway, Islamabad



Sr. #	Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
22.	Purified H2O	BWS-22	Islamabad	23-01-25	01-01-26	0.5 Liter	Muhammad Assam Malik, Sohan, Islamabad Contact No. 0334-1234553	Zafar Iqbal, Plot No.1, KRL Road, Chatri Chowk, Rawalpindi Contact No. 0311-5379094
23.	Deosai	BWS-23	Islamabad	23-01-25	-	1.5 Liter	Collected from Manufacturing Point	Bottled by Margalla Foods and Beverages, Plot No.32, Khayaban-e-Johar, Industrial Area, Sector I-9/2, Islamabad
24.	Haideri Drinking Water	BWS-24	Islamabad	22-01-25	-	0.6 Liter	Abdul Raheem, H-Block, Gate No. 2, Soan Garden, Islamabad Contact No. 0333-8085341	-
25.	Hydro Plus	BWS-25	Islamabad	22-01-25	-	0.5 Liter	Subhanullah, Street 44, H-Block, Soan Garden, Islamabad Contact No. 0331-4877915	Hydro Plus, Syedda Ayesha Manzil, H Block, Sawan Garden
26.	Rupal	BWS-26	Islamabad	22-01-25	19-12-25	0.6 Liter	Faisal Khan, H-Block, Soan Garden, Islamabad Contact No. 0313-1537905	-
27.	Seven Stream	BWS-27	Islamabad	23-01-25	01-11-25	1.5 Liter	Collected from Manufacturing Point	I-9-1, Industrial Area, Islamabad Contact No. 0333- 522 2928
28.	Essantia	BWS-28	Islamabad	23-01-25	-	0.6 Liter	Shahid Mehmood, Burma Stop Lehrar Road, Islamabad, Pakistan Contact No. 0349-4400962	-
29.	Aqua Plus	BWS-29	Dera Ghazi Khan	28-01-25	10-12-25	1.5 Liter	New Hadi Medical Store, Near Dr. Suleman Malik, Chowk Churhatta, D.G Khan Contact No. 0336-6266942	-
30.	Spring Fresh	BWS-30	Dera Ghazi Khan	28-01-25	11-04-25	1.5 Liter	Saad Pharmacy, Chowk Churhatta, Near Dr. Suleman Malik Contact No. 0310-6380536	-
31.	Aqua Pacific	BWS-31	Dera Ghazi Khan	28-01-25	22-09-25	1.5 Liter	Shahid Pharmacy, Chowk Churhatta, Near Dr. Suleman Malik, Contact No. 03436126665	-



Sr. #	Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
32.	Cool	BWS-32	Dera Ghazi Khan	28-01-25	03-11-25	1.5 Liter	Shahid Pharmacy, Chowk Churhatta, Near Dr. Suleman Malik Contact No. 0343-6126665	Himalaya Enterprises, Fazi Yaseen Colony, 1 KM Jaam Pur Road, D.G Khan Contact No. 03325678007
33.	Blue Water	BWS-33	Dera Ghazi Khan	28-01-25	10-12-25	1.5 Liter	Al Kareem Medical Store, Bulkh Sarwar City, D.G Khan Contact No. 0333-6481876	Processed and packed by Blue Drinking Water, Pull Shoria, Jam Pur Road, Dera Ghazi Khan Contact No. 0331-2328245 & 0336-6176661
34.	New Buxton Pure	BWS-34	Hyderabad	22-01-25	-	Small	Lakhair Karyana Store, Gulistan e Sajjad , Qasimabad, Hyderabad	Sindh National Industry, Fazal Sun City, Hyderabad
35.	Pure Life	BWS-35	Hyderabad	22-01-25	-	0.6 Liter	Lakhair Karyana Store, Gulistan e Sajjad, Qasimabad, Hyderabad	It's not Nestle
36.	Oslo Pure Life	BWS-36	Hyderabad	22-01-25	01-12-24	0.6 Liter	New Asif Medical Store, Jail Road, Hyderabad	Oslo International, 14 Ramzan Chamber Dr, Bilmoria, street Off, 1,1, Chundrigar Road, Karachi
37.	Uze Pure Drinking Water	BWS-37	Hyderabad	22-01-25	-	0.6 Liter	New Asif Medical Store, Jail Road, Hyderabad	-
38.	Maa Jee	BWS-38	Hyderabad	22-01-25	-	0.6 Liter	Jhooly Lal General Store, Qasimabad, Hyderabad	Jacob Road, Hyderabad
39.	Smart Pure Water	BWS-39	Hyderabad	22-01-25	-	small	Lakhair Karyana Store, Gulistan e Sajjad, Qasimabad, Hyderabad	-
40.	Nestle Pure Life	BWS-40	Hyderabad	22-01-25	01-06-25	0.5 Liter	Lakhair Karyana Store, Gulistan e Sajjad, Qasimabad, Hyderabad	Nestle Pakistan Ltd, Packages Mall, Shahrah e Roomi, Lahore
41.	Pure Flo	BWS-41	Lahore	7-03-25		6 Liter	193-Ali Center, Airline Society Khyaban-e-Jinnah, Lahore Salman Malik, Contact No. 0323-4134969	193-Ali Center, Airline Society Khyaban-e-Jinnah, Lahore
42.	Aab-e- Dubai	BWS-42	Hyderabad	22-01-25	28-06-26	0.5 Liter	New Asif Medical Store, Jail Road, Hyderabad	Alpina Water Company
43.	A2Z Pure Premium Drinking Water	BWS-43	Hyderabad	22-01-25	-	0.5 Liter	Jhooly Lal General Store, Qasimabad, Hyderabad	-



Sr. #	Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
44.	Aqua Fina	BWS-44	Hyderabad	22-01-25	20-11-25	330ml	New Asif Medical Store, Jail Road, Hyderabad	Pakistan Beverages Ltd, Survey # 212, Deh Konkar, District Malir, Karachi.
45.	Aqua Nice Water	BWS-45	Sialkot	21-01-25	22-12-25	0.5 Liter	Aamir Cold Corner, Larri Adda Contact No. 0300-6110952	Mohallah Cheema, Near Govt. Girls High School, Malkhanwala
46.	Ice Well	BWS-46	Sialkot	21-01-25	10-10-25	1.5 Liter	Tausif Medical Store, Near Islamia College Contact No. 0300-6125049	Processed and Packed by Quaint Beverages Industries, Airport Road, Amreak Pura Town, Sambrial, Sialkot
47.	Dazzling	BWS-47	Sialkot	21-01-25	19-09-25	1.5 Liter	Zahid Tea Stall, Shahab Pura Contact No. 0332-8675622	IR Water Company, Ajmal Garden, Shahtab Garh, Sialkot
48.	Arwa Water	BWS-48	Sialkot	21-01-25	11-10-25	0.5 Liter	Subhan Gol Guppay Shop, Defense Road Contact No. 0344-6520164	Near Post Office, Fateh Garh, Sialkot
49.	Athar	BWS-49	Sialkot	21-01-25	01-01-26	0.5 Liter	Super A One Dahi Ballay, Defense Road, Sialkot Contact No. 0302-3974786	Ajwa Rice, Haji Pura Road, Sialkot
50.	Lasani	BWS-50	Sialkot	21-01-25	09-12-25	0.5 Liter	Care Medical Store, Near Sardar Begum Hospital Contact No. 0300-6106661	The Gujranwala MKS Beverages
51.	Masafi Pure	BWS-51	Sialkot	21-01-25	01-01-26	0.5 Liter	A Plus Medical Store, Near Sardar Begum, Hospital Contact No. 0340-7660677	Eiman Abad Road, Sialkot
52.	Britix	BWS-52	Sialkot	21-01-25	01-01-26	0.5 Liter	Aamir Cold Corner, Larri Adda Contact No.0300-6110952	Small Industrial Estate, Rehmat Ali Road, Sialkot
53.	Aqua Sea	BWS-53	Sialkot	21-01-25	13-11-25	0.5 Liter	Tariq Pan Shop, Larri Adda Contact No.03404292391	K&S (PVT), Dalowali, Sialkot
54.	Wah Water	BWS-54	Peshawar	28-01-25	26-01-26	0.6 Liter	Collected from Manufacturing Point	R&G Enterprises Contact No. 091-5830171
55.	Aab-e-Khyber	BWS-55	Peshawar	28-01-25	21-01-26	0.6 Liter	Collected from Manufacturing Point	I & S International Contact No.0333-6864036
56.	Nebraska	BWS-56	Peshawar	28-01-25	27-06-25	0.6 Liter	Collected from Manufacturing Point	Dew Point – Contact No. 03000708855
57.	Natural Aqwah Water	BWS-57	Peshawar	28-01-25	26-01-26	0.6 Liter	Collected from Manufacturing Point	R&G Enterprises 091-5830171



Sr. #	Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
58.	Aqua Trust	BWS-58	Peshawar	28-01-25	01-03-26	0.6 Liter	Collected from Manufacturing Point	AMR Foods and Beverages - Contact No. 03005996630
59.	Pivrifine	BWS-59	Peshawar	28-01-25	27-01-26	0.5 Liter	Collected from Manufacturing Point	Pivrifine Food and Beverages- Contact No. 03459422034
60.	Bianca	BWS-60	Peshawar	28-01-25	26-01-26	0.5 Liter	Collected from Manufacturing Point	Bianca Beverages- Contact No. 03010099502
61.	Moya Mineral Water	BWS-61	Peshawar	28-01-25	24-12-26	1.5 Liter	Collected from Manufacturing Point	Al-Saudi Enterprises Contact No. 03005902266
62.	Utility Stores	BWS-62	Peshawar	28-01-25	26-12-25	1.5 Liter	Collected from Manufacturing Point	Utility Store Corporation Contact No. 03130967911
63.	Eagles Blue	BWS-63	Peshawar	28-01-25	10-01-26	1.5 Liter	Collected from Manufacturing Point	Eagle's Blue water Contact No. 0300-5993380
64.	Aqua Splash	BWS-64	Peshawar	28-01-25	08-01-26	1.5 Liter	Collected from Manufacturing Point	Euro International Contact No. 0334-9016051
65.	Safa Bottled Drinking Water	BWS-65	Gujranwala	21-01-25	19-09-25	1.5 Liter	Bashir Panshop, Sialkot Bypass, Gujranwala Contact No.0345-8020158	1 KM, Sublime Chowk, Wazirabad Road, Sialkot
66.	Aqua Safe	BWS-66	Gujranwala	21-01-25	01-05-25	1.5 Liter	Rana Panshop, Pindi Bypass, Gujranwala Contact No. 0301-5123112	96-Mcleod Road, Lahore
67.	Aqua Safe Plus	BWS-67	Gujranwala	21-01-25	11-01-25	1.5 Liter	Lahore Pan shop, Gt Road, Chichar wali, Gujranwala Contact No.0321-2018167	AMP Enterprises, 3 Marla Scheme, Jalianwala, Ugoki, Sialkot Contact No. 0304-6993455
68.	Fresh Taqwa	BWS-68	Gujranwala	21-01-25	11-01-26	1.5 Liter	Jannat Zahra Beverages & Foods, Gala Shadman Marriage Hall, Gujranwala Contact No.0307-6628570	Jannat Zahra Beverages & Foods, Gala Shadman Marriage Hall, Gujranwala Contact No. 0307-6628570
69.	Mist Water	BWS-69	Lahore	7-03-25	-	1.5 Liter	Ghayur Abbass, Contact No.0300-9488738	Plot #. 26-A, Block - N, Phase-II, Johar Town, Lahore
70.	Pure Aqua	BWS-70	Badin	27-01-25	-	1.5 Liter	Inayatullah, New Moiz Traders, Golarchi road, Badin. Contact No. 0333-3893013	-



Sr. #	Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
71.	H2ope	BWS-71	Badin	27-01-25	-	1.5 Liter	Inayatullah, New Moiz Traders, Golarchi road, Badin. Contact No. 0333-3893013	Popular Food Industries Pvt Ltd
72.	Neo	BWS-72	Badin	27-01-25	-	0.5 Liter	Mr. Shahbaz, New Shahbaz Bakers, Karachi Road, Badin Contact No. 0346-3758323	Mega Fine Industries, Karachi
73.	Water Next	BWS-73	Badin	27-01-25	-	0.5 Liter	Mr. Shahbaz, New Shahbaz Bakers, Karachi Road, Badin Contact No. 0346-3758323	Meezan Beverages Pvt Ltd
74.	Volga	BWS-74	Badin	27-01-25	-	0.6 Liter	Lala Faheem, Lala Faheem bakers Golarchi Road Badin Contact No. 0332-3897286	Amazon Food Industry Pvt Ltd
75.	New Mehran	BWS-75	Badin	26-01-25	-	0.6 Liter	Mr. Saddam, Maheen Bakers, Shahnawaz Chowk, Badin Contact No. 0346-5035986	KB Beverages, Co Matli
76.	Zalmi	BWS-76	Badin	26-01-25	-	0.6 Liter	Mr. Saddam, Maheen Bakers, Shahnawaz Chowk, Badin Contact No. 0346-5035986	SS Beverages, Co Matli
77.	Atco Drinking Water	BWS-77	Sukkur	11-02-25	-	0.5 Liter	New Bus Terminal, Sukkur Contact No. 0310-3305256	A.K Enterprises, Shahra-e-Faisal, Karachi
78.	Pure Prime	BWS-78	Sukkur	11-02-25	-	0.5 Liter	Ideal Bakers, Local Board, Sukkur Contact No. 0312-1396123	A-67, Sindh Small Industries, Sukkur
79.	Icon Pure Drinking Water	BWS-79	Sukkur	11-02-25	Dec 2026	0.5 Liter	Sharif Grocery Shop, Sabzi Mandi, Sukkur Contact No. 0301-3432810	Jai Enterprises, Sindh Small Industries, Larkana.
80.	Miran Drinking Water	BWS-80	Sukkur	11-02-25	-	0.5 Liter	Faheem Ahmed, General Store, Barrage Road, Sukkur Contact No. 0314-7110605	Sukkur Office, Near Olper Factory ,Sukkur
81.	Ashaz Drinking Water	BWS-81	Sukkur	11-02-25	-	0.5 Liter	Daraz Bakers, Shalimar, Sukkur	Ashaz ,Sindh Small Industries, Larkana.
82.	Indus	BWS-82	Sukkur	11-02-25	-	0.5 Liter	Old Sukkur, Main Bazar, Sukkur Contact No. 0333-3355855	A.K Enterprises



Sr. #	Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
83.	Nirmoh Pure Life	BWS-83	Sukkur	11-02-25	-	0.5 Liter	Afzal Shop, Tangha Stand, Old Sukkur Contact No 0305-1872147	-
84.	Natural Pure Life	BWS-84	Sukkur	11-02-25	-	0.5 Liter	Dhaba Point, Shah Hussain, Khp, Sukkur	Natural Pure Life, Near Civil Hospital, Khanan Shah Road, Banaras Colony, KHP
85.	Muskaan Premium Drinking Water	BWS-85	Sukkur	11-02-25	-	0.5 Liter	Shakeel Cabin, Wapda Colony, Khp. Sukkur Contact No. 0305-181142	-
86.	Nayab Pure Life	BWS-86	Sukkur	11-02-25	-	0.5 Liter	Near Hira Hospital, Sukkur Contact No. 0300-3147262	-
87.	Dew Drop	BWS-87	Mianwali	06-02-25	04-09-25	1.5 Liter	Wandhi Roshan Wali, Shehbaz Street, Mianwali	Malik Arshad Filtration Plant
88.	Mangla	BWS-88	Mianwali	06-02-25	01-08-25	1.5 Liter	Aslam Shaheen Bakers, Lari Adda, Mianwali	Mangla Food, Jhelum
89.	Bro H2O	BWS-89	Mianwali	06-02-25	11-09-25	1.5 Liter	Iqbal Farm House, Muslim Colony, Mianwali	Iqbal Farm House, Muslim Colony, Mianwali
90.	New Pak	BWS-90	Mianwali	06-02-25	20-11-25	1.5 Liter	Haji Nadeem Abbas, Fresco Sweets and Bakers, Larri Adda, Mianwali	NES PAK Sargodha
91.	Safi	BWS-91	D.I.Khan	25-01-25	-	0.5 Liter	Collected from Manufacturing Point	Dost Muhammad, Darwaish Foods & Beverages, Grid Road, Dera Ismail Khan Contact No. 0333-8360333
92.	Al Muflihoon	BWS-92	D.I.Khan	25-01-25	-	0.5 Liter	Collected from Manufacturing Point	Faridullah Shah, FST Enterprises, Green Town Phase 2, Grid Road, D.I.Khan Contact No. 0336-9964546
93.	Pura Spring	BWS-93	Karachi	30-01-25	28-01-26	0.6 Liter	E-25, Sector-31D, P&T Society, Korangi Industrial Area, Karachi	Vividle Private Limited, Guro, Gilgit
94.	Fresh Drop Pure Drinking Water	BWS-94	Karachi	30-01-25	-	0.5 Liter	A. R General Store Hub, Chowki Bus Stop, Lea. Market, Karachi	-
95.	Eltsen	BWS-95	Karachi	30-01-25	-	0.6 Liter	Khairabad Bakery & General Store, Malir Bus Stop, Lea Market, Karachi	-



Sr. #	Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
96.	Water Next Bottled Drinking Water	BWS-96	Karachi	30-01-25	Before 01-07-25	0.6 Liter	Khairabad Bakery & General Store, Malir Bus Stop, Lea Market, Karachi	Mezan Beverages (Pvt) Ltd, 45 KM Lahore, Multan, Road, Nathay Khaisa Kasur
97.	Pure Drinking Water	BWS-97	Karachi	30-01-25	-	0.6 Liter	Café Noor, Hub Bus Stop, Lea Market, Karachi	-
98.	GF Water	BWS-98	Karachi	30-01-25	-	0.6 Liter	Abdullah Medical and General Store, Opp. Emergency Gate, Civil Hospital, Karachi	-
99.	Oyster Pure Drinking Water	BWS-99	Karachi	30-01-25	-	0.5 Liter	Abdullah Medical and General Store, Opp. Emergency Gate, Civil Hospital, Karachi	-
100.	Vey	BWS-100	Karachi	30-01-25	29-01-27	0.6 Liter	F-47 Site II Super Highway, Phase II, Scheme-33, Karachi	Fluid technology International (Pvt)Ltd, Plot # F-47, Site Super Highway, Phase II, Scheme-33, Karachi
101.	Mineral Water	BWS-101	Karachi	30-01-25	-	0.6 Liter	Waqas General Store, Naval Flats, Aqra Taj Colony Lyari, Karachi	-
102.	Waterly Pure Drinking Water	BWS-102	Karachi	30-01-25	-	0.6 Liter	Kainat General Store, Naval Flats, Aqra Taj Colony, Lyari,, Karachi	-
103.	OSS Pure Drinking Water	BWS-103	Karachi	30-01-25	-	0.5 Liter	Super Waziristan General Store, Punjab Bus Stop Near Al-Asif Square, Karachi	-
104.	Douro Pure Drinking Water	BWS-104	Karachi	30-01-25	-	0.6 Liter	Shah Hussain General Store, Punjab Bus Stop Near Al-Asif Square, Karachi	Douro Enterprises, Block-16, FB Area, Karachi
105.	Alpha Premium Drinking Water	BWS-105	Karachi	30-01-25	-	0.5 Liter	Tariq Fida Communication, Punjab Bus Stop Near Al-Asif Square, Karachi	Qaiser Enterprises, Block B, 261N, Nazimabad
106.	Riva Premium Health Water	BWS-106	Karachi	31-01-25	29-01-27	0.6 Liter	Ojha campus, Main Suparco road, KDA scheme, Karachi	Dow University of Health Sciences Ojha campus, Main Suparco road, KDA scheme, Karachi



Sr. #	Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
107.	Pakola Pure Drinking Water	BWS-107	Karachi	31-01-25	31-12-25	0.5 Liter	Medical & General Store, Ali Complex Main Super Highway Road, Karachi	Mehran Bottles Pvt Limited, Head Office C-5/A S.I.T.E, Karachi
108.	Meher Natural Water	BWS-108	Karachi	31-01-25		0.5 Liter	Masha Allah Cold Shop, Ayoub Goth Near PCSIR Road, Karachi	-
109.	Taiba	BWS-109	Karachi	31-01-25	12-11-25	0.6 Liter	Masha Allah Quetta Kakar Hotel, Ayoub Goth Near PCSIR Road, Karachi	Taiba Impex (Pvt) Ltd.
110.	Dream Pure	BWS-110	Karachi	31-01-25		0.6 Liter	Insaaf General Store, Jewani Height, Near Super Highway Road, Karachi	-
111.	Aqua King Bottled Drinking Water	BWS-111	Karachi	31-01-25	June 2025	0.6 Liter	Al-Sami Medical Store, Johar Complex Near Gabool Chowrangi, Karachi	HPE Plot Not.60, Sector-51, Super Highway, Karachi
112.	Asha Premium Drinking Water	BWS-112	Karachi	31-01-25	-	0.5 Liter	Prince General Store, Wali Muhammad Goth Near 19B, Shah Latif Town, Karachi	Asha Premium Drinking Water Plot # G-15, Malir Industrial Area, Nad-e-Ali Stop, Karachi
113.	Sunlay Premium Drinking Water	BWS-113	Karachi	31-01-25	-	0.6 Liter	Masha Allah General Store Wali Muhammad Goth, Near Haji Natho College, Malir, Karachi	HPE Plot Not.60, Sector-51, Super Highway, Karachi
114.	Nagori Alkaline Water	BWS-114	Karachi	31-01-25	-	0.5 Liter	M. Ayoub Pharmacy, Bhains Colony More Malir, Karachi	Nagori, R-597, Sector-17A, Shah Latif Town, Malir, Karachi
115.	Jel Bottled Drinking Water	BWS-115	Karachi	31-01-25	Dec2026	0.5 Liter	Shamim Medical Store, 7.,1/2 Bhains Colony Bin Qasim, Malir, Karachi	Mega Fine Industries, Plot-A-79, Industrial Area, Malir, Karachi
116.	Neo Healthy Drinking Water	BWS-116	Karachi	31-01-25	Dec2026	0.5 Liter	Baloch General Store, Wali Muhammad Goth, Malir, Bin Qasim, Karachi	Mega Fine Industries, Plot-A-79, Industrial Area, Malir, Karachi
117.	Water Plus Premium Drinking Water	BWS-117	Karachi	31-01-25	Dec2026	0.5 Liter	Baloch General Store, Wali Muhammad Goth, Malir, Bin Qasim, Karachi	Mega Fine Industries, Plot-A-79, Industrial Area, Malir, Karachi
118.	Gourmet Bottled Drinking Water	BWS-118	Bahawalpur	10-02-25	11-09-25	0.5 Liter	M/s gourmet Sweet & Bakers, Bahawalpur Contact No. 301-7879724)	Gourmet Food Lahore



Sr. #	Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
119.	Pineo Bottled Drinking Water	BWS-119	Bahawalpur	10-02-25	05-01-25	0.5 Liter	M/s Al-Khair Pharmacy Opp. BVH, Bahawalpur Contact No. 0300-6834348	Gyzing, Pak Small Industrial Estate, Bahawalpur
120.	Hayat Bottled Drinking Water	BWS-120	Bahawalpur	10-02-25	03-01-26	0.5 Liter	M/s Al-Rehman Pharmacy Opp. BVH, Bahawalpur Contact No.0300-81611960	Hayat Royle Water, Bahawalpur
121.	Dasani	BWS-121	Bahawalpur	10-02-25	06-12-25	0.5 Liter	M/s Mosa Cash & Care, Gulberg Road, Bahawalpur Contact No. 0304-0435887	The Coca Cola (Pvt) Ltd
122.	Starlite Water	BWS-122	Bahawalpur	10-02-25	06-12-25	0.5 Liter	M/s Shan Sweet & Bakers, Railway Road, Bahawalpur Contact No. 03034-2205381	Starlite BDW
123.	Aquafina	BWS-123	Bahawalpur	10-02-25	31-12-25	0.5 Liter	M/s Mosa Cash & Care, Gulberg Road, Bahawalpur Contact No. 0304-0435887	PEPSICO (Pvt) Ltd.
124.	Water Drop	BWS-124	Faisalabad	23-01-25	08-01-26	0.5 Liter	Mr. Irfan Abdul Sattar Pan Shop, GTS, Faisalabad Contact No. 0306-4836267	Madina Town, Faisalabad Contact No. 0301-8666561 & 0300-8162109
125.	Best Natural	BWS-125	Faisalabad	23-01-25	01-01-26	0.5 Liter	Mr. Irfan Abdul Sattar Pan Shop, GTS, Faisalabad Contact No. 0306-4836267	Bhatti Brothers G. T. Road, Rachna Town, Ferozwala. Contact No. 0300-8162109
126.	Sky Rain	BWS-126	Faisalabad	23-01-25	09-11-25	0.5 Liter	Abbas Malik Arshad Pan Shop, GTS, Faisalabad Contact No. 0301-7013710	Rai Traders 385-C, PC#2, Faisalabad Contact No. 0300-0978788
127.	Deer	BWS-127	Faisalabad	23-01-25	19-12-25	0.5 Liter	Ali GTS Tuck Shop, Main Terminal, Faisalabad Contact No. 0320-6505670	Deer Foods 7 km, East Canal Bridge, Faisalabad
128.	Pak Aqua	BWS-128	Faisalabad	23-Jan-25	25-12-25	0.5 Liter	Mr. Faisal Shahzad Hadi Coke Point, Larri Adda, Faisalabad Contact No. 0306-6020107	St.#6, Abdulah Colony, Faisalabad Contact No.0334-6649778



Sr. #	Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
129.	Water Valley	BWS-129	Faisalabad	24-01-25	01-01-26	0.5 Liter	Mr. Imran Contact No. 0312-6313457	Glorious Food & Beverages Sanaullah Rd, Samanabad, Faisalabad. Contact No. 0307-6000198, 0323-6000636
130.	Blue Gold	BWS-130	Gilgit	31-01-25	19-09-25	1 Liter	Baba-e-Yasin General Store, Saddar Bazar, Gilgit	Punial Chowk, Amphari, Gilgit
131.	Aqua Way	BWS-131	Gilgit	31-01-25	10-08-25	1.5 Liter	Collected from Factory	Post Office Road, Chilas, District Diamer
132.	Frisk	BWS-132	Gilgit	03-02-25	10-10-25	1.5 Liter	Modern Kashmir baker and super store, Konodass	Gulsher Colony, Konodass, Gilgit Pakistan Contact No. 0336-5551070
133.	Karakoram Spring Water	BWS-133	Gilgit	07-02-25	02-08-25	1.5 Liter	Nazar General Store, KIU Road, Konodass, Gilgit Contact No. 0355-8039989	Karakoram International University, Konodass, Gilgit
134.	Sujo Natural Spring Water	BWS-134	Gilgit	01-02-25	-	1.5 Liter	Collected from Factory	Salar Road, Jutial, Gilgit
135.	Seven Spring Natural Spring Water	BWS-135	Gilgit	07-02-25	7-02-26	1.5 Liter	Khalil and Brother Bakers, Near KIU, Gilgit	Zulfiqarabad, khari Near RCC Bridge, Gilgit
136.	Vividle	BWS-136	Gilgit	7-Feb-25	1-12-25	1.5 Liter	Nazar General Store, KIU Road, Konodass, Gilgit Contact No. 0355-8039989	Near Old China Bridge, Danyore, Gilgit
137.	Hunza Ulter Water	BWS-137	Gilgit	31-01-25	02-08-25	1.5 Liter	Collected from Factory	Japan Chowk, Karimabad, Hunza
138.	Natural	BWS-138	Multan	18-02-25	18-12-25	0.6 Liter	Mr. Bilal Farid, Bilal Medical Store, Old Shuja Abad Road, Multan Contact No. 0300-7862299	-
139.	Classic	BWS-139	Multan	18-02-25	01-02-26	0.5 Liter	M. Imran, Hi-Tech Medicine Company, Old Shuja Abad Road, Multan Contact No. 0304-7934999	Classic Consumables, Plot No.74-B, Industrial Estate Phase II, Multan, UAN. 111-55-77-55
140.	Premium Safa Purified Water	BWS-140	Multan	18-03-25	29-01-26	0.5 Liter	Ch. Imran, Al- Madina Drink Corner, Souraj Kund Road, Multan Contact No. 0301-7115133	Danish, Chowk Shah Abbas, Multan Contact No. 0311-7125125



Sr. #	Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
141.	Rocke Water	BWS-141	Multan	18-02-25	02-02-26	0.5 Liter	Mr. Al-Shifa Pharmacy, Old Shuja Abad Road, Multan Contact No. 0312-3742268	Rocke International, 11-Zakariya Town, Phase-III, Multan
142.	Honey Bottled Water	BWS-142	Multan	19-02-25	01-01-26	0.5 Liter	Mr. Anees, Anees Super Store, Old Shuja Abad Road, Multan	Sheikh Food & Beverages, Souaj Kund Near Kosar Oil Mills Road, Multan Contact No. 0300-1006383
143.	Aqua Clean	BWS-143	Quetta	29-01-25	-	0.5 Liter	Nice Super Store, Killi Paind Khan, Quetta	M/S Aqua Clean, Airport Road, Quetta. Contact No. 0313-8344952
144.	Klinz	BWS-144	Lahore	6-03-25		1.5 Liter	Klinz, Plot #. 10/A, Punjab Small Industrial Estate, Lahore 0321-4751111	Klinz, Plot #. 10/A, Punjab Small Industrial Estate,
145.	Sobi Aqua	BWS-145	Quetta	29-01-25	30-12-25	1.5 Liter	Fazil Muhammad General Store, Killi Shabo	Sobi Aqua, Sirki Road Quetta. Contact No. 0300-3700462
146.	More Plus Soft Drinking Water	BWS-146	Drip Tandojam	28-01-25	-	1.5 Liter	Haider Ali General Store, Hyderabad.	-
147.	Trust Drinking Water	BWS-174	Lahore	6-03-25	-	1.5 Liter	Mr. Syed Muhammad Naveed, Model Town, 420-G, Block Q, Lahore Contact No. 0307-3339803	Model Town, 420-G, Block Q, Lahore
148.	Murree Sparklets	BWS-148	Drip Tandojam	28-01-25	12-12-25	0.5 Liter	Rizwan Mart, Hala Naka, Hyderabad	Murree Brewery Co. Ltd, Plot. No. 10/2 Phase III, Industrial Estate, Hattar.
149.	Eight-8-Water	BWS-149	Drip Tandojam	28-01-25	13-09-25	330ml	Rizwan Mart, Hala Naka, Hyderabad	Corporate Office international Premium Brands (Pvt.) Ltd, C-1, Karsaz Road, Karachi.
150.	Glacial Water	BWS-150	Lahore	7-03-25	-	6 Liter	Mr. Nouman, 358-E, Johar Town, Lahore	Glacial Water
151.	SL Starlay	BWS-151	Drip Tandojam	28-01-25	-	1.5 Liter	Mr. Haider Ali General Store, Hyderabad.	A Product of SA
152.	Marine Blue	BWS-176	Lahore	7-03-25	-	0.5 Liter	Mr. Ibrahim, 1.5 Km Defense Road, Kahna Nau, Lahore, Contact No. 0322-4746662	1.5 Km Defense Road, Kahna Nau, Lahore



Sr. #	Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
153.	Aqua Indus	BWS-153	Quetta	29-01-25	30-06-25	0.5 Liter	Nice Super Store, Killi Paidn Khan, Quetta	M/S AK Enterprises Contact No. 0333-3355855
154.	Noble	BWS-154	Quetta	29-01-25	-	1.5 Liter	SDS Departmental Store, Paidn Khan Road, Quetta.	Tower Market, Hakeem Habib Road, Hyderabad Contact No.22- 2620636, 0300-3032505
155.	Aqua Pure	BWS-155	Muzaffarabad	10-03-25	01-01-26	0.5 Liter	Mr. Waqas Abbasi Contact No. 0336-0100322	Aqua Pure Mineral Water, Center Plate, Muzaffarabad
156.	Imma	BWS-156	Muzaffarabad	10-03-25	01-11-25	0.6	Syed Wajahat Ali, Muzaffarabad, Contact No. 0345-0486257	Ward No.20, Chellah, Muzaffarabad
157.	Bannah	BWS-157	Muzaffarabad	10-03-25	12-12-25	0.5 Liter	Mr. Bilawal Hotel, CMH Road, Muzaffarabad Contact No. 0312-9216025	Bannah Spring water Monjwel, Tehsil Khui Ratte Dist. Kotli
158.	Sufi Water	BWS-158	Lahore	7-03-25		1.5 Liter	Mr. M. Ali, 1-B Garden Block, Garden Town, Lahore Contact No. 0300-4576133	1-B Garden Block, Garden Town, Lahore
159.	Ziist	BWS-159	Sargodha	11-03-25	16-01-26	0.5 Liter	Mashallah General Store, Noori Gate, Sargodha, Contact No. 0348-6898338	Chak No. 88-SB, 13 KM, Lahore Road, Sargodha.
160.	Aqua Blue	BWS-160	Sargodha	11-03-25	01-12-26	0.5 Liter	Imran General Store, Noori Gate, Sargodha Contact No.0313-6062270	Reliance Marketing, Industrial Estate, Sargodha.
161.	National	BWS-161	Sargodha	11-03-25	01-12-25	0.5 Liter	Boorat Group of Companies, Faisalabad Road, Sargodha.	Al-Naveed General Store, Bus Stand Sargodha, Contact No. 0345-5991598.
162.	Pk Unique Water	BWS-162	Lahore	7-03-25	-	0.5 Liter	Mr. M. Jamil Attock Petrol Pump, Raiwind road, Lahore Contact No. 0300-4186714	31-B, Mian Shersah Colony, Raiwind Road, Lahore
163.	Getway	BWS-163	Sargodha	11-03-25	01-11-25	0.5 Liter	Mashallah General Store, Bus Stand, Sargodha, Contact No. 0348-6793238	Street No.20, Hyderabad Town, Sargodha



Sr. #	Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
164.	OOS Water	BWS-164	Lahore	6-03-25	-	1.5 Liter	Mr. Shahid Nawaz, Shanshah town, Main Raiwind road, Adda Plot, Lahore Contact No. 0300-7860863	Shanshah Town, Main Raiwind Road, Adda Plot, Lahore
165.	Drinklay	BWS-165	Lahore	6-03-25	-	1.5 Liter	Mr. M. Ramzan, 843-F, Jubli Town Contact No. 0300-4706286	843-F, Jubli Town, Lahore
166.	Jami Water	BWS-166	Lahore	6-03-25	-	0.6 Liter	M. Naeem, 318, K-2, WAPDA Town, Lahore Contact No. 0301-5182132	318, K-2, WAPDA Town, Lahore
167.	Heaven H₂O	BWS-167	Lahore	6-03-25	-	1.5 Liter	Mr. Murtaza, 35-C, NFC Society, Phase-1, Lahore Contact No. 0300-4219218	35-C, NFC Society, Phase-1, Lahore
168.	Aqua Zoom	BWS-168	Lahore	6-03-25	-	1.5 Liter	12-F1, Main Boulevard Wapda Town, Lahore Contact No. 0322-2922279	12-F1, Main Boulevard Wapda Town, Lahore Contact No. 0322-2922279
169.	Erie Water	BWS-169	Lahore	6-03-25	-	1.5 Litter	Mr. Majid Hanif, 99-C2, Punjab Society, Contact No. 0303-6663594	99-C2, Punjab Society, Lahore
170.	Irhaa Drinking Water	BWS-170	Lahore	7-03-25	-	1.5 Liter	Mr. Azam, 443-J-3, Johar Town, Lahore Contact No. 0332-4665016	443-J-3, Johar Town, Lahore
171.	Aqua Amanzi	BWS-171	Lahore	6-03-25	-	6 Liter	Mr. Sami Ullah, 803-G, Q-B Block, Model Town Lahore, Contact No. 0301-6231687	803-G, Q-B Block, Model Town Lahore



WATER QUALITY PARAMETERS AND METHODS USED FOR ANALYSIS

Sr. #	PARAMETERS	ANALYTICAL METHOD
1.	Alkalinity (mg-l as CaCO ₃)	2320-B, Titration Method (APHA-24 th edition)
2.	Arsenic (ppb)	AAS Vario 6, Analytik Jena AG
3.	Bicarbonate	2320-B, Titration Method (APHA-24 th edition)
4.	Calcium (mg-l)	3500-Ca, EDTA Titrimetric method (APHA-24 th edition)
5.	Carbonate (mg-l)	2320-B, Titration Method (APHA-24 th edition)
6.	Chloride (mg-l)	4500-cl, Argentometric method (APHA-24 th edition)
7.	Color (TCU)	Sensory Test
8.	Conductivity (μS-cm)	E.C meter, BANTE-890, 2510-B (APHA-24 th edition)
9.	Hardness (mg-l)	2340-C, EDTA Titrimetric method (APHA-24 th edition)
10.	Magnesium (mg-l)	3500-Mg (Calculation Method), APHA-24 th edition
11.	Nitrate Nitrogen (mg-l)	Cd. Reduction (Hach-8171) by Spectrophotometer
12.	Odor	Sensory Test
13.	pH	pH Meter, Hanna Instrument, Model 8519, Italy
14.	Potassium (mg-l)	3500-K, (APHA-24 th edition)
15.	Sodium (mg-l)	3500-Na, (APHA-24 th edition)
16.	Sulfate (mg-l)	4500- SO ₄ ²⁻ , (APHA-24 th edition)
17.	Phosphate (mg-l)	8190 and 8048 (Hach)
18.	Taste	Sensory Test
19.	TDS (mg-l)	E.C meter, BANTE-890, 2510-B (APHA-24 th edition)
20.	Turbidity (NTU)	Turbidity Meter , 2510-B (APHA-24 th edition)
21.	Fluoride (mg-l)	4500-F, SPADNS method
22.	Iron (mg-l)	FerroVer method (HACH Cat. 21057-69)
23.	Total Coliforms(CFU-100ml)	9221-B,C&D, (APHA-24 th edition)
24.	E. coli (CFU-100ml)	9221-B,C&D, (APHA-24 th edition)



WATER QUALITY PERMISSIBLE LIMITS FOR BOTTLED WATER

Sr. #	Parameter	Units	Permissible Limits		
			WHO	IBWA	PSQCA
1.	Alkalinity	(mg-l)	NGVS	NGVS	NGVS
2.	Bicarbonate	(mg-l)	NGVS	NGVS	NGVS
3.	Calcium	(mg-l)	NGVS	NGVS	100
4.	Carbonate	(mg-l)	NGVS	NGVS	NGVS
5.	Chloride	(mg-l)	250	250	250
6.	Color	(TCU)	15	NGVS	5
7.	Conductivity	(μ S-cm)	NGVS	NGVS	NGVS
8.	Fluoride	(mg-l)	1.5	3	0.7
9.	Hardness	(mg-l)	NGVS	NGVS	NGVS
10.	Iron	(mg-l)	0.3	0.3	0.3
11.	Magnesium	(mg-l)	NGVS	NGVS	50
12.	Odor	-	Odorless	NGVS	Unobjectionable
13.	Nitrate-N	(mg-l)	10	10	10
14.	pH	-	6.5-8.5	NGVS	6.5-8.5
15.	Potassium	(mg-l)	NGVS	NGVS	10
16.	Sodium	(mg-l)	200	NGVS	50
17.	Sulfate	(mg-l)	250	250	250
18.	Taste	-	Unobjectionable	NGVS	Unobjectionable
19.	TDS	(mg-l)	1000	500	500
20.	Turbidity	(NTU)	5	NGVS	0.5
21.	Phosphate	(mg-l)	NGVS	NGVS	NGVS
22.	Arsenic	(μ g-l)	10	10	10
23.	Total Coliforms	CFU-100ml	0	0	0
24.	E-Coli	CFU-100ml	0	0	0

WHO World Health Organization
IBWA International Bottled Water Association
PSQCA Pakistan Standards and Quality Control Authority



SUMMARY OF RESULTS OF PCRWR MONITORING

Contaminants of Potential Concerns Found in Bottled Water Brands

Sodium: Safe Limit: 50 parts per million (ppm)					
Sr. No	Brand Name	Code	City of Manufacturing	Unit	Results
1.	Miran Drinking Water	BWS-80	Sukkur	ppm	66
2.	Ashaz Drinking Water	BWS-81	Larkana	ppm	140
3.	Natural Pure Life	BWS-84	Karachi	ppm	140
4.	Fresh Drop Pure Drinking Water	BWS-94	Karachi	ppm	61
5.	Mineral Water	BWS-101	Karachi	ppm	78
6.	Waterly Pure Drinking Water	BWS-102	Karachi	ppm	65
7.	Dream Pure	BWS-110	Karachi	ppm	74
8.	Pak Aqua	BWS-128	Faisalabad	ppm	120
9.	Water Valley	BWS-129	Faisalabad	ppm	80

Bacteriological: (Total Coliforms, Fecal Coliforms & E Coli) (Safe Limit: 0-100ml)					
Sr. No	Brand Name	Code	City of Manufacturing	Results	
				Total Coliforms (CFU-100ml)	E. Coli (CFU-100ml)
1.	Essantia	BWS-28	Islamabad	08	Negative
2.	Blue Water	BWS-33	Dera Ghazi Khan	10	Negative
3.	Maa Jee	BWS-38	Hyderabad	14	Negative
4.	Ice Well	BWS-46	Sialkot	06	Negative
5.	Lasani	BWS-50	Gujranwala	08	Negative
6.	Pure Aqua	BWS-70	Collected From Badin	12	Negative
7.	Nirmoh Pure Life	BWS-83	Sukkur	10	Negative
8.	Muskaan Premium Drinking Water	BWS-85	Collected From Sukkur	08	Negative
9.	Pure Drinking Water	BWS-97	Collected From Karachi	14	Negative
10.	Waterly Pure Drinking Water	BWS-102	Collected From Karachi	10	Negative
11.	Douro Pure Drinking Water	BWS-104	Karachi	06	Negative
12.	Aqua Way	BWS-131	Gilgit	14	Negative
13.	Classic	BWS-139	Multan	08	Negative
14.	Aqua Indus	BWS-153	Quetta	12	Negative



Arsenic: Safe Limit: (10 parts per billion (ppb))					
Sr. No	Brand Name	Code	City of Manufacturing	Unit	Results
1.	Atco Drinking Water	BWS-77	Karachi	ppb	28
2.	Nirmoh Pure Life	BWS-83	Collected From Sukkur	ppb	11
3.	Natural	BWS-138	Collected From Multan	ppb	15

TDS: Safe Limit: (500 parts per million (ppm))					
Sr. No	Brand Name	Code	City of Manufacturing	Unit	Results
1.	Ashaz Drinking Water	BWS-81	Larkana	ppm	514

PCRWR TESTING: SAFE BRANDS

Sr. No	Brand Name	Code	Quality (Safe-Unsafe)	
			Chemical	Microbiological
1.	Oxygen Plus	BWS-01	Safe	Safe
2.	Al Mena	BWS-02	Safe	Safe
3.	Puriffine Premium Drinking Water	BWS-03	Safe	Safe
4.	Aquarion	BWS-04	Safe	Safe
5.	Springley	BWS-05	Safe	Safe
6.	Raffino Premium Drinking Water	BWS-06	Safe	Safe
7.	K&S	BWS-07	Safe	Safe
8.	Soloney	BWS-08	Safe	Safe
9.	Calci Dew	BWS-09	Safe	Safe
10.	Pacific	BWS-10	Safe	Safe
11.	Elim	BWS-11	Safe	Safe
12.	Softin	BWS-12	Safe	Safe
13.	Maple Plus	BWS-13	Safe	Safe
14.	Aqua Gleam	BWS-14	Safe	Safe
15.	Alpha Pearl	BWS-15	Safe	Safe
16.	Aquvo	BWS-16	Safe	Safe
17.	Spark Plus	BWS-17	Safe	Safe
18.	Aqua Green	BWS-18	Safe	Safe
19.	Aab-e-Koh	BWS-19	Safe	Safe
20.	Pure Sip	BWS-20	Safe	Safe
21.	Fresh Spring	BWS-21	Safe	Safe
22.	Purified H2O	BWS-22	Safe	Safe
23.	Deosai	BWS-23	Safe	Safe
24.	Haideri Drinking Water	BWS-24	Safe	Safe
25.	Hydro Plus	BWS-25	Safe	Safe
26.	Rupal	BWS-26	Safe	Safe
27.	Seven Stream	BWS-27	Safe	Safe
28.	Aqua Plus	BWS-29	Safe	Safe
29.	Spring Fresh	BWS-30	Safe	Safe
30.	Aqua Pacific	BWS-31	Safe	Safe
31.	Cool	BWS-32	Safe	Safe
32.	New Buxton Pure	BWS-34	Safe	Safe
33.	Pure Life	BWS-35	Safe	Safe
34.	Oslo Pure Life	BWS-36	Safe	Safe
35.	Uze Pure Drinking Water	BWS-37	Safe	Safe



Sr. No	Brand Name	Code	Quality (Safe-Unsafe)	
			Chemical	Microbiological
36.	Smart Pure Water	BWS-39	Safe	Safe
37.	Nestle Pure Life	BWS-40	Safe	Safe
38.	Pure Flo	BWS-41	Safe	Safe
39.	Aab-e- Dubai	BWS-42	Safe	Safe
40.	A2Z Pure Premium Drinking Water	BWS-43	Safe	Safe
41.	Aqua Fina	BWS-44	Safe	Safe
42.	Aqua Nice Water	BWS-45	Safe	Safe
43.	Dazzling	BWS-47	Safe	Safe
44.	Arwa Water	BWS-48	Safe	Safe
45.	Athar	BWS-49	Safe	Safe
46.	Masafi Pure	BWS-51	Safe	Safe
47.	Britix	BWS-52	Safe	Safe
48.	Aqua Sea	BWS-53	Safe	Safe
49.	Wah Water	BWS-54	Safe	Safe
50.	Aab-e-Khyber	BWS-55	Safe	Safe
51.	Nebraska	BWS-56	Safe	Safe
52.	Natural Aqwah Water	BWS-57	Safe	Safe
53.	Aqua Trust	BWS-58	Safe	Safe
54.	Pivrifine	BWS-59	Safe	Safe
55.	Bianca	BWS-60	Safe	Safe
56.	Moya Mineral Water	BWS-61	Safe	Safe
57.	Utility Stores	BWS-62	Safe	Safe
58.	Eagles Blue	BWS-63	Safe	Safe
59.	Aqua Splash	BWS-64	Safe	Safe
60.	Safa Bottled Drinking Water	BWS-65	Safe	Safe
61.	Aqua Safe	BWS-66	Safe	Safe
62.	Aqua Safe Plus	BWS-67	Safe	Safe
63.	Fresh Taqwa	BWS-68	Safe	Safe
64.	Mist Water	BWS-69	Safe	Safe
65.	H2ope	BWS-71	Safe	Safe
66.	Neo	BWS-72	Safe	Safe
67.	Water Next	BWS-73	Safe	Safe
68.	Volga	BWS-74	Safe	Safe
69.	New Mehran	BWS-75	Safe	Safe
70.	Zalmi	BWS-76	Safe	Safe
71.	Pure Prime	BWS-78	Safe	Safe
72.	Icon Pure Drinking Water	BWS-79	Safe	Safe
73.	Indus	BWS-82	Safe	Safe
74.	Nayab Pure Life	BWS-86	Safe	Safe
75.	Dew Drop	BWS-87	Safe	Safe
76.	Mangla	BWS-88	Safe	Safe
77.	Bro H2O	BWS-89	Safe	Safe
78.	New Pak	BWS-90	Safe	Safe
79.	Safi	BWS-91	Safe	Safe
80.	Al Mufflihoon	BWS-92	Safe	Safe
81.	Pura Spring	BWS-93	Safe	Safe
82.	Eltsen	BWS-95	Safe	Safe
83.	Water Next Bottled Drinking Water	BWS-96	Safe	Safe
84.	GF Water	BWS-98	Safe	Safe
85.	Oyster Pure Drinking Water	BWS-99	Safe	Safe
86.	Vey	BWS-100	Safe	Safe
87.	Oss Pure Drinking Water	BWS-103	Safe	Safe
88.	Alpha Premium Drinking Water	BWS-105	Safe	Safe
89.	Riva Premium Health Water	BWS-106	Safe	Safe



Sr. No	Brand Name	Code	Quality (Safe-Unsafe)	
			Chemical	Microbiological
90.	Pakola Pure Drinking Water	BWS-107	Safe	Safe
91.	Meher Natural Water	BWS-108	Safe	Safe
92.	Taiba	BWS-109	Safe	Safe
93.	Aqua King Bottled Drinking Water	BWS-111	Safe	Safe
94.	Asha Premium Drinking Water	BWS-112	Safe	Safe
95.	Sunlay Premium Drinking Water	BWS-113	Safe	Safe
96.	Nagori Alkaline Water	BWS-114	Safe	Safe
97.	Jel Bottled Drinking Water	BWS-115	Safe	Safe
98.	Neo Healthy Drinking Water	BWS-116	Safe	Safe
99.	Water Plus Premium Drinking Water	BWS-117	Safe	Safe
100.	Gourmet Bottled Drinking Water	BWS-118	Safe	Safe
101.	Pineo Bottled Drinking Water	BWS-119	Safe	Safe
102.	Hayat Bottled Drinking Water	BWS-120	Safe	Safe
103.	Dasani	BWS-121	Safe	Safe
104.	Starlite Water	BWS-122	Safe	Safe
105.	Aquafina	BWS-123	Safe	Safe
106.	Water Drop	BWS-124	Safe	Safe
107.	Best Natural	BWS-125	Safe	Safe
108.	Sky Rain	BWS-126	Safe	Safe
109.	Deer	BWS-127	Safe	Safe
110.	Blue Gold	BWS-130	Safe	Safe
111.	Frisk	BWS-132	Safe	Safe
112.	Karakoram Spring Water	BWS-133	Safe	Safe
113.	Sujo Natural Spring Water	BWS-134	Safe	Safe
114.	Seven Spring Natural Spring Water	BWS-135	Safe	Safe
115.	Vividle	BWS-136	Safe	Safe
116.	Hunza Ulter Water	BWS-137	Safe	Safe
117.	Premium Safa Purified Water	BWS-140	Safe	Safe
118.	Rocke Water	BWS-141	Safe	Safe
119.	Honey Bottled Water	BWS-142	Safe	Safe
120.	Aqua Clean	BWS-143	Safe	Safe
121.	Klinz	BWS-144	Safe	Safe
122.	Sobi Aqua	BWS-145	Safe	Safe
123.	More Plus Soft Drinking Water	BWS-146	Safe	Safe
124.	Trust Drinking Water	BWS-147	Safe	Safe
125.	Murree Sparkletts	BWS-148	Safe	Safe
126.	Eight-8-Water	BWS-149	Safe	Safe
127.	Glacial Water	BWS-150	Safe	Safe
128.	SL Starlay	BWS-151	Safe	Safe
129.	Marine Blue	BWS-152	Safe	Safe
130.	Noble	BWS-154	Safe	Safe
131.	Aqua Pure	BWS-155	Safe	Safe
132.	Imma	BWS-156	Safe	Safe
133.	Bannah	BWS-157	Safe	Safe
134.	Sufi Water	BWS-158	Safe	Safe
135.	Ziist	BWS-159	Safe	Safe
136.	Aqua Blue	BWS-160	Safe	Safe
137.	National	BWS-161	Safe	Safe
138.	Pk Unique Water	BWS-162	Safe	Safe
139.	Getway	BWS-163	Safe	Safe
140.	OOS Water	BWS-164	Safe	Safe
141.	Drinklay	BWS-165	Safe	Safe
142.	Jami Water	BWS-166	Safe	Safe



Sr. No	Brand Name	Code	Quality (Safe-Unsafe)	
			Chemical	Microbiological
143.	Heaven H ₂ O	BWS-167	Safe	Safe
144.	Aqua Zoom	BWS-168	Safe	Safe
145.	Erie Water	BWS-169	Safe	Safe
146.	Irhaa Drinking Water	BWS-170	Safe	Safe
147.	Aqua Amanzi	BWS-171	Safe	Safe

PCRWR TESTING: UNSAFE BRANDS

Sr. No	Brand Name	Code	Address-Manufacturer	Quality (Safe-Unsafe)	
				Chemical	Microbiological
1.	Essantia	BWS-28	Burma Stop, Lehrar Road, Islamabad, Pakistan Contact No.0307-8181180	Safe	Unsafe
2.	Blue Water	BWS-33	Processed and Packed by Blue Drinking Water, Pull Shoria, Jam Pur Road, Dera Ghazi Khan Contact No.0331-2328245 & 0336-6176661	Safe	Unsafe
3.	Maa Jee	BWS-38	Jacob Road, Hyderabad Contact No.0303-0088663	Safe	Unsafe
4.	Ice Well	BWS-46	Processed and Packed by Quaint Beverages Industries, Airport Road, Amreak Pura Town, Sambrial, Sialkot	Safe	Unsafe
5.	Lasani	BWS-50	The Gujranwala MKS Beverages	Safe	Unsafe
6.	Pure Aqua	BWS-70	Collected From Inayatullah, New Moiz Traders, Golarchi road, Badin. Contact No.0333-3893013	Safe	Unsafe
7.	Atco Drinking Water	BWS-77	A.K Enterprises, Shakra-e-Faisal, Karachi	Unsafe	Safe
8.	Miran Drinking Water	BWS-80	Sukkur Office, Near Olper Factory, Sukkur	Unsafe	Safe
9.	Ashaz Drinking Water	BWS-81	Ashaz, Sindh Small Industries, Larkana.	Unsafe	Safe
10.	Nirmoh Pure Life	BWS-83	Collected From Afzal Shop, Tangha Stand, Old Sukkur Contact No. 0305-1872147	Unsafe	Unsafe
11.	Natural Pure Life	BWS-84	Zam Zam Plastic S.I.T.E Karachi Contact No.0305-1871142	Unsafe	Safe
12.	Muskaan Premium Drinking Water	BWS-85	Collected From Shakeel Cabin, Wapda Colony, Khp. Sukkur Contact No.0305-181142	Safe	Unsafe
13.	Fresh Drop Pure Drinking Water	BWS-94	Collected From A. R General Store Hub, Chowki Bus Stop, Lea. Market, Karachi	Unsafe	Safe
14.	Pure Drinking Water	BWS-97	Collected From Café Noor, Hub Bus Stop, Lea Market, Karachi	Safe	Unsafe



Sr. No	Brand Name	Code	Address-Manufacturer	Quality (Safe-Unsafe)	
				Chemical	Microbiological
15.	Mineral Water	BWS-101	Collected From Waqas General Store, Naval Flats, Aqra Taj Colony, Lyari, Karachi	Unsafe	Safe
16.	Waterly Pure Drinking Water	BWS-102	Collected From Kainat General Store, Naval Flats, Aqra Taj Colony, Lyari,, Karachi	Unsafe	Unsafe
17.	Douro Pure Drinking Water	BWS-104	Douro Enterprises, Block-16, FB Area, Karachi	Safe	Unsafe
18.	Dream Pure	BWS-110	Collected From Insaaf General Store, Jewani Height, Near Super Highway Road, Karachi	Unsafe	Safe
19.	Pak Aqua	BWS-128	St.#6, Abdulah Colony, Faisalabad, Contact No. 0334-6649778	Unsafe	Safe
20.	Water Valley	BWS-129	Glorious Food & Beverages, Sanaullah Road, Samanabad, Faisalabad. Contact No 0307-6000198, 0323-6000636	Unsafe	Safe
21.	Aqua Way	BWS-131	Post Office, Road Chilas ,District Diamer, Gilgit	Safe	Unsafe
22.	Natural	BWS-138	Collected from Bilal Farid, Bilal Medical Store, Old Shuja Abad Road, Multan, Contact No. 0300-7862299	Safe	Unsafe
23.	Classic	BWS-139	Classic Consumables, Plot No.74-B, Industrial Estate Phase II, Multan, UAN. 111-55-77-55	Safe	Unsafe
24.	Aqua Indus	BWS-153	M/S AK Enterprises, Contact No.0333-3355855 Collected from Nice Super Store, Killi Paind Khan, Quetta	Safe	Unsafe

MARKET CONSISTENCY IN TWO NEIGHBORING QUARTERS

Sr. No	Consistent Brands	New Brands	Unavailable Brands
1.	Aab-e- Dubai	Alpha Pearl	Akb Sky
2.	Aab-e-Khyber	Aqua Blue	Al Saha
3.	Aab-e-Koh	Aqua Clean	Al Shalal
4.	Al Mena	Aqua Gleam	Alkaline Water
5.	Al Muflihoon	Aqua Indus	Andaf Pure
6.	Alpha Premium Drinking Water	Aqua Nice Water	Aqua Health
7.	Aqua Amanzi	Aqua Pacific	Aqua Jod
8.	Aqua Fina	Aqua Plus	Aqua Packed
9.	Aqua Green	Aqua Pure	Aqua Pure Kashmir Water
10.	Aqua King Bottled Drinking Water	Aqua Safe	Aqua Sharav Pure Drinking Water
11.	Aqua Splash	Aqua Safe Plus	Aqua Slim
12.	Aqua Trust	Aqua Way	Aquantis



Sr. No	Consistent Brands	New Brands	Unavailable Brands
13.	Aqua Zoom	Asha Premium Drinking Water	Aqwah Water
14.	Aquarion	Ashaz Drinking Water	As Pure Water
15.	Aquvo	Atco Drinking Water	Bake Master
16.	Arwa Water	Bannah	Blue Water Fall
17.	Athar	Blue Water	Buhair
18.	Aqua Sea	Britix	Clear
19.	A2Z Pure Premium Drinking Water	Cool	D-Nova
20.	Best Natural	Dazzling	Dosoni
21.	Bianca	Deosai	Douro Premium Drinking Water
22.	Blue Gold	Douro Pure Drinking Water	Elim Pure
23.	Bro H2O	Eight-8-Water	Eltsen
24.	Calci Dew	Fresh Drop Pure Drinking Water	Erie Water
25.	Classic	Fresh Taqwa	Essentia
26.	Dasani	GF Water	Eva
27.	Deer	H2ope	Finan M Water
28.	Dew Drop	Haideri Drinking Water	Glacial Water
29.	Dream Pure	Honey Bottled Water	Gold Aqua
30.	Drinklay	Hydro Plus	Grace Life
31.	Eagles Blue	Icon Pure Drinking Water	Hydra
32.	Elim	Imma	Ian
33.	Eltsen	Mangla	Klear
34.	Erie Water	Mineral Water	Life Care
35.	Essantia	Muskaan Premium Drinking Water	Life Drinking Water
36.	Fresh Spring	Natural	Life Inn
37.	Frisk	Natural Aqwah Water	Lincoln
38.	Getway	Nayab Pure Life	Universal
39.	Glacial Water	Neo Healthy Drinking Water	Maple Plus
40.	Gourmet Bottled Drinking Water	Noble	Marine Blue
41.	Hayat Bottled Drinking Water	Oss Pure Drinking Water	Marvi
42.	Heaven H2O	Oyster Pure Drinking Water	Masafi Water
43.	Hunza Ulter Water	Pure Drinking Water	Mezan
44.	Ice Well	Pure Prime	My Pure Water
45.	Indus	Puriffina Premium Drinking Water	Neelum Sip
46.	Irhaa Drinking Water	Rupal	Nestlo Healthy Water
47.	Jami Water	Safa Bottled Drinking Water	New Aab-E-Haram
48.	Jel Bottled Drinking Water	SL Starlay	One Pure Drinking Water
49.	K&S	Spark Plus	Orwell
50.	Karakoram Spring Water	Spring Fresh	Pak Nest
51.	Klinz	Uze Pure Drinking Water	Pristine
52.	Lasani	Volga	Pure Aqua Blue
53.	Maa Jee	Water Plus Premium Drinking Water	Pure Water



Sr. No	Consistent Brands	New Brands	Unavailable Brands
54.	Maple Plus	Water Valley	Puriffine
55.	Marine Blue	Waterly Pure Drinking Water	Qatar
56.	Masafi Pure	Zalmi	Quick Sip
57.	Meher Natural Water		Ranaan Fresh Drinking Water
58.	Miran Drinking Water		Sas Aqua
59.	Mist Water		Seven Star
60.	More Plus Soft Drinking Water		Sip Sip Premium Drinking Water
61.	Moya Mineral Water		Sipure Water
62.	Murree Sparkletts		Softin Green
63.	Nagori Alkaline Water		Sona Water Life
64.	National		SS Water
65.	Natural Pure Life		Still
66.	Nebraska		Sufi
67.	Neo		
68.	New Buxton Pure		
69.	New Mehran		
70.	New Pak		
71.	Nirmoh Pure Life		
72.	Nestle Pure Life		
73.	OOS Water		
74.	Oslo Pure Life		
75.	Oxygen Plus		
76.	Pacific		
77.	Pak Aqua		
78.	Pakola Pure Drinking Water		
79.	Pineo Water		
80.	Pivrifine Bottled Drinking Water		
81.	Pk Unique Water		
82.	Premium Safa Purified Water		
83.	Pura Spring		
84.	Pure Aqua		
85.	Pure Flo		
86.	Pure Life		
87.	Pure Sip		
88.	Purified H2O		
89.	Raffino Premium Drinking Water		
90.	Riva Premium Health Water		
91.	Safi		
92.	Seven Stream		
93.	Seven Spring Natural Spring Water		
94.	Soloney Nations Water		
95.	Sunlay Premium Drinking Water		
96.	Sujo Natural Spring Water		
97.	Springley		
98.	Softin		
99.	Sobi Aqua		



Sr. No	Consistent Brands	New Brands	Unavailable Brands
100.	Sufi Water		
101.	Starlite Water		
102.	Sky Rain		
103.	Smart Pure Water		
104.	Taiba		
105.	Trust Drinking Water		
106.	Utility Stores		
107.	Vey		
108.	Vividle		
109.	Wah Water		
110.	Water Drop		
111.	Water Next		
112.	Ziist		
113.	Rocke Water		

DISEASE POTENTIAL FROM CONTAMINATED BOTTLED WATER

Sr. No	Contaminant	Diseases Impacts
1.	Bacteriological Contamination	Cholera, Diarrhea, Dysentery, Typhoid etc.
2.	Sodium	Hypertension
3.	Potassium	Hyperkalemia
4.	Nitrate	Blue baby Syndrome
5.	Arsenic	Keratosiis, Skin Cancer

CONCLUSIONS

Sr. No	Item	Conclusion	
		No.	% age
1.	Total No. of Brands Collected	171	100
2.	Overall Safe Brands	147	86
3.	No. of Overall Unsafe Brands	24	14
4.	No. of Chemically Safe Brands	159	93
5.	No. of Chemically Unsafe Brands	12	07
6.	No. of Microbiologically Safe Brands	157	92
7.	No. of Microbiologically Unsafe Brands	14	08
8.	No. of Consistent Brands in Market	113	66
9.	No. of Brands Disappeared-Unavailable	66	-
10.	No. of New Brands	56	33

Detailed water quality status of each bottled water brand is available at **Annexure-1**



Annexure-1

Chemical and Microbiological Quality of Bottled/Mineral Water Brands

Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	Total Coli forms 0/100ml	E-Coli 0/100ml
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Units	-	NTU		µS/cm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	CFU /100ml	CFU /100ml
Oxygen Plus	BWS-01	BDL	7.09	339	186	32	19	160	130	36	11	BDL	BDL	0.4	1.9	BDL	BDL	Negative	Negative
Al Mena	BWS-02	BDL	7.26	279	153	24	12	110	50	62	17	BDL	BDL	0.2	3.1	BDL	BDL	Negative	Negative
Puriffine Premium Drinking Water	BWS-03	BDL	7.05	464	255	52	17	200	190	36	25	BDL	BDL	0.3	2.2	BDL	BDL	Negative	Negative
Aquarion	BWS-04	BDL	7.43	393	216	28	17	140	150	36	29	BDL	BDL	0.5	0.4	BDL	BDL	Negative	Negative
Springley	BWS-05	BDL	7.50	446	245	52	17	200	170	24	17	BDL	BDL	1.0	3.9	20	BDL	Negative	Negative
Raffino Premium Drinking Water	BWS-06	BDL	6.87	193	106	28	2	80	30	40	9	BDL	BDL	0.5	1.0	12	BDL	Negative	Negative
K&S	BWS-07	BDL	6.59	346	190	36	15	150	70	55	13	BDL	BDL	0.4	1.6	24	BDL	Negative	Negative
Soloney	BWS-08	BDL	7.09	267	147	28	5	90	80	24	21	BDL	BDL	0.9	0.3	26	BDL	Negative	Negative
Calci Dew	BWS-09	BDL	7.46	387	213	40	12	150	100	48	23	BDL	BDL	0.6	1.7	26	BDL	Negative	Negative
Pacific	BWS-10	BDL	7.38	312	172	24	19	140	60	60	8	BDL	BDL	0.4	BDL	13	BDL	Negative	Negative
Elim	BWS-11	BDL	7.03	282	155	36	7	120	85	24	11	BDL	BDL	0.5	1.7	20	BDL	Negative	Negative
Softin	BWS-12	BDL	6.73	340	187	36	17	160	90	46	8	BDL	BDL	BDL	2.3	10	BDL	Negative	Negative
Maple Plus	BWS-13	BDL	6.82	181	100	20	7	80	30	35	6	BDL	BDL	BDL	1.4	5	BDL	Negative	Negative
Aqua Gleam	BWS-14	BDL	6.52	291	160	20	17	120	30	60	12	BDL	BDL	3.0	0.8	26	BDL	Negative	Negative
Alpha Pearl	BWS-15	BDL	7.38	290	160	20	17	120	75	55	14	BDL	BDL	BDL	BDL	BDL	BDL	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	Total Coli forms 0/100ml	E-Coli 0/100ml
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Aquvo	BWS-16	BDL	7.32	300	165	28	12	120	60	48	16	BDL	BDL	0.5	0.9	26	BDL	Negative	Negative
Spark Plus	BWS-17	BDL	7.02	301	166	32	12	130	60	42	14	BDL	BDL	BDL	3.9	24	BDL	Negative	Negative
Aqua Green	BWS-18	BDL	7.23	292	161	20	19	130	70	36	9	BDL	BDL	BDL	1.1	25	BDL	Negative	Negative
Aab-e-Koh	BWS-19	BDL	6.99	300	165	24	17	130	50	62	15	BDL	BDL	0.4	0.2	26	BDL	Negative	Negative
Pure Sip	BWS-20	BDL	7.14	265	146	24	7	90	60	35	21	BDL	BDL	0.4	0.2	27	BDL	Negative	Negative
Fresh Spring	BWS-21	BDL	7.24	249	137	32	5	100	60	28	11	BDL	BDL	0.4	2.0	20	BDL	Negative	Negative
Purified H2O	BWS-22	BDL	7.42	277	152	28	12	120	70	36	11	BDL	BDL	0.4	1.9	18	BDL	Negative	Negative
Deosai	BWS-23	BDL	6.81	264	145	24	12	110	80	24	12	BDL	BDL	1.3	1.6	18	BDL	Negative	Negative
Haideri Drinking Water	BWS-24	BDL	7.28	451	248	36	24	190	130	52	19	BDL	BDL	0.4	3.2	18	BDL	Negative	Negative
Hydro Plus	BWS-25	BDL	6.72	326	179	40	10	140	90	28	11	BDL	BDL	0.12	1.2	27	BDL	Negative	Negative
Rupal	BWS-26	BDL	7.68	441	243	52	12	180	90	62	21	BDL	BDL	0.4	6.0	26	BDL	Negative	Negative
Seven Stream	BWS-27	BDL	7.16	364	200	36	7	120	100	28	24	BDL	BDL	1.2	1.3	27	BDL	Negative	Negative
Essantia	BWS-28	BDL	6.87	258	142	24	12	110	70	12	9	BDL	BDL	2	6.2	21	BDL	08	Negative
Aqua Plus	BWS-29	BDL	7.18	378	208	20	17	120	120	18	31	BDL	BDL	0.5	BDL	40	0.37	Negative	Negative
Spring Fresh	BWS-30	BDL	7.14	261	144	28	5	90	60	35	18	BDL	BDL	2.3	BDL	20	BDL	Negative	Negative
Aqua Pacific	BWS-31	BDL	8.02	225	124	24	12	110	50	32	3	BDL	BDL	BDL	0.2	20	BDL	Negative	Negative
Cool	BWS-32	BDL	8.03	161	89	16	2	50	20	35	15	BDL	BDL	BDL	BDL	10	0.15	Negative	Negative
Blue Water	BWS-33	BDL	7.04	256	141	32	5	100	40	48	14	BDL	BDL	0.4	BDL	24	0.15	10	Negative
New Buxton Pure	BWS-34	BDL	7.17	356	196	36	7	120	50	75	28	BDL	BDL	0.6	0.09	25	0.22	Negative	Negative
Pure Life	BWS-35	BDL	7.06	273	150	24	7	90	30	55	25	BDL	BDL	1.8	2.41	29	0.47	Negative	Negative
Oslo Pure &	BWS-36	BDL	7.54	412	227	28	5	90	80	74	50	BDL	BDL	4.5	0.55	31	0.24	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	Total Coli forms 0/100ml	E-Coli 0/100ml
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Uze Pure Drinking Water	BWS-37	BDL	7.47	253	139	20	7	80	50	35	23	BDL	BDL	1.4	0.25	28	0.57	Negative	Negative
Maa Jee	BWS-38	BDL	7.47	269	148	16	7	70	30	42	27	BDL	BDL	1.9	2.88	33	0.24	14	Negative
Smart Pure Water	BWS-39	BDL	7.33	461	254	24	15	120	80	72	50	BDL	BDL	3.1	3.28	44	0.24	Negative	Negative
Nestle Pure Life	BWS-40	BDL	7.83	368	202	36	19	170	60	74	7	BDL	BDL	0.0	0.01	20	BDL	Negative	Negative
Pure Flo	BWS-41	BDL	7.11	391	232	44	12	160	60	112	24	0.05	BDL	BDL	BDL	4	BDL	Negative	Negative
Aab-e- Dubai	BWS-42	BDL	7.42	368	202	24	10	100	80	70	42	BDL	BDL	0.3	0.17	14	0.15	Negative	Negative
A2Z Pure Premium Drinking Water	BWS-43	BDL	7.14	337	185	36	15	150	100	36	11	BDL	BDL	0.9	BDL	28	0.54	Negative	Negative
Aqua Fina	BWS-44	BDL	7.73	210	116	28	5	90	50	24	11	BDL	BDL	0.8	BDL	28	BDL	Negative	Negative
Aqua Nice Water	BWS-45	BDL	7.49	71	39	0	5	20	20	7	9	BDL	BDL	BDL	BDL	8	0.60	Negative	Negative
Ice Well	BWS-46	BDL	7.26	84	46	12	2	40	15	8	3	BDL	BDL	BDL	0.81	15	2.08	06	Negative
Dazzling	BWS-47	BDL	7.09	275	151	20	17	120	70	40	12	BDL	BDL	0.5	BDL	15	1.44	Negative	Negative
Arwa Water	BWS-48	BDL	7.59	189	104	20	10	90	50	32	3	BDL	BDL	0.4	BDL	5	0.17	Negative	Negative
Athar	BWS-49	BDL	7.56	320	176	28	10	110	100	24	25	BDL	BDL	3.4	0.34	31	0.57	Negative	Negative
Lasani	BWS-50	BDL	7.28	233	128	20	19	130	50	60	3	BDL	BDL	BDL	0.09	BDL	0.38	08	Negative
Masafi Pure	BWS-51	BDL	6.91	330	182	32	17	150	90	46	6	BDL	BDL	BDL	BDL	10	0.15	Negative	Negative
Britix	BWS-52	BDL	7.06	174	96	24	5	80	55	24	3	BDL	BDL	0.4	BDL	BDL	BDL	Negative	Negative
Aqua Sea	BWS-53	BDL	7.26	172	95	28	BDL	70	35	24	5	BDL	BDL	BDL	BDL	14	1.01	Negative	Negative
Wah Water	BWS-54	BDL	7.37	282	155	24	17	130	90	18	9	BDL	BDL	1.0	4.47	19	BDL	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	Total Coli forms 0/100ml	E-Coli 0/100ml
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Aab-e-Khyber	BWS-55	BDL	7.52	345	190	32	17	150	100	24	11	BDL	BDL	1.1	6.71	18	BDL	Negative	Negative
Nebraska	BWS-56	BDL	7.38	329	181	40	12	150	50	64	6	BDL	BDL	BDL	0.1	21	BDL	Negative	Negative
Natural Aqwah Water	BWS-57	BDL	7.37	273	150	32	10	120	80	20	9	BDL	BDL	1.0	4.58	20	BDL	Negative	Negative
Aqua Trust	BWS-58	BDL	7.61	328	180	40	12	150	100	16	7	BDL	BDL	1.0	5.34	24	BDL	Negative	Negative
Pivrifine	BWS-59	BDL	6.59	319	175	24	19	140	50	72	10	BDL	BDL	3.7	1.11	15	BDL	Negative	Negative
Bianca	BWS-60	BDL	7.79	292	161	28	19	150	30	72	5	BDL	BDL	0.0	0.45	25	BDL	Negative	Negative
Moya Mineral Water	BWS-61	BDL	7.33	246	135	24	12	110	50	36	10	BDL	BDL	0.8	4.93	11	BDL	Negative	Negative
Utility Stores	BWS-62	BDL	7.67	410	226	40	17	170	110	30	14	BDL	BDL	1.3	5.08	30	BDL	Negative	Negative
Eagles Blue	BWS-63	BDL	6.92	390	215	28	12	120	50	82	35	BDL	BDL	0.2	0.25	30	BDL	Negative	Negative
Aqua Splash	BWS-64	BDL	7.16	319	175	34	13	140	80	36	10	BDL	BDL	0.7	2.28	21	BDL	Negative	Negative
Safa Bottled Drinking Water	BWS-65	BDL	7.36	332	183	40	5	120	110	32	25	BDL	BDL	3.1	0.09	19	9.22	Negative	Negative
Aqua Safe	BWS-66	BDL	7.39	321	177	28	10	110	110	28	24	BDL	BDL	3.8	BDL	19	8.77	Negative	Negative
Aqua Safe Plus	BWS-67	BDL	7.28	317	174	28	17	140	50	72	11	BDL	BDL	1.5	BDL	13	0.94	Negative	Negative
Fresh Taqwa	BWS-68	BDL	6.76	312	172	32	17	150	40	80	7	BDL	BDL	0.2	BDL	9	0.35	Negative	Negative
Mist Water	BWS-69	BDL	7.20	374	219	18	16	110	180	11	46	0.06	BDL	BDL	BDL	20	BDL	Negative	Negative
Pure Aqua	BWS-70	BDL	6.78	563	310	40	15	160	90	75	44	BDL	BDL	9.5	3.49	63	BDL	12	Negative
H2ope	BWS-71	BDL	6.80	345	190	32	17	150	60	82	12	BDL	BDL	2.4	BDL	BDL	0.77	Negative	Negative
Neo	BWS-72	BDL	7.17	344	189	24	5	80	60	72	46	BDL	BDL	0.7	BDL	20	0.51	Negative	Negative
Water Next	BWS-73	BDL	7.68	366	201	16	27	150	50	72	21	BDL	BDL	0.0	1.21	40	0.24	Negative	Negative
Volga	BWS-74	BDL	7.11	106	58	12	0	30	20	15	12	BDL	BDL	1.0	BDL	15	0.23	Negative	Negative
New Mehran	BWS-75	BDL	7.38	243	134	16	2	50	30	52	34	BDL	BDL	0.8	BDL	19	BDL	Negative	Negative
Zalmi	BWS-76	BDL	7.79	234	129	20	2	60	80	20	29	BDL	BDL	0.8	BDL	17	BDL	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	Total Coli forms 0/100ml	E-Coli 0/100ml
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Atco Drinking Water	BWS-77	BDL	7.40	450	248	40	10	140	100	84	41	0.27	BDL	5.3	1	6	28	Negative	Negative
Pure Prime	BWS-78	BDL	7.60	190	105	16	0	40	40	24	26	0.15	BDL	1.7	0.1	21	1.04	Negative	Negative
Icon Pure Drinking Water	BWS-79	BDL	7.51	350	193	22	16	120	50	72	27	0.39	BDL	0.6	BDL	30	BDL	Negative	Negative
Miran Drinking Water	BWS-80	BDL	7.28	424	233	20	5	70	70	82	66	0.11	BDL	5.5	0.63	25	BDL	Negative	Negative
Ashaz Drinking Water	BWS-81	BDL	7.33	935	514	32	17	150	210	112	140	0.54	BDL	4.7	2.04	81	0.54	Negative	Negative
Indus	BWS-82	BDL	7.33	688	378	60	36	300	180	60	21	0.31	BDL	3.7	0.01	86	9.76	Negative	Negative
Nirmoh Pure Life	BWS-83	BDL	7.36	518	285	48	22	210	150	48	21	0.09	BDL	4.2	0.14	33	11	10	Negative
Natural Pure Life	BWS-84	BDL	7.15	893	491	28	17	140	200	120	140	0.42	BDL	2.2	2.15	73	1.60	Negative	Negative
Muskaan Premium Drinking Water	BWS-85	BDL	7.39	365	201	24	17	130	70	60	23	0.37	BDL	1.5	BDL	25	BDL	08	Negative
Nayab Pure Life	BWS-86	BDL	7.46	562	309	24	29	180	170	48	49	0.63	BDL	0.4	BDL	40	0.24	Negative	Negative
Dew Drop	BWS-87	BDL	7.55	325	179	32	15	140	50	55	13	BDL	BDL	0.7	BDL	38	BDL	Negative	Negative
Mangla	BWS-88	BDL	7.65	155	85	16	0	40	30	21	16	BDL	BDL	0.9	BDL	15	0.79	Negative	Negative
Bro H2O	BWS-89	BDL	7.39	246	135	24	5	80	80	28	24	BDL	BDL	0.9	0.29	12	BDL	Negative	Negative
New Pak	BWS-90	BDL	7.10	352	194	32	2	90	90	48	38	0.03	BDL	6.4	2.12	12	0.52	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
																		Total Coli forms 0/100ml	E-Coli 0/100ml
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10		
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Safi	BWS-91	BDL	7.13	264	145	24	5	80	40	48	26	0.23	BDL	1	0.03	23	BDL	Negative	Negative
Al Muflihoon	BWS-92	BDL	7.15	210	116	28	5	90	40	36	9	0.21	BDL	0.4	0.04	22	0.22	Negative	Negative
Pura Spring	BWS-93	BDL	7.56	430	237	40	24	200	120	14	6	0.29	BDL	6.6	0.18	73	0.42	Negative	Negative
Fresh Drop Pure Drinking Water	BWS-94	BDL	7.63	356	196	20	2	60	150	12	61	0.34	BDL	0.3	0.42	19	BDL	Negative	Negative
Eltsen	BWS-95	BDL	7.21	379	208	24	5	80	60	72	50	0.04	BDL	1.1	3.14	19	0.13	Negative	Negative
Water Next Bottled Drinking Water	BWS-96	BDL	7.46	370	204	32	19	160	90	50	17	0.09	BDL	BDL	BDL	32	BDL	Negative	Negative
Pure Drinking Water	BWS-97	BDL	7.62	322	177	28	7	100	50	82	30	0.01	BDL	0.6	0.32	BDL	BDL	14	Negative
Gf Water	BWS-98	BDL	7.16	289	159	20	22	140	20	72	6	0.04	BDL	BDL	1.25	28	BDL	Negative	Negative
Oyster Pure Drinking Water	BWS-99	BDL	7.74	283	156	20	10	90	30	60	26	0.13	BDL	1	1.28	25	BDL	Negative	Negative
Vey	BWS-100	BDL	7.81	322	177	28	17	140	40	76	10	0.18	BDL	4.4	0	19	BDL	Negative	Negative
Mineral Water	BWS-101	BDL	7.76	435	239	20	2	60	65	105	78	0.07	BDL	2.7	0.23	17	BDL	Negative	Negative
Waterly Pure Drinking Water	BWS-102	BDL	7.51	497	273	20	12	100	70	96	65	0.01	BDL	7	6.29	26	BDL	10	Negative
Oss Pure Drinking Water	BWS-103	BDL	7.41	276	152	16	12	90	50	60	23	0.29	BDL	0.6	0.97	BDL	BDL	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	Total Coli forms 0/100ml	E-Coli 0/100ml
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Douro Pure Drinking Water	BWS-104	BDL	7.54	350	193	24	2	70	90	48	49	0.52	BDL	2.2	3.52	7	BDL	06	Negative
Alpha Premium Drinking Water	BWS-105	BDL	7.71	297	163	16	10	80	80	24	30	0.37	BDL	1.7	0.35	26	BDL	Negative	Negative
Riva Premium Health Water	BWS-106	BDL	7.06	279	153	24	17	130	85	30	8	0.19	BDL	0.5	BDL	19	BDL	Negative	Negative
Pakola Pure Drinking Water	BWS-107	BDL	7.56	358	197	28	2	80	110	40	48	0.30	BDL	2.5	1.27	17	BDL	Negative	Negative
Meher Natural Water	BWS-108	BDL	7.48	241	133	20	5	70	90	24	25	BDL	BDL	0.6	0.01	BDL	BDL	Negative	Negative
Taiba	BWS-109	BDL	7.91	530	292	48	24	220	140	72	25	0.04	BDL	2.6	5.74	23	0.17	Negative	Negative
Dream Pure	BWS-110	BDL	7.54	588	323	52	7	160	180	82	74	BDL	BDL	0.7	0.37	18	BDL	Negative	Negative
Aqua King Bottled Drinking Water	BWS-111	BDL	7.92	223	123	20	5	70	50	20	20	BDL	BDL	1.4	BDL	37	BDL	Negative	Negative
Asha Premium Drinking Water	BWS-112	BDL	7.37	491	270	32	24	180	100	36	28	BDL	BDL	4.3	1.58	78	0.22	Negative	Negative
Sunlay Premium Drinking Water	BWS-113	BDL	7.80	224	123	24	2	70	55	20	21	BDL	BDL	1.8	BDL	31	BDL	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
																		Total Coli forms 0/100ml	E-Coli 0/100ml
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	-	-
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Nagori Alkaline Water	BWS-114	BDL	7.30	211	116	12	5	50	60	24	25	BDL	BDL	4.2	3.16	6	0.15	Negative	Negative
Jel Bottled Drinking Water	BWS-115	BDL	7.62	195	107	16	10	80	40	36	10	0.30	BDL	0.4	0.39	13	BDL	Negative	Negative
Neo Healthy drinking Water	BWS-116	BDL	7.62	195	107	16	10	80	30	36	10	BDL	BDL	0.4	0.47	14	BDL	Negative	Negative
Water Plus Premium Drinking Water	BWS-117	BDL	7.62	195	107	16	7	70	25	30	10	BDL	BDL	0.4	0.03	24	BDL	Negative	Negative
Gourmet Bottled Drinking Water	BWS-118	BDL	7.41	435	239	24	15	120	120	48	47	BDL	BDL	0.9	0.16	30	0.18	Negative	Negative
Pineo Bottled Drinking Water	BWS-119	BDL	7.28	426	234	28	15	130	70	86	40	BDL	BDL	1.1	0.05	25	BDL	Negative	Negative
Hayat Bottled Drinking Water	BWS-120	BDL	7.23	448	246	20	17	120	130	50	47	BDL	BDL	4.6	BDL	25	1.55	Negative	Negative
Dasani	BWS-121	BDL	7.58	242	133	16	2	50	50	32	32	BDL	BDL	0.7	BDL	25	0.18	Negative	Negative
Starlite Water	BWS-122	BDL	7.28	256	141	24	15	120	50	28	5	BDL	BDL	0.4	4.86	25	0.34	Negative	Negative
Aquafina	BWS-123	BDL	7.60	219	120	16	7	70	30	30	18	BDL	BDL	1.6	0.49	33	0.16	Negative	Negative
Water Drop	BWS-124	BDL	7.06	248	136	20	10	90	60	36	18	BDL	BDL	0.5	0.01	15	BDL	Negative	Negative
Best Natural	BWS-125	BDL	7.40	251	138	20	5	70	50	36	26	BDL	BDL	0.5	0.37	24	4.96	Negative	Negative
Sky Rain	BWS-126	BDL	7.12	131	72	8	0	20	20	21	21	BDL	BDL	0.8	0.11	15	BDL	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	Total Coli forms 0/100ml	E-Coli 0/100ml
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Deer	BWS-127	BDL	7.24	332	183	44	5	130	70	60	18	BDL	BDL	5.2	0.25	20	0.89	Negative	Negative
Pak Aqua	BWS-128	BDL	7.20	878	483	52	12	180	290	82	120	BDL	BDL	6.8	6.25	24	0.33	Negative	Negative
Water Valley	BWS-129	BDL	7.47	460	253	20	2	60	70	96	80	BDL	BDL	2.1	0.12	25	0.12	Negative	Negative
Blue Gold	BWS-130	BDL	7.48	418	230	40	17	170	120	48	19	BDL	BDL	0.6	BDL	26	BDL	Negative	Negative
Aqua Way	BWS-131	BDL	7.63	336	185	36	5	110	60	72	30	BDL	BDL	0.7	0.13	17	BDL	14	Negative
Frisk	BWS-132	BDL	7.46	341	188	36	5	110	110	24	30	BDL	BDL	0.6	1.07	27	BDL	Negative	Negative
Karakoram Spring Water	BWS-133	BDL	7.60	273	150	32	10	120	80	36	12	BDL	BDL	0.8	BDL	18	BDL	Negative	Negative
Sujo Natural Spring Water	BWS-134	BDL	7.17	208	114	28	5	90	30	40	6	BDL	BDL	0.6	0.26	16	BDL	Negative	Negative
Seven Spring Natural Spring Water	BWS-135	BDL	7.20	129	71	12	2	40	30	14	10	BDL	BDL	1.7	2.38	7	BDL	Negative	Negative
Vividle	BWS-136	BDL	7.03	205	113	16	10	80	30	36	8	BDL	BDL	0.6	0.23	18	BDL	Negative	Negative
Hunza Ulter Water	BWS-137	BDL	7.11	234	129	20	12	100	60	32	6	BDL	BDL	0.5	0.29	12	BDL	Negative	Negative
Natural	BWS-138	BDL	6.94	267	147	24	17	130	70	36	6	BDL	BDL	0.4	BDL	20	15	Negative	Negative
Classic	BWS-139	BDL	7.51	391	215	36	7	120	70	72	38	BDL	BDL	1.8	BDL	28	7.49	08	Negative
Safa Purified Water	BWS-140	BDL	7.59	364	200	20	10	90	130	24	47	BDL	BDL	1.5	BDL	27	7.02	Negative	Negative
Rocke Water	BWS-141	BDL	7.16	420	231	40	17	170	70	85	23	BDL	BDL	0.7	BDL	25	1.00	Negative	Negative
Honey Bottled Water	BWS-142	BDL	7.23	393	216	40	15	160	60	84	19	BDL	BDL	0.4	BDL	24	0.18	Negative	Negative
Aqua Clean	BWS-143	BDL	7.19	518	285	44	22	200	200	48	38	BDL	BDL	0.9	0.015	16	BDL	Negative	Negative
Klinz	BWS-144	BDL	7.1	457	257	50	9	160	55	104	36	0.1	BDL	1	BDL	24	2.5	Negative	Negative
Sobi Aqua	BWS-145	BDL	7.10	538	296	44	32	240	80	144	17	BDL	BDL	0.5	BDL	BDL	BDL	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	Total Coli forms 0/100ml	E-Coli 0/100ml
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
More Plus Soft Drinking Water	BWS-146	BDL	6.65	347	191	16	10	80	80	48	44	BDL	BDL	2.4	2.84	20	0.16	Negative	Negative
Trust Drinking Water	BWS-174	BDL	7.0	294	171	36	12	140	95	36	14	0.11	BDL	BDL	BDL	16	1.1	Negative	Negative
Murree Sparkletts	BWS-148	BDL	7.43	349	192	36	12	140	120	24	19	BDL	BDL	1.1	2.4	15	0.15	Negative	Negative
Eight-8-Water	BWS-149	BDL	7.49	263	145	32	2	90	60	36	21	BDL	BDL	2.2	BDL	25	0.22	Negative	Negative
Glacial Water	BWS-150	BDL	7.1	356	200	46	11	160	65	68	16	BDL	BDL	BDL	BDL	20	1.9	Negative	Negative
SL Starlay	BWS-151	BDL	6.64	343	189	40	15	160	70	60	10	BDL	BDL	1.4	1.03	29	0.88	Negative	Negative
Marine Blue	BWS-152	BDL	7.0	315	180	38	5	115	80	55	24	BDL	BDL	BDL	BDL	10	0.88	Negative	Negative
Aqua Indus	BWS-153	BDL	7.71	347	191	28	5	90	70	58	40	BDL	BDL	0.7	0.16	29	BDL	12	Negative
Noble	BWS-154	BDL	7.57	220	121	18	9	80	50	24	15	BDL	BDL	0.4	1.44	26	BDL	Negative	Negative
Aqua Pure	BWS-155	BDL	7.70	425	234	40	17	170	100	48	17	BDL	BDL	0.8	0.21	40	BDL	Negative	Negative
Imma	BWS-156	BDL	7.72	425	234	40	19	180	90	60	17	BDL	BDL	0.9	0.19	41	BDL	Negative	Negative
Bannah	BWS-157	BDL	7.49	380	209	40	15	160	60	72	15	BDL	BDL	0.5	0.16	32	BDL	Negative	Negative
Sufi Water	BWS-158	BDL	7.2	390	229	56	15	200	80	84	10	0.05	BDL	BDL	BDL	16	BDL	Negative	Negative
Ziist	BWS-159	BDL	6.90	343	189	36	7	120	80	48	29	BDL	BDL	0.8	1.06	27	BDL	Negative	Negative
Aqua Blue	BWS-160	BDL	6.67	197	108	16	7	70	50	38	14	BDL	BDL	1.1	0.02	BDL	BDL	Negative	Negative
National	BWS-161	BDL	6.75	290	160	16	12	90	50	68	26	BDL	BDL	0.4	0.05	8	BDL	Negative	Negative
Pk Unique Water	BWS-162	BDL	7.2	350	205	36	17	160	90	60	16	0.06	BDL	BDL	BDL	22	1.6	Negative	Negative
Getway	BWS-163	BDL	7.37	459	252	40	19	180	120	60	24	BDL	BDL	0.4	BDL	25	BDL	Negative	Negative
OOS Water	BWS-164	BDL	7.20	290	169	42	7	135	75	55	10	BDL	BDL	BDL	BDL	10	1.1	Negative	Negative
Drinklay	BWS-165	BDL	7.1	341	201	42	9	140	45	60	17	0.05	BDL	BDL	BDL	46	0.99	Negative	Negative
Jami Water	BWS-166	BDL	6.8	365	212	38	18	170	60	78	16	0.04	BDL	BDL	BDL	26	1.4	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
																		Total Coli forms 0/100ml	E-Coli 0/100ml
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10		
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Heaven H ₂ O	BWS-167	BDL	6.9	352	208	42	9	140	95	50	26	0.04	BDL	BDL	BDL	24	BDL	Negative	Negative
Aqua Zoom	BWS-168	BDL	7.0	475	268	42	7	135	130	69	48	0.05	BDL	2	BDL	22	BDL	Negative	Negative
Erie Water	BWS-169	BDL	7.1	380	224	24	30	185	80	84	20	0.04	BDL	BDL	BDL	18	BDL	Negative	Negative
Irhaa Drinking Water	BWS-170	BDL	7.1	314	185	26	18	140	50	84	19	0.05	BDL	BDL	BDL	8	BDL	Negative	Negative
Aqua Amanzi	BWS-171	BDL	6.8	318	175	25	15	125	65	50	14	0.08	BDL	BDL	BDL	14	1.2	Negative	Negative