



QUARTERLY REPORT BOTTLED WATER QUALITY

(July-September, 2025)



PAKISTAN COUNCIL OF RESEARCH IN WATER RESOURCES
Ministry of water resources
Khayaban-e-Johar, H-8-1, Islamabad.
www.pcrwr.gov.pk

July-September, 2025



SUMMARY

The poor quality of drinking water has forced a large cross-section of citizens to buy bottled water. However, many of the mineral water companies were found selling contaminated water. To monitor and improve the quality of bottled water, the government of Pakistan through Ministry of Science and Technology has designated the task for quarterly monitoring of bottled-mineral water brands to PCRWR. According to the monitoring report for the quarter July-September,2025 following is the brief overview of the findings.

Quarterly Monitoring of Bottled-Mineral Water (July-September,2025)

Item	No.	% age
Total No. of Brands Collected	205	100
Overall Safe Brands	180	88
Overall Unsafe Brands	25	12
Chemically Safe Brands	194	95
Chemically Unsafe Brands	11	05
Microbiologically Safe Brands	188	92
Microbiologically Unsafe Brands	17	08

Name of Targeted Cities (21)	(Islamabad, Rawalpindi, Peshawar, D.G. Khan, Multan, Sargodha, Sahiwal, Faisalabad, Quetta, Tando Jam, Gujranwala, Badin, Sialkot, D.I. Khan, Bahawalpur, Karachi, Lahore, Mianwali, Muzaffarabad, Gilgit and Sukkur)
-------------------------------------	---

A2Z Pure Drinking Water	Collected from Mr. Saddam, Maheen Bakers, Shahnawaz Chowk, Badin Contact No.0346-5035986
New Mehran	KB Beverages Co, Matli
My Pure Water	Collected from Muhammad Riaz, Muhammad Riaz Bakers, Karachi Road, Badin, Contact No.0346-3758323
Zalmi	SS Beverages Co, Matli
Pure Life	Collected from Mr. Saddam, Maheen Bakers, Shahnawaz Chowk, Badin Contact No.0346-5035986
Smart Pure Life	A Product of GK Smart Water, Collected from Mr. Akbar, Shan Super Store, Near Hira Hospital, Sukkur Contact No.0311-3591999
Deer Drinking Water	Deer Food, 7 km East Canal Road, Kashmir Bridge, Faisalabad.
Dream Pure	Survey No: 212, Deh Konkar, Distt: Malir, Karachi
Gulf	Octa gulf International Trading, Burj Khalifa, UAE, Collected from Hyderabad.
Crystal Aqua	Collected from GN Shah General Store, Gulistan e Sajjad, Hyderabad.
Ruha Water	Dera Jammu, Near Imtiaz Chattha Petroleum, Rasool Nagar Road, Gujranwala
Pure Drinking Water	Collected from Good Luck Pan Shop, Jama Cloth Market, Karachi



Premium Drinking Water	Collected from Fazal Rabi Milk Shop, Ayoub Goth Near PCSIR Lab, Karachi
Fresh Aqua	Collected from National Medicos, Near Civil Hospital Emergency Gate, Karachi
Asia Healthy Drinking Water	Plot No.G-15,Malir Industry Area, Nad e Ali Stop, Karachi
Eltsen	Collected from Motyani Medical & General Store, Opp. Civil Hospital Opp. Gate, Karachi
Maya Premium Drinking Water	Collected from Bismillah Pan Shop, Malir Bus Stop, Lea market, Karachi
Purifa	Collected from Motyani Medical & General Store, Opp. Civil Hospital Opp. Gate, Karachi
Natural Pure Life	Usman Water Company (Muhammadsaleemanjamsla16772@Gmail.Com) Collected from M/S Al-Hamad Pharmacy, Model Town Road, Bahawalpur Contact No.0302-7390422
Isberg	Premier Water Refining Company, Rotas Road, Dhabola, Sialkot, Pakistan Contact No.0321-6147487
Aqua Nest	Kainat Water Company, Garden Town, Sher Shah Road, Multan
Premium Safa Purified Water	Danish, Chowk Shah Abbas, Multan Contact No.0311-7125125
Piyo Pani Bottled Drinking Water	Brothers & Unbity Food & Beverages, Opposite Ghalla Mandi, Multan
Lasani	China Chowk, Hockey Stadium, Sialkot
Wolga Bottled Drinking Water	Mehboob Enterprize, 7-Km Burewala Road, Chichawatni, Sahiwal



INTRODUCTION

Drinking water quality is deteriorating continually due to biological contamination from human waste, chemical pollutants from industries and agricultural inputs. Piped water also gets contaminated because pipes are laid very close to sewerage lines or open drains and cause many serious water borne diseases. It was found that 45% of infant deaths have been attributed to diarrhea and about 60% to overall infectious waterborne diseases in Pakistan. According to the World Health Organization (WHO) 25-30% of the diseases are gastro-intestinal in nature. The poor quality of drinking water has forced a large cross-section of citizens to buy bottled water. As a consequence of this expanding market a mushroom growth of bottled water industry in the country is witnessed during the last few years. However, many of the mineral water companies were found selling contaminated water. To monitor and improve the quality of bottled water, the government of Pakistan has designated the PCRWR as focal point agency.

1. Ministry of Science & Technology informed PCRWR Vide U.O. No. 5(21)-2004-ATA-II dated 17.10.2005 that the Cabinet in its meeting under the chairmanship of Prime Minister directed Ministry of Science & Technology to undertake regular survey-samples of bottled-mineral water and publicize the results on a quarterly basis and follow up with punitive-legal action.
2. Ministry of Science & Technology has assigned the task of quality monitoring of bottled water and publicize the results to PCRWR Vide U.O. No.1(1)-2005-Secy (MoST) dated 8.12.2005.

PCRWR SAMPLING METHODOLOGY

No. of Brands Collected	205	
No. of Cities Targeted (21)	(Islamabad, Rawalpindi, Peshawar, D.G. Khan, Multan, Sargodha, Sahiwal, Faisalabad, Quetta, Tando Jam, Gujranwala, Badin, Sialkot, D.I. Khan, Bahawalpur, Karachi, Lahore, Mianwali, Muzaffarabad, Gilgit and Sukkur)	
Composition of Sampling Team	One Research Officer and one Laboratory Assistants from PCRWR	
Sampling Procedure	Samples of commercially available brands of mineral-bottled water were collected from local market of twenty-one cities of Pakistan. These samples were collected by the senior staff members of National Water Quality Laboratory (NWQL) of PCRWR Head Office and Regional-district Water Quality Laboratories of PCRWR during July-September, 25. A set of four bottles of each brand was collected and sealed on site. Identification codes were allotted to all the brands according to PCRWR Bottled Water Classification System.	
Transparency	Sample No. 1	Handed over to shopkeeper at the time of sample collection;
	Sample No. 2	Preserved in the National Water Quality Laboratory of PCRWR, Islamabad for future record.
	Sample No. 3	Used for Microbiological Analysis
	Sample No. 4	Used for Physico-chemical Analysis



PCRWR BOTTLED WATER CLASSIFICATION SYSTEM

Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Aqua Pura	BWU-01	Muzaffarabad	28-06-25	27-07-26	0.5 Liter	Mr. Waqas Abbasi Contact No. 0336-0100322	Aqua Pura Mineral Water, Center Plate, Muzaffarabad
Aab-e-Kashmir	BWU-02	Muzaffarabad	02-07-25	01-07-26	0.6 Liter	Mr. Rafaqat Murtaza, Contact No. 0346-5179745	Plot No.18, Mini Industrial Area, Chela Muzaffarabad
Imma	BWU-03	Muzaffarabad	02-06-25	01-06-26	0.5 Liter	Mr. Syed Wajahat Ali, Muzaffarabad, Contact No. 0345-0486257	Ward No.20, Chela, Muzaffarabad
Dew drop	BWU-04	Mianwali	28-07-25	27-01-26	1.5 Liter	Wandhi Roshan Wali, Shehbaz Street, Mianwali	Malik Arshad Filtration Plant, Mianwali
Springley	BWU-05	Mianwali	28-07-25	25-02-26	1.5 Liter	Aslam Shaheen Bakers, Larri Adda, Mianwali	Qarshi Industries Pvt Ltd, Plot No.56/1-4, Phase I &II, Hattar Industrial Estate, District Haripur, Kpk, Pakistan
Aqua Slim	BWU-06	Mianwali	28-07-25	22-04-26	1.5 Liter	Mr. Muhammad Awais Khan, Niaz Tuc Shop, Larri Adda, Mianwali	Hamid Masood Industries, Bhakkar
Bro H2O	BWU-07	Mianwali	28-07-25	27-03-26	1.5 Liter	Iqbal Farm House, Muslim Colony, Mianwali	Iqbal Farm House, Muslim Colony, Mianwali
Aab-e-Haram	BWU-08	Badin	31-07-25	-	0.6 Liter	Mr. Shaukat, Awami Medical Store, Gharibabad, Badin. Contact No. 0332-3896249	-
Aqua 111	BWU-09	Badin	30-07-25	-	0.5 Liter	Mr. Inayatullah, Moiz Wali Traders, Golarchi Road, Badin. Contact No. 0333-3893013	M/S and Enterprises, Badin Road, Tando Bago
A2Z Pure Drinking Water	BWU-10	Badin	30-07-25	-	0.5 Liter	Mr. Saddam, Maheen Bakers, Shahnawaz Chowk, Badin Contact No. 0346-5035986	-
Popular H2ope	BWU-11	Badin	30-07-25	30-05-26	0.5 Liter	Mr. Inayatullah, Moiz Wali Traders, Golarchi Road, Badin. Contact No. 0333-3893013	Popular Food Industries (Pvt) Ltd, Badin
Fresh Smart	BWU-12	Badin	30-07-25	-	Small	Mr. Saddam, Maheen Bakers, Shahnawaz Chowk, Badin Contact No. 0346-5035986	-



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
New Mehran	BWU-13	Badin	31-07-25	-	0.6 Liter	Mr. Muhkamuddin, Hashmi General Store, Badin Contact No. 0333-2503108	KB Beverages Co, Matli
Dhoom	BWU-14	Badin	31-07-25	-	1.5 Liter	Mr. Muhammad Riaz, Muhammad Riaz Bakers, Karachi Road, Badin Contact No. 0346-3758323	-
My Pure Water	BWU-15	Badin	31-07-25	-	1.5 Liter	Mr. Muhammad Riaz, Muhammad Riaz Bakers, Karachi Road Badin, Contact No. 0346-3758323	-
Zalmi	BWU-16	Badin	31-07-25	-	0.6 Liter	Mr. Muhkamuddin, Hashmi General Store, Badin Contact No. 0333-2503108	SS Beverages Co, Matli
Florina	BWU-17	Badin	30-07-25	-	small	Mr. Saddam, Maheen Bakers, Shahnawaz Chowk, Badin Contact No. 0346-5035986	-
Pearl	BWU-18	Badin	30-07-25	-	0.6 Liter	Mr. Inayatullah, Moiz Wali Traders, Golarchi Road, Badin. Contact No. 0333-3893013	144/6.8km, Super Highway, Jamshoro
Volga	BWU-19	Badin	31-07-25	-	0.6 Liter	Mr. Shaukat, Awami Medical Store, Gharibabad Badin. Contact No. 0332-3896249	Amazon Food Industry Pvt Ltd
Pure Life	BWU-20	Badin	30-07-25	-	0.6 Liter	Mr. Saddam, Maheen Bakers, Shahnawaz Chowk, Badin Contact No. 0346-5035986	-
Aab-e-Dhoom	BWU-21	Badin	31-07-25	20-09-26	1.5 Liter	Mr. Muhammad Riaz, Muhammad Riaz Bakers, Karachi Road, Badin Contact No. 0346-3758323	Moinuddin Food & Beverages, Karachi
Eva	BWU-22	Sukkur	30-07-25	-	0.5 Liter	Mr. Asghar, Jugnu Communication, Near High Court, Sukkur Contact No. 0313-2423107	-



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Smart Pure Life	BWU-23	Sukkur	30-07-25	-	0.5 Liter	Mr. Akbar, Shan Super Store, Near Hira Hospital, Sukkur Contact No. 0311-3591999	A Product of GK Smart Water
Heaven H2O	BWU-24	Lahore	03-09-25	-	1.5 Liter	Shahid Nawaz, Shanshah Town, Main Raiwind Road, Adda Plot, Lahore	Syed Muratab Ali Road, Gulberg IV, Lahore
Pure Prime	BWU-25	Sukkur	30-07-25	-	0.5 Liter	Mr. Amir, Shahanshah Medical Store, Military Road, Sukkur Contact No. 0345-2133933	Sindh Small Industrial Estate, Near Grid Station, Sukkur Contact No. 0300-3113021
Salsabeel	BWU-26	Sukkur	30-07-25	-	0.5 Liter	Mr. Taj Muhammad, Sukkur Toll Plaza, Dhaba Shop	Plot No. A-61/62, Sindh Small Industries, Near S.I.T.E Grid Station, Labor Colony, Golimaar, Sukkur
Miran Drinking Water	BWU-27	Sukkur	30-07-25	-	0.5 Liter	Raheel General Store, New Goth, Shikarpur Road, Sukkur	Sukkur Office, Near Olper Factory, Sukkur
Drink Well Pure Drinking Water	BWU-28	Sukkur	30-07-25	-	0.5 Liter	Mr. Rahib Ali, Rahib Mobile Shop, Sabzi Mandi, Sukkur	A Quality Product of ZT Enterprises Contact No. 0312-3405770
D Nova Pure Drinking Water	BWU-29	Sukkur	30-07-25	-	small	Mr. Javed Ahmed, New Bus Terminal, Sukkur	Jai Enterprises, Sindh Small Industries.
Ashaz	BWU-30	Sukkur	30-07-25	-	small	Mr. Kumar, Kastar Medical and General Store, Near Qasim Park, Sukkur Contact No. 0317-3571232	Sindh Small Industry Larkana Contact No. 0316-3680938
Hydra	BWU-31	Faisalabad	24-07-25	29-06-26	0.5 Liter	Mr. Irfan Gill, Gill Tuck Shop, GTS, Faisalabad Contact No. 0301-7190709	Hydra Beverages 208 RB, Faisalabad Contact No. 0300-7144264
Rise Drinkly	BWU-32	Faisalabad	24-07-25	25-06-26	0.5 Liter	Mr. Irfan Gill, Gill Pan Shop, GTS, Faisalabad Contact No. 0301-7190709	Life Bottled Drinking Water, Shop#03, Main Lower Canal Road, Faisalabad
Water Drop	BWU-33	Faisalabad	24-07-25	30-06-26	0.5 Liter	Mr. Ghulam Fareed, Luqman Tuck Shop, Main City Terminal, GTS, Faisalabad Contact No. 0306-4836267	Madina Town, Faisalabad Contact No. 0301-8666561



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Best Natural	BWU-34	Faisalabad	24-07-25	11-07-26	0.5 Liter	Azeem City Tuck Shop, Main City Terminal, GTS, Faisalabad Contact No. 0307-6733229	Bhatti Brothers G. T. Road, Rachna Town, Ferozwala. Contact No. 0300-8162109
Sky Rain	BWU-35	Faisalabad	24-07-25	10-06-26	0.5 Liter	Mr. Abbas Malik, Malik Arshad Tuck Shop, GTS, Faisalabad Contact No. 0301-7013710	Rai Traders 385-C, Pc#2, Faisalabad Contact No. 0300-0978788
Deer Drinking Water	BWU-36	Faisalabad	24-07-25	17-06-26	0.5 Liter	Umar Tuck Shop, Near Khan Cargo, GTS, Faisalabad	Deer Food 7 Km, East Canal Rd, Kashmir Bridge, Faisalabad.
Pure Flo	BWU-37	Lahore	03-09-25	-	1.5 Liter	Contact No. 0300-7860863	35-C, NFC Society, Phase-1, Lahore
Dosoni	BWU-38	Faisalabad	24-07-25	25-06-26	0.5 Liter	Azeem Ahmed Pan Shop, Larri adda, Faisalabad Contact No. 0300-2942525	MZ Enterprises, Plot IV-3/A, St#11, Manga Road, Lahore
Nestle Pure Life	BWU-39	Tandojam	23-07-25	-	0.5 Liter	Pioneer Bakery and Super General Store, Latifabad No.7, Hyderabad	Nestle Pakistan Ltd, Packages Mall, Shahrah e Roomi, Lahore
Dream Pure	BWU-40	Tandojam	23-07-25	-	0.5 Liter	Awan Sheeren, Sweet & Nimko Center, General Bus Stand, Badin Stop, Hyderabad.	Survey No: 212, Deh Konkar, Distt: Malir, Karachi
Fine Premium Drinking Water	BWU-41	Tandojam	23-07-25	-	0.5 Liter	Pioneer Bakery and Super General Store, Latifabad No.7, Hyderabad	Head Office:A-84, Tando Meer Ghulam Hussain, Unit No.9, Latif Abad, Hyderabad, Sindh
Oslo	BWU-42	Tandojam	23-07-25	-	0.5 Liter	Noor Medical & General Store, Opposite Civil Hospital, Hyderabad	Oslo International, 14 Ramzan Chamber, Dr. Bilomoria Street Off II Chandigarh Road, Karachi,
Pure Life	BWU-43	Tandojam	23-07-25	-	0.6 Liter	Noor Medical & General Store, Opposite Civil Hospital, Hyderabad	-
Aquafina	BWU-44	Tandojam	23-07-25	2026	0.5 Liter	Pioneer Bakery and Super General Store, Latifabad No.7, Hyderabad	Pakistan Beverage Ltd. Survey/212, Deh Konker, District Malir, Karachi
Vey	BWU-45	Tandojam	23-07-25	30-06-27	0.6 Liter	Noor Medical & General Store, Opposite Civil Hospital, Hyderabad	-



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Noble	BWU-46	Tandojam	23-07-25	-	0.5 Liter	Awan Sheeren, Sweet & Nimko Center, General Bus Stand, Badin Stop, Hyderabad	Tower Market, Hakeem Habib Road, Hyderabad
Afra	BWU-47	Tandojam	23-07-25	Dec 2026	0.5 Liter	Awan Sheeren, Sweet & Nimko Center, General Bus Stand, Badin Stop, Hyderabad	Coca Cola Beverages Pakistan Ltd. FCC Syed Mehtab Ali Road, Gul Baig, Lahore, Pakistan
Maa Jee	BWU-48	Tandojam	23-07-25	Dec 2026	0.5 Liter	Pioneer Bakery and Super General Store, Latifabad No.7, Hyderabad	Jacob Road, Hyderabad.
New Buxton	BWU-49	Hyderabad	25-07-25	-	0.5 Liter	Lakhair Karyana Store, Gulistan e Sajjad, Qasimabad, Hyderabad	Sindh National Industry, Fazal Sun City, Hyderabad
Gulf	BWU-50	Hyderabad	25-07-25	Dec 2026	0.5 Liter	Indus Mart, Jamshoro Road, Hyderabad	Octagulf International Trading, Burj Khalifa, UAE
Irhaa Drinking Water	BWU-51	Lahore	3-09-25		1.5 Liter	12-F1, Main Boulevard, Wapda Town, Lahore	193-Ali Center, Air Line Society, Khayaban-e-Jinnah, Lahore
Crystal Aqua	BWU-52	Hyderabad	25-07-25	-	0.5 Liter	GN Shah General Store, Gulistan e Sajjad, Hyderabad.	-
Aqua Splash	BWU-53	Peshawar	08-04-25	14-07-26	1.5 Liter	Collected from Manufacturing Point	Euro International Contact No.0334-9016051
Eagles Blue	BWU-54	Peshawar	08-04-25	20-04-26	1.5 Liter	Collected from Manufacturing Point	Eagle's Blue Water Contact No. 0300-5993380
Wah Water	BWU-55	Peshawar	08-04-25	20-06-26	1.5 Liter	Collected from Manufacturing Point	R&G Enterprises Contact No. 091-5830171
Natural Aqwah Water	BWU-56	Peshawar	08-04-25	07-07-26	1.5 Liter	Collected from Manufacturing Point	R&G Enterprises Contact No. 091-5830171
Moya Mineral Water	BWU-57	Peshawar	08-04-25	07-03-26	1.5 Liter	Collected from Manufacturing Point	Al-Saudi Enterprises Contact No. 0300-5902266
Bianca	BWU-58	Peshawar	08-04-25	31-07-26	0.5 Liter	Collected from Manufacturing Point	Bianca Beverages-Contact No.0301-0099502
Aab-e-Khyber	BWU-59	Peshawar	08-04-25	12-07-26	0.6 Liter	Collected from Manufacturing Point	I & S International Contact No. 0333-6864036
Nebraska	BWU-60	Peshawar	08-04-25	09-01-26	0.6 Liter	Collected from Manufacturing Point	Dew Point, Contact No. 03000708855
Aqua Pura Smart	BWU-61	Peshawar	08-04-25	25-02-26	0.6 Liter	Collected from Manufacturing Point	Khawaja & Sons



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Tynant Aqua Bottled Drinking Water	BWU-62	Peshawar	08-04-25	05-08-26	0.6 Liter	Collected from Manufacturing Point	Khawaja & Sons
Pivrifine	BWU-63	Peshawar	08-04-25	22-04-26	0.5 Liter	Collected from Manufacturing Point	Pivrifine Food and Beverages Contact No.0345-9422034
AS Pure Water	BWU-64	Gujranwala	13-08-25	15-06-26	1.5 Liter	Azan Cold Corner, Alipur Chowk, Gujranwala Contact No. 0302-8172568	High Food Company, Usman Colony, Aliabad, Gujranwala
Risa Mineral Water	BWU-65	Gujranwala	13-08-25	05-05-26	1.5 Liter	Naveed Pan shop, Chichar wali, Gujranwala, Contact No. 0322-2015167	Risam Beverages (Pvt) Ltd, Kharota Sayyedan Road, Sialkot
Ruha Water	BWU-66	Gujranwala	13-08-25	25-05-26	1.5 Liter	Bashir Panshop, Sialkot Bypass, Gujranwala Contact No.0342-8020158	Dera Jammu, Near Imtiaz Chattha Petroleum, Rasool Nagar Road, Gujranwala
Royal Pure Aqua	BWU-67	Gujranwala	13-08-25	07-07-26	1.5 Liter	Naveed Pan shop, Alam Chowk, Gujranwala Contact No.0300-4401557	Sultan Trader, Sardar Town, Sialkot Road, Gujranwala
Classic Aqua Bliss	BWU-68	Gujranwala	13-08-25	25-06-26	1.5 Liter	Rana Pan shop, GT Road, Nawab Chowk, Gujranwala Contact No. 0302-5223113	Butt Brothers, Alam Chowk, Gujranwala Contact No. 0304-9090774
Essantia	BWU-69	Islamabad	21-08-25	-	0.5 Liter	Mr. Shahid Mehmood, Burma Stop, Lehtrar Road, Islamabad, Pakistan Contact No. 0349-4400962	-
Soloney Nations Water	BWU-70	Islamabad	21-08-25	25-06-26	1.5 Liter	Mr. Raheem Khan, Plot No.2, Street 13, Ghouri Town, Islamabad Contact No. 0346-1565745	Pure Foods & Beverages Pvt Ltd
Fresh Life Premium Water	BWU-71	Islamabad	21-08-25	17-07-26	0.6 Liter	Mr. Muhammad Tariq, Pindorian Islamabad Contact No. 0311-0558670	-
Shalmani Qatar	BWU-72	Islamabad	21-08-25	-	6 Liter	Mr. Waleed Khan, Shalmani Plaza, Main Burmah, Pindorian, Islamabad Contact No. 0321-5303135	-
K&S Bottled Drinking Water	BWU-73	Islamabad	21-08-25	01-05-26	1.5 Liter	Mr. Masood Khan Contact No. 0300-6578719	48- F, P&V Scheme, Tarlai, Islamabad Contact No. 0312-5243646



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Pure Sip Premium Drinking Water	BWU-74	Islamabad	21-08-25	01-07-26	1.5 Liter	Mr. Zohaib Ibad Contact No. 0325-5762637	A Project by Falak Food & Beverages, Plot No.36, Street No. 13, Ghouri Town, Islamabad
Oxygen Plus	BWU-75	Islamabad	20-08-25	11-11-25	6 Liter	Collected from manufacturing point	Plot 86, Street 10, I-9/2, Islamabad
Al Mena	BWU-76	Islamabad	20-05-25	-	6 Liter	Mr. Muhammad Shabraiz	Main Japan Road, Opposite Jinnah Garden, Islamabad Contact No. 0318-1115252
Pure Aqua Blue	BWU-77	Islamabad	20-08-25	27-04-26	1.5 Liter	Mr. Muhammad Asad, Sarfaraz Plaza Basement, H-Extension Garden, Islamabad Contact No.0343-9888777	-
Rupal Water	BWU-78	Islamabad	20-08-25	05-08-26	1.5 Liter	Mr. Ahmed Ismail Khan, H- Ext, Soan Garden, Near Gate- 2, Zone 5, Islamabad	-
Aquvo	BWU-79	Islamabad	20-08-25	-	1.5 Liter	Mr. Anees Ahmed, Dhoke Shian, Japan Road, Islamabad Contact No. 0343-5030711	Processed & Packed by Aquvo, Service Road, Gangal East, Islamabad Contact No. 0315-8989999
Haideri Pure Water	BWU-80	Islamabad	20-08-25	15-07-26	0.6 Liter	Mr. Fazal Abbas, Block H, Soan Garden, Islamabad Contact No. 0345-5671539	-
Hydroplus	BWU-81	Islamabad	20-08-25	11-06-26	0.6 Liter	Mr. Subhan Ullah Contact No. 0348-9874175	Hydro Plus, Syeda Ayesha Manzil, H Block, Sawan Garden, Islamabad
Pk Unique Water	BWU-82	Lahore	04-09-25	-	0.5 Liter	Mr. Murtaza	PK Unique Water
Aqua Green	BWU-83	Islamabad	20-08-25	-	0.5 Liter	Mr. Abdullah Contact No. 0333-5591314	Aqua Green, Plot No.372 Japan Road, Naval Encourage, Gate No.5, Islamabad
Fresh Spring	BWU-84	Islamabad	20-08-26	25-06-26	0.5 Liter	Collected from manufacturing point	Fresh Spring Foods and Beverages Pvt Ltd, Plot No.156, Japan Road, Near Express Highway, Islamabad
Pacific	BWU-85	Islamabad	20-08-25	09-07-26	1.5 Liter	Mr. Aamir Bashir, Contact No. 0307-5433874	1 Km Japan Road, Zone V, Islamabad, A Product of Foods & Beverages Pvt Ltd



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Aqua Gleam	BWU-86	Islamabad	20-08-25	13-07-26	1.5 Liter	Mr. Ali Ijaz Contact No. 0336-0115299	Aqua Gleam Private Limited, Plot No.27-A, Block-H, Basement Hall, Zubair Plaza, Soan Garden, Islamabad
Raffino Premium	BWU-87	Islamabad	20-08-25	05-08-26	0.5 Liter	Mr. Muhammad Ishtiaq Malik Contact No. 0322-5252550	M-S Ani Foods and Beverages, Japan Road, Zone 5, P-O, Sihala, Islamabad Contact No. 0322-5252550
Sujo	BWU-88	Gilgit	04-08-25	-	1.5 Liter	Collected from Manufacturing Point	Salar Road, Jutial, Gilgit
Hunza Ulter Water	BWU-89	Gilgit	04-08-25	-	1.5 Liter	Collected from Manufacturing Point	Japan Chowk, Karimabad, Hunza
Frisk	BWU-90	Gilgit	04-08-25	-	1.5 Liter	Modern Kashmir Baker and Super Store, Konodass, Gilgit	Gulsher Colony, Konodass, Gilgit Pakistan, Contact No. 0336-5551070
Vividle	BWU-91	Gilgit	04-08-25	03-06-25	1.5 Liter	Nazar General Store, KIU Road, Konodass Gilgit, Contact No. 0355-8039989	Vividle Pvt limited Old China Bridge, Danyore, Gilgit
GB Pure	BWU-92	Gilgit	04-08-25	01-04-26	1.5 Liter	Collected From Manufacturing Point	Presented & Packed by Gilgit Baltistan Scouts Munawar Garrison
Seven Springs	BWU-93	Gilgit	07-08-25	-	1.5 Liter	Khalil and Brother Bakers, Near KIU, Gilgit	Zulfiqarabad, Khari Near RCC Bridge, Gilgit
Himalya Natural Spring Water	BWU-94	Gilgit	07-08-25	-	1.5 Liter	Nazar General Store, KIU Road, Konodass, Gilgit, Contact No. 0355-8039989	Karakoram International University, Konodass, Gilgit
Eva Sparkle	BWU-95	Gilgit	07-08-25	-	1.5 Liter	Collected From Manufacturing Point	Presented & Packed by Eva Sparkle
Aqua Way	BWU-96	Gilgit	07-08-25	-	1.5 Liter	Collected From Manufacturing Point	Post Office Road, Chilas, District Diamer
Blue Gold	BWU-97	Gilgit	07-08-25	-	1 Liter	Baba-e-Yasin General Store, Saddar Bazar, Gilgit	Punial Chowk, Amphari, Gilgit
Peaks Pure	BWU-98	Gilgit	07-08-25	-	0.5 Liter	Collected From Manufacturing Point	Processed & Packed by Peaks Pure Pvt Ltd, NLI Market Gilgit
Riva Premium Health Water	BWU-99	Karachi	31-07-25	-	0.5 Liter	Ojha Campus, Main Suparco Road, KDA Scheme, Karachi	Dow University Of Health Science
Hafiz Pure Drinking Water	BWU-100	Karachi	30-07-25	-	0.5 Liter	Hafiz Bakers & Sweets Shop, Main Malir-15, Khi	Hafiz Sweets



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Aab-e Dubai	BWU-101	Karachi	30-07-25	04-08-26	0.5 Liter	Plot No-A-79, Industrial Area, Malir, Karachi	Aab-e-Dubai, Alpina Water Company
Nagori	BWU-102	Karachi	30-07-25	-	0.5 Liter	M. Ayoub Pharmacy, Bhains Colony, More Bin Qasim, Malir, Karachi	Nagori, R-597, Sector-17A, Shah Latif
Jel	BWU-103	Karachi	30-07-25	04-12-26	0.6 Liter	Plot No. A-79, Industrial Area, Malir, Karachi	Mega Fine Industries
Pure Drinking Water	BWU-104	Karachi	31-07-25	-	0.6 Liter	Good Luck Pan Shop, Jama Cloth Market, Karachi	-
Urooj Pure Drinking Water	BWU-105	Karachi	30-07-25	-	0.6 Liter	Aamir General Store, Opp. Gate Cantt No. 06, Malir, Karachi	-
Aqua King	BWU-106	Karachi	31-07-25	June 2026	0.6 Liter	Insaaf General Store, Jewani Heights, Main Super Highway Road, Karachi	Hpe, Plot No.60. Sector-51, Super highway
Premium Drinking Water	BWU-107	Karachi	31-07-25	06-07-26	0.6 Liter	Fazal Rabi Milk Shop, Ayoub Goth Near PCSIR Lab, Karachi	-
Pure Aqua	BWU-108	Karachi	31-07-25	-	0.5 Liter	Humayun General Store, Al-Falah Road, Street No:14, Bihar Colony, Lyari, Karachi	-
Sunlay Premium Drinking Water	BWU-109	Karachi	30-07-25	-	0.6 Liter	Ghosia Store, Near Aziz Manzil Building, Civil Hospital Gate, Karachi	Hani Patel Enterprises
Pakola Pure Drinking Water	BWU-110	Karachi	31-07-25	11-07-26	0.5 Liter	Pakistan Super General Store, Opp. Malir Cantt, Gate No:06, Karachi	Mehran Bottles (Pvt) Ltd
Fresh Aqua	BWU-111	Karachi	31-07-25	-	0.6 Liter	National Medicos, Near Civil Hospital Emergency Gate, Karachi	-
Bake Parlor	BWU-112	Karachi	30-07-25	-	0.5 Liter		-
Asia Healthy Drinking Water	BWU-113	Karachi	30-07-25	-	0.5 Liter	Al-Naseeb Dairy & Ice Cream Shop. Sector-19B, Shah Latif Bin Qasim Road, Karachi	Plot No. G-15, Malir Industry Area, Nad e Ali Stop, Karachi
Eltsen	BWU-114	Karachi	31-07-25	-	0.6 Liter	Motyani Medical & General Store, Opp. Civil Hospital Opp. Gate, Karachi	-



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Aab-e-Sehat Pure Drinking Water	BWU-115	Karachi	31-07-25	-	0.6 Liter	Zain Pharmacy, Shop No: 16, Pioneer Duplex, Main Mosmiyat, Karachi	-
Aqua Best	BWU-116	Karachi	30-07-25	-	0.5 Liter	Hassan Zia & Juice Shop, Shah Latif 19B Sector, Bin Qasim, Malir, Karachi	Aqua Best Company
Al Masafi	BWU-117	Karachi	30-07-25	-	0.6 Liter	Two Friend General Store, Near Nadra Office, Malir, Karachi	Al- Masafi Foods, Plot No:532, Malir City
Aqua Amanzi	BWU-118	Lahore	04-09-25	-	6 Liter	Mr. Salman Malik, 193-Ali Center, Airline Society Khyaban-e-Jinnah, Lahore, Contact No. 0323-4134969	31-B, Mian Shershah Colony, Raiwind Road, Lahore
Oyster	BWU-119	Karachi	31-07-25	-	0.6 Liter	Haji Hafeez Ice Depo, Jona Market, Lea market, Karachi	-
Aab-e-Mughal	BWU-120	Karachi	31-07-25	-	0.6 Liter	Good Luck Pan Shop, Jama Cloth Market, Karachi	-
Vey	BWU-121	Karachi	31-07-25	06-08-27	0.6 Liter	F-45, Site II, Super Highway, Karachi	Vey Water
Maya Premium Drinking Water	BWU-122	Karachi	30-07-25	-	0.6 Liter	Bismillah Pan Shop, Malir Bus Stop, Lea market, Karachi	-
Purifa	BWU-123	Karachi	31-07-25	-	0.6 Liter	Motyani Medical & General Store, Opp. Civil Hospital Opp. Gate, Karachi	-
Safa Pure Drinking Water Plus	BWU-124	Islamabad	26-08-25	-	6 Liter	Collected from Manufacturing Point	Park View Road, Malot, Islamabad Contact No. 0333-5146455
Deosai	BWU-125	Islamabad	26-08-25	-	1.5 Liter	Collected from Manufacturing Point	Mr. Abrar, Mohammadi Town, Near Islamabad Expressway, Islamabad, Contact No. 0311-5127272
Mist Water	BWU-126	Lahore	3-09-25	-	1.5 Liter	Contact No. 0322-2922279	443-J-3, Johar Town, Lahore
Calci Dew	BWU-127	Islamabad	26-08-25	21-06-26	1.5 Liter	Mr. Muhammad Akbar Contact No. 0343-7532983	Plot No.3, Khasra No. 659 Sohan, Near Khalid Bin Waleed Masjid, Federal Area, Sohan, Islamabad



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Marwa Green Water	BWU-128	Islamabad	26-08-25	29-06-26	1.5 Liter	Collected from Manufacturing Point	Mushtaq Hussain, Street No.4, Al Qasim Masjid Street, Sohan Contact No. 0333-5369802
Maple Plus	BWU-129	Islamabad	26-08-25	07-05-26	1.5 Liter	Mr. Sohail Ahmed, Sohan, Islamabad Contact No. 0306-5252882	Maple Dew Purification Plant, Fahad Bin Zafar Road, Westridge 3, Rawalpindi
Spark Plus	BWU-130	Islamabad	26-08-25	21-07-26	0.5 Liter	Collected from Manufacturing Point	Hamza Khan, Al Qasim Street, Near Hascol Petrol Pump, Sohan, Islamabad Contact No. 0333-5808931
Seven Streams	BWU-131	Islamabad	26-08-25		6 Liter	Collected from Manufacturing Point	Mr. Muhammad Afzal Muzammil, Iqbal Town, Service Road, Islamabad Contact No. 0336- 5508006
Purified H₂O	BWU-132	Islamabad	26-08-25	19-07-26	0.5 Liter	Collected from Manufacturing Point	Mr. Ijaz Ahmed, Al Hajj Hukam Dad Road, Sohan Contact No. 0344-9898803
Klear Bottled Drinking Water	BWU-133	Sargodha	08-08-25	11-07-26	0.5 Liter	Bismillah General Store, General Bus Stand, Sargodha, Contact No. 0308-4822401	Ghani Park, Pull #03, Sargodha.
Smart Water	BWU-134	Sargodha	08-08-25	01-05-26	0.5 Liter	Mashallah General Store, Bus Stand, Sargodha, Contact No. 0348-6793238	Chak No. 89-SB, Sargodha, Contact No. 0303-3251644.
Ziist Bottled Drinking Water	BWU-135	Sargodha	08-08-25	01-06-26	0.5 Liter	Taha General Store, Qanchi More, Sargodha, 0341-7631866	Chak No. 88-Sb, Sargodha, Contact No. 0306-7864441
New Pak Bottled Drinking Water	BWU-136	Sargodha	08-08-25	21-06-26	0.5 Liter	Cheena General Store, 47-Adda, Sargodha Contact No. 0308-4852240	Street No. 03, Azeem Market, Sargodha Contact No. 0300-7818013
National Bottled Drinking Water	BWU-137	Sargodha	08-08-25	29-05-26	0.5 Liter	Imran General Store, Noori Gate, Sargodha Contact No. 0313-6064274	Boorat Group of Companies, Faisalabad Road, Sargodha, Contact No. 0308-5228890.
Safi	BWU-138	D.I.Khan	09-08-25	-	0.5 Liter	Mr. Dost Muhammad, Grid Road, Dera Ismail Khan Contact No. 0333-836-0333	Darwaish Foods & Beverages



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Al Muflihoon	BWU-139	D.I.Khan	09-08-25	-	0.5 Liter	Faridullah Shah, Green Town, Phase 2, Grid Road, D.I. Khan Contact No. 0336-996-4546	FST Enterprises
Aquafina	BWU-140	Bahawalpur	29-08-25	14-04-26	0.5 Liter	M/S Mosa Cash & Care, Gulberg Road, Bahawalpur Contact No. 0304-0435887	PepsiCo Pvt (Ltd)
Nestle Pure Life	BWU-141	Bahawalpur	29-08-25	Jan 2026	0.5 Liter	M/S Mosa Cash & Care, Gulberg Road, Bahawalpur Contact No. 0304-0435887	Nestle Foods Pvt (Ltd)
Starlite	BWU-142	Bahawalpur	29-08-25	14-07-26	0.5 Liter	M/S Al-Khair Pharmacy, Opp. BVH Bahawalpur Contact No. 0302-7867225	Starlite Bottled Drinking Water, Near Zakriya Town, Canal Road, Deewan Pull, Bahawalpur
Natural Pure Life	BWU-143	Bahawalpur	29-08-25	07-07-26	0.5 Liter	M/S Al-Hamad Pharmacy, Model Town Road, Bahawalpur Contact No. 0302-7390422	Usman Water Company (Muhammadsaleemanjamsla16772@Gmail.Com)
Pineo	BWU-144	Bahawalpur	29-08-25	09-07-26	0.5 Liter	M/S Al-Rehman Pharmacy Opp. BVH, Bahawalpur Contact No. 0300-81611960	Gyzing Pak, Small Industrial Estate, Bahawalpur
Asas	BWU-145	Bahawalpur	29-08-25	12-06-26	0.5 Liter	M/S Abdullah Perfumes Opp. BVH, Bahawalpur Contact No. 0306-3363101	Egro Enterprises, Behind Punjab College, Yazman Road, Bahawalpur
Gourmet	BWU-146	Bahawalpur	29-08-25	17-02-26	0.6 Liter	M/S Gourmet Sweet & Bakers, Bahawalpur Contact No. 0301-7879724	Gourmet Food, Lahore
Isberg	BWU-147	Sialkot	12-09-25	10-10-25	0.5 Liter	Collected from Manufacturing Point	Premier Water Refining Company, Rotas Road, Dhabola, Sialkot, Pakistan Contact No. 0321-6147487
Dubai Water	BWU-148	Sialkot	11-09-26	10-05-26	0.5 Liter	Cheema Traders, Sabzi Mandi Contact No. 0300-7157495	Processed & Packed by Dubai Water, Madina Town Near Punjab College, Daska Contact No 0319-1463404
Aqua Zam	BWU-149	Sialkot	12-09-25	01-06-26	0.5 Liter	Jamat Ali Tea Stall, China Chowk Contact No. 0300-6116750	Processed and Packed by Aqua Zam Water



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Awan Crystal	BWU-150	Sialkot	11-09-26	01-06-26	0.5 Liter	Adnan Jutt Pan Shop, Appu Garh Contact No. 0324-6118061	Processed &Packed by Awan Crystal Water, Bheer Near Adda Stop, Daska, Sialkot Contact No 0300-6104270
RSP	BWU-151	Sialkot	11-09-25	05-08-26	0.5 Liter	Data Traders, Sabzi Mandi, Sialkot Contact No. 0310-7329253	Processed &Packed by RSP Traders, Main Badian Road, Heir Lahore Cantt Contact No 0322-2267000
Al Shalal	BWU-152	Sialkot	11-09-26	01-09-26	0.5 Liter	Usama Pan Shop, Deewana Wala Chowk, Contact No. 0300-8615430	Mudassar Shaheed Road, Sialkot Contact No. 0334-5838532
Aqua Nice Pure Life	BWU-153	Sialkot	11-09-25	01-05-26	0.5 Liter	Mr. Asif Daburji, Malliyan, Contact No. 0337-7561326	-
Aqua Royals	BWU-154	Sialkot	11-09-25	01-05-26	0.5 Liter	Bismillah Tea Stall, Near 1122 Office, Sialkot, Contact No. 0308-8064654	Langray Wali, Kingra Road, Sialkot Contact No. 0092-3136668883 Email:Im666888@Gmail.com
Rainbow	BWU-155	Sialkot	12-09-25	01-08-26	1.5 Liter	Mr. Furqan, Orange Café, Defense Road, Sialkot, Contact No. 0306- 9988002	Processed & Packed by Rainbow Drinking Water, Near Astana Sachi Sarkar, Harrar Shareef, Sialkot Contact No. 0304-1758179
Masafi Pure	BWU-156	Sialkot	12-09-25	01-09-26	0.5 Liter	Chaudhary Sweets & Bakers, Roras Road Chowk, Sialkot Contact No. 0310-7291698	Akbaran Abad, Chowk Sialkot
Hydr8 Up Eco Quench	BWU-157	Sialkot	12-09-25	24-07-26	0.5 Liter	Ali Zain Bakery Contact No. 0311-2099939	Processed &Packed by Eco –Quench Drinking Water Company, Airport Road, Kapoor Wali, Sialkot
Marine Global	BWU-158	Sialkot	12-09-25	20-08-26	0.5 Liter	Bhatti Tuk Shop, Larri Adda, Sialkot Contact No. 0342-2080003	Processed &Packed by Marine Global International Co Pvt Ltd, Office No.14-A, Gujjar Business Centre, G.T Road, Wazirabad, Pakistan, P. O. Box No.52000



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Q Water	BWU-159	Sialkot	12-09-25	01-07-26	0.5 Liter	Haider Pan Shop, Murad Pur, Sialkot Contact No. 0300-7142597	Processed & Packed by Gohadpur, Near Dubai Chowk, Airport Road, Gohadpur, Sialkot Contact No. 0315-0777909
Bezoya Natural Mineral Water	BWU-160	Sialkot	11-09-25	25-06-26	0.5 Liter	Cheema Traders, Sabzi Mandi, Sialkot Contact No. 0300-7157495	Gujrat Road, Bhimber Azad Kashmir
K&S Aqua Sea	BWU-161	Sialkot	11-09-25	-	0.5 Liter	Collected from Manufacturing Point	Product Of K&S Pvt Ltd, A-22847, Dalowali, Naya Mallay Chak Road, Sialkot
Gold Aqua Drinking Water	BWU-162	Sialkot	11-09-26	20-08-26	0.5 Liter	Data Traders, Sabzi Mandi, Sialkot Contact No. 0310-7329253	Processed and Packed by Gold Aqua Enterprises, Mudassar Shaheed Road, Sialkot Contact No 0334-5838532
Puriffine	BWU-163	Sialkot	15-09-25	07-07-26	0.5 Liter	Mr. Furqan, Orange Caf�, Defense Road, Sialkot, Contact No. 0306- 9988002	-
Bliss Healthy Life	BWU-164	Sialkot	12-09-25	20-07-26	0.5 Liter	Anjum Pan Shop, Godh Pur, Sialkot Contact No. 0310-7379950	Filled by Bliss Water, Gunna Kalan Industrial Area, Pasroor Road, Sialkot Contact No. 0300-1718777
Myth Pure Life	BWU-165	Sialkot	12-09-25	20-08-26	0.5 Liter	A-One Fruit Chat, Pul Aik, Sialkot Contact No. 0300-9622878	Processed and Packed by Myth Pure Life, Sialkot, Pakistan Contact No. 0344-6808000
Aqua Next Bottled Drinking Water	BWU-166	Sialkot	15-09-25	01-09-26	0.5 Liter	Lala Zar Chowk, Sialkot	Processed and Packed by Pwani Company Address, Raja Road, Behind Yorkshire Restaurant
Nuzzle Fresh Water	BWU-167	Quetta	05-08-25	-	1.5 Liter	Kamran Store, BMC, Quetta	-
Trust Drinking Water	BWU-168	Lahore	04-09-25	-	1.5 Liter	Azam 443-J-3, Johar Town, Lahore	803-G, Q-B Block, Model Town, Lahore
Sobi Aqua Premium Drinking Water	BWU-169	Quetta	05-08-25	30-12-25	1.5 Liter	Haq Baho Juice Center, Near Saleem Medical Complex, Quetta	Sobi Aqua, Sirki Road, Quetta. Contact No. 0300-3700462
Aqua Nest	BWU-170	Multan	08-09-25	04-08-26	0.5 Liter	Mr. Bilal Farid, Bilal Medical Store, Old Shuja Abad Road, Multan, Contact No. 0300-7862299	Kainat Water Company, Garden Town, Sher Shah Road, Multan



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Premium Safa Purified Water	BWU-171	Multan	08-09-25	08-08-26	0.6 Liter	Hamza Jazz Cash & Easy Paisa Store, Old Shuja Abad Road, Multan Contact No. 0327-8864796	Danish, Chowk Shah Abbas, Multan Contact No. 0311-7125125
Piyo Pani Bottled Drinking Water	BWU-172	Multan	08-09-25	16-08-26	0.5 Liter	Ghousia Karyana Store, Old Shuja Abad Road, Multan	Brothers & Unbity Food & Beverages, Opposite Ghalla Mandi, Multan
Universal Bottled Drinking Water	BWU-173	Multan	08-09-25	30-06-26	0.5 Liter	Sadiq Karyana Store, Main Market, Mumtaz Abad, Multan	Universal Water, Plot No. 182, Industrial Estate, Multan
Aqua Plus Bottled Drinking Water	BWU-174	Multan	08-09-25	19-08-26	0.5 Liter	Healthy Water Shop, Main Market, Mumtaz Abad, Multan Contact No. 0313-6055562	Aqua Plus Drinking Water, House No. 121, St No. 06, Officer Town Near BZU, Multan
Classic	BWU-175	Multan	08-09-25	07-10-26	0.6 Liter	Hi-Tech Medicine Company, Old Shuja Abad Road, Multan	Classic, Industrial Estate No. 01, Multan Contact No. 111-55-77-55
Honey Bottled Drinking Water	BWU-176	Multan	08-09-25	20-06-26	0.5 Liter	Bismillah Bakery, Old Shuja Abad Road, Multan	Sheikh Food & Beverages, Souaj Kund, Near Kosar Oil Mills Road, Multan Contact No. 0300-1006383
Narol	BWU-177	Sialkot	15-09-25	01-09-26	0.5 Liter	Rehman Sweets, Dalowali, Sialkot. Contact No. 0346-0875262	Gujranwala, Sialkot By-Pass
Frost Water	BWU-178	Sialkot	15-09-25	01-07-26	0.5 Liter	Kamman Wali, Sialkot	Rehman Pura, Ban Phatak, Sialkot
Arwa Pak Bottled Drinking Water	BWU-179	Sialkot	12-09-25	19-08-26	0.5 Liter	New Siraj Pharmacy, Shahab Pur Chowk, Sialkot, Contact No. 052-3256668	Fateh Garh Sialkot
Aqua Royals	BWU-180	Sialkot	12-09-25	-	0.5 Liter	Collected from Manufacturing Point	PFA Licence: SKT/M-C/72853416 Contact No. +92-313-6668883 EMAIL:Im666888@gmail.com
Lasani	BWU-181	Sialkot	12-09-25	09-08-26	0.5 Liter	A-One Fruit Chat, Bismillah Chowk, Sialkot, Contact No. 0347-0695587	China Chowk, Hockey Stadium, Sialkot
Pure Aqua Tech	BWU-182	Sialkot	15-09-25	01-06-26	0.5 Liter	Waseem Pan Shop, Haji Pura Road, Sialkot	-
Athar Premium	BWU-183	Sialkot	21-01-25	01-01-26	0.5 Liter	Super A One Dahi Balay, Defense Road, Sialkot, Contact No. 0302- 3974786	Ajwa Rice, Haji Pura Road, Sialkot



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Glacial Water	BWU-184	Lahore	04-09-25	-	6 Liter	Contact No. 0332-4665016	Model Town, 420-G, Block Q, Lahore
Lapani Bottled Drinking Water	BWU-185	Sialkot	15-09-26	09-08-26	0.5 Liter	Faisal Pan Shop, Shahab Pura Chowk, Sialkot, Contact No. 0300-6191674	Jamkay Cheema, Min Gala Mandi Road, Sialkot
Icwell Bottled Drinking Water	BWU-186	Sialkot	15-09-25	09-08-26	0.5 Liter	Tauseef Medical Store, Lala Zar Chowk, Sialkot	Airport Road, Amreek Pura, Sialkot
Aqua Treat	BWU-187	Sialkot	15-09-25	08-09-26	0.5 Liter	Tajdare Madina Traders, Dalowali, Sialkot, Contact No. 0323-9996041	Bajra Gari, Kingra Road, Sialkot
Arwa Water	BWU-188	Quetta	05-08-25	01-01-27	1.5 Liter	Khyber Pharmacy, Quetta	M/S Arwa Bottled Water
Iceland	BWU-189	Quetta	05-08-25	22-04-26	1.5 Liter	GN Shah Opp: BMC, Quetta	M/S Iceland Water 02, 1st Floor, Gul Plaza, Shahbaz Town Phase I, Quetta. Contact No. 081-2004761-62
Mauz Aqua	BWU-190	Quetta	05-08-25	-	1.5 Liter	Khyber Pharmacy, Quetta	M/S Mauz, Aqua Main Bypass Road, Nawa Killi Quetta Contact No. 0300-3879641
Freshley Bottled Drinking Water	BWU-191	Sahiwal	26-08-25	05-08-26	0.6 Liter	Sajid Ali / Sajid Cold Corner, Jogi Chowk, Sahiwal. Contact No. 0302-6539389	Arifwala Road, Pak Food Water, Bahawalnagar
Wolga Bottled Drinking Water	BWU-192	Sahiwal	26-08-25	-	0.5 Liter	Muhammad Qasam/ Qasam Tuk Shop, High Street Road, Sahiwal. Contact No. 0302-3592456	Mehboob Enterprize, 7-Km Burewala Road, Chichawatni
Freshin	BWU-193	Sahiwal	26-08-25	07-07-26	0.6 Liter	Safdar Ali / Fridi Cold Drink- Bus Stand, Jogi Chowk, Sahiwal Contact No. 0302-2567183	F.R Food, Jevan City, Phase 1, Sahiwal
Clear	BWU-194	Sahiwal	26-08-25	25-05-26	0.6 Liter	Abdul Hanan/ Hanan Medical Store, Mission Chowk, Sahiwal Contact No. 0302-5592051	Hussain, Agro Food Industry, Sahiwal
Super National Bottled Drinking Water	BWU-195	Sahiwal	26-08-25	07-07-26	0.5 Liter	Super National Water, Chowk Attani, Chichawatni	Salman/ Al-Ghaffar Cold Corner, Mission Chowk, Sahiwal Contact No. 0306-6939775
Aqua Packed	BWU-196	Sahiwal	26-08-25	20-07-26	0.5 Liter	Muhammad Shoaib/ Butt General Store, Mission Chowk, Sahiwal, Contact No. 0300-9696808	New Abadi, Beside Madina Masjid, Jhal Road, Sahiwal



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Drinklay	BWU-197	Lahore	02-09-25	-	1.5 Liter	Mr. Ramzan, 843-F, Jubli Town, Lahore	843-F, Jubli Town, Lahore
Sufi Water	BWU-198	Lahore	02-09-25	-	1.5 Liter	Contact No. 0300-4706286	1-B Garden Block, Garden Town, Lahore
Jami Water	BWU-199	Lahore	02-09-25	-	0.6 Liter	M. Ali, 1-B Garden Block, Garden Town, Lahore. Contact No. 0300-4576133	318, K-2, Wapda Town, Lahore
Murree Sparkletts	BWU-200	Lahore	02-09-25	-	0.5 Liter	M. Naeem, 318, K-2, Wapda Town, Lahore	Plot #. 10/2, Phase-III, Industrial Estate, Hattar
Erie Water	BWU-201	Lahore	02-09-25	-	1.5 Liter	Contact No. 0301-5182132	99-C2, Punjab Society, Lahore
Klinz	BWU-202	Lahore	03-09-25	-	1.5 Liter	Arsalan A-One Pan Shop, Basharat Chowk, Architect Society, Lahore Contact No. 0303-3296996	Klinz, Plot #. 10/A, Punjab Small Industrial Estate, Lahore
OOS Water	BWU-203	Lahore	03-09-25	-	1.5 Liter	Majid Hanif, 99-C2, Punjab Society, Lahore	Shanshah Town, Main Raiwind Road, Adda Plot, Lahore
Aqua Zoom	BWU-204	Lahore	03-09-25	-	1.5 Liter	Contact No. 0303-6663594	"12-F1, Main Boulevard Wapda Town, Lahore
Dasani	BWU-205	Lahore	03-09-25	-	0.5 Liter	Klinz, Plot #. 10/A, Punjab Small Industrial Estate, Lahore Contact No. 0321-4751111	Contact No. 0322-2922279



WATER QUALITY PARAMETERS AND METHODS USED FOR ANALYSIS

Sr. #	PARAMETERS	ANALYTICAL METHOD
1.	Alkalinity (mg-l as CaCO ₃)	2320-B, Titration Method (APHA-24 th edition)
2.	Arsenic (ppb)	AAS Vario 6, Analytik Jena AG
3.	Bicarbonate	2320-B, Titration Method (APHA-24 th edition)
4.	Calcium (mg-l)	3500-Ca, EDTA Titrimetric method (APHA-24 th edition)
5.	Carbonate (mg-l)	2320-B, Titration Method (APHA-24 th edition)
6.	Chloride (mg-l)	4500-cl, Argentometric method (APHA-24 th edition)
7.	Color (TCU)	Sensory Test
8.	Conductivity (μS-cm)	E.C meter, BANTE-890, 2510-B (APHA-24 th edition)
9.	Hardness (mg-l)	2340-C, EDTA Titrimetric method (APHA-24 th edition)
10.	Magnesium (mg-l)	3500-Mg (Calculation Method), APHA-24 th edition
11.	Nitrate Nitrogen (mg-l)	Cd. Reduction (Hach-8171) by Spectrophotometer
12.	Odor	Sensory Test
13.	pH	pH Meter, Hanna Instrument, Model 8519, Italy
14.	Potassium (mg-l)	3500-K, (APHA-24 th edition)
15.	Sodium (mg-l)	3500-Na, (APHA-24 th edition)
16.	Sulfate (mg-l)	4500- SO ₄ ²⁻ , (APHA-24 th edition)
17.	Phosphate (mg-l)	8190 and 8048 (Hach)
18.	Taste	Sensory Test
19.	TDS (mg-l)	E.C meter, BANTE-890, 2510-B (APHA-24 th edition)
20.	Turbidity (NTU)	Turbidity Meter , 2510-B (APHA-24 th edition)
21.	Fluoride (mg-l)	4500-F, SPADNS method
22.	Iron (mg-l)	FerroVer method (HACH Cat. 21057-69)
23.	Total Coliforms(CFU-100ml)	9221-B,C&D, (APHA-24 th edition)
24.	E. coli (CFU-100ml)	9221-B,C&D, (APHA-24 th edition)



WATER QUALITY PERMISSIBLE LIMITS FOR BOTTLED WATER

Sr. #	Parameter	Units	Permissible Limits		
			WHO	IBWA	PSQCA
1.	Alkalinity	(mg-l)	NGVS	NGVS	NGVS
2.	Bicarbonate	(mg-l)	NGVS	NGVS	NGVS
3.	Calcium	(mg-l)	NGVS	NGVS	100
4.	Carbonate	(mg-l)	NGVS	NGVS	NGVS
5.	Chloride	(mg-l)	250	250	250
6.	Color	(TCU)	15	NGVS	5
7.	Conductivity	(μ S-cm)	NGVS	NGVS	NGVS
8.	Fluoride	(mg-l)	1.5	3	0.7
9.	Hardness	(mg-l)	NGVS	NGVS	NGVS
10	Iron	(mg-l)	0.3	0.3	0.3
11.	Magnesium	(mg-l)	NGVS	NGVS	50
12.	Odor	-	Odorless	NGVS	Unobjectionable
13.	Nitrate-N	(mg-l)	10	10	10
14.	pH	-	6.5-8.5	NGVS	6.5-8.5
15.	Potassium	(mg-l)	NGVS	NGVS	10
16.	Sodium	(mg-l)	200	NGVS	50
17.	Sulfate	(mg-l)	250	250	250
18.	Taste	-	Unobjectionable	NGVS	Unobjectionable
19.	TDS	(mg-l)	1000	500	500
20.	Turbidity	(NTU)	5	NGVS	0.5
21.	Phosphate	(mg-l)	NGVS	NGVS	NGVS
22.	Arsenic	(μ g-l)	10	10	10
23.	Total Coliforms	CFU-100ml	0	0	0
24.	E-Coli	CFU-100ml	0	0	0

WHO World Health Organization
IBWA International Bottled Water Association
PSQCA Pakistan Standards and Quality Control Authority



SUMMARY OF RESULTS OF PCRWR MONITORING

Contaminants of Potential Concerns Found in Bottled Water Brands

Sodium: Safe Limit : 50 parts per million (ppm)					
Sr. No	Brand Name	Code	City of Manufacturing	Unit	Results
1.	Pure drinking water	BWU-104	Collected from Karachi	ppm	200
2.	Premium drinking water	BWU-107	Collected from Karachi	ppm	74
3.	Eltsen	BWU-114	Collected from Karachi	ppm	80
4.	Purifa	BWU-123	Collected from Karachi	ppm	110

TDS : Safe Limit : (500 parts per million (ppm))					
Sr. No	Brand Name	Code	City of Manufacturing	Unit	Results
1.	Pure drinking water	BWU-104	Collected from Karachi	ppm	679
2	Purifa	BWU-123	Collected from Karachi	ppm	548

Bacteriological: (Total Coliforms , Fecal Coliforms & E Coli) (Safe Limit: 0-100ml)					
Sr. No	Brand Name	Code	City of Manufacturing	Results	
				Total Coliforms (CFU-100ml)	E. Coli (CFU-100ml)
1.	A2Z Pure Drinking Water	BWU-10	Collected from Badin	06	Negative
2.	New Mehran	BWU-13	Badin	08	Negative
3.	Zalmi	BWU-16	Badin	14	Negative
4.	Pure Life	BWU-20	Collected from Badin	08	Negative
5.	Deer Drinking Water	BWU-36	Faisalabad	10	Negative
6.	Dream Pure	BWU-40	Karachi	06	Negative
7.	Gulf	BWU-50	Collected from Hyderabad	12	Negative
8.	Crystal Aqua	BWU-52	Collected from Hyderabad	16	Negative
9.	Ruha Water	BWU-66	Gujranwala	08	Negative
10.	Pure Drinking Water	BWU-104	Collected from Karachi	14	Negative
11.	Premium Drinking Water	BWU-107	Karachi	06	Negative
12.	Fresh Aqua	BWU-111	Collected from Karachi	08	Negative
13.	Asia Healthy Drinking Water	BWU-113	Karachi	10	Negative
14.	Isberg	BWU-147	Sialkot	08	Negative
15.	Lasani	BWU-181	Sialkot	06	Negative
16.	Wolga	BWU-192	Sahiwal	14	Negative
17.	Maya Premium Drinking Water	BWU-122	Collected from Karachi	06	Negative



Arsenic: Safe Limit : (10 parts per billion (ppb))					
Sr. No	Brand Name	Code	City of Manufacturing	Unit	Results
1.	Natural Pure Life	BWU-143	Bahawalpur	ppb	33.46
2.	Aqua Nest	BWU-170	Multan	ppb	29.07
3.	Premium Safa Purified Water	BWU-171	Multan	ppb	12.00
4.	Piyo Pani Bottled Drinking Water	BWU-172	Multan	ppb	31.33
5.	Volga	BWU-192	Sahiwal	ppb	22.8

Potassium: Safe Limit: (10 parts per million (ppm))					
Sr. No	Brand Name	Code	City of Manufacturing	Unit	Results
1	My Pure Water	BWU-15	Collected from Badin	ppm	12
2	Smart Pure Life	BWU-23	Collected from Sukkur	ppm	14

PCRWR TESTING: SAFE BRANDS

Sr. No	Brand Name	Code	Quality (Safe-Unsafe)	
			Chemical	Microbiological
1.	Aqua Pura	BWU-01	Safe	Safe
2.	Aab-e-Kashmir	BWU-02	Safe	Safe
3.	Imma	BWU-03	Safe	Safe
4.	Dew drop	BWU-04	Safe	Safe
5.	Springley	BWU-05	Safe	Safe
6.	Aqua Slim	BWU-06	Safe	Safe
7.	Bro H2O	BWU-07	Safe	Safe
8.	Aab-e-Haram	BWU-08	Safe	Safe
9.	Aqua 111	BWU-09	Safe	Safe
10.	Popupar H2ope	BWU-11	Safe	Safe
11.	Fresh Smart	BWU-12	Safe	Safe
12.	Dhoom	BWU-14	Safe	Safe
13.	Florina	BWU-17	Safe	Safe
14.	Pearl	BWU-18	Safe	Safe
15.	Volga	BWU-19	Safe	Safe
16.	Aab-e-Dhoom	BWU-21	Safe	Safe
17.	Eva	BWU-22	Safe	Safe
18.	Heaven H2O	BWU-24	Safe	Safe
19.	Pure Prime	BWU-25	Safe	Safe
20.	Salsabeel	BWU-26	Safe	Safe
21.	Miran Drinking Water	BWU-27	Safe	Safe
22.	Drink Well Pure Drinking Water	BWU-28	Safe	Safe
23.	D Nova Pure Drinking Water	BWU-29	Safe	Safe
24.	Ashaz	BWU-30	Safe	Safe
25.	Hydra	BWU-31	Safe	Safe
26.	Rise Drinkly	BWU-32	Safe	Safe
27.	Water Drop	BWU-33	Safe	Safe
28.	Best Natural	BWU-34	Safe	Safe
29.	Sky Rain	BWU-35	Safe	Safe



Sr. No	Brand Name	Code	Quality (Safe-Unsafe)	
			Chemical	Microbiological
30.	Pure Flo	BWU-37	Safe	Safe
31.	Dosoni	BWU-38	Safe	Safe
32.	Nestle Pure Life	BWU-39	Safe	Safe
33.	Fine Premium Drinking Water	BWU-41	Safe	Safe
34.	Oslo	BWU-42	Safe	Safe
35.	Pure Life	BWU-43	Safe	Safe
36.	Aquafina	BWU-44	Safe	Safe
37.	Vey	BWU-45	Safe	Safe
38.	Noble	BWU-46	Safe	Safe
39.	Afra	BWU-47	Safe	Safe
40.	Maa Jee	BWU-48	Safe	Safe
41.	New Buxton	BWU-49	Safe	Safe
42.	Irhaa Drinking Water	BWU-51	Safe	Safe
43.	Aqua Splash	BWU-53	Safe	Safe
44.	Eagles Blue	BWU-54	Safe	Safe
45.	Wah Water	BWU-55	Safe	Safe
46.	Natural Aqwah Water	BWU-56	Safe	Safe
47.	Moya Mineral Water	BWU-57	Safe	Safe
48.	Bianca	BWU-58	Safe	Safe
49.	Aab-e-Khyber	BWU-59	Safe	Safe
50.	Nebraska	BWU-60	Safe	Safe
51.	Aqua Pura Smart	BWU-61	Safe	Safe
52.	Tynant Aqua Bottled Drinking Water	BWU-62	Safe	Safe
53.	Pivrifine	BWU-63	Safe	Safe
54.	As Pure Water	BWU-64	Safe	Safe
55.	Risa Mineral Water	BWU-65	Safe	Safe
56.	Royal Pure Aqua	BWU-67	Safe	Safe
57.	Classic Aqua Bliss	BWU-68	Safe	Safe
58.	Essantia	BWU-69	Safe	Safe
59.	Soloney Nations Water	BWU-70	Safe	Safe
60.	Fresh Life Premium Water	BWU-71	Safe	Safe
61.	Shalmani Qatar	BWU-72	Safe	Safe
62.	K&S Bottled Drinking Water	BWU-73	Safe	Safe
63.	Pure Sip Premium Drinking Water	BWU-74	Safe	Safe
64.	Oxygen Plus	BWU-75	Safe	Safe
65.	Al Mena	BWU-76	Safe	Safe
66.	Pure Aqua Blue	BWU-77	Safe	Safe
67.	Rupal Water	BWU-78	Safe	Safe
68.	Aquvo	BWU-79	Safe	Safe
69.	Haideri Pure Water	BWU-80	Safe	Safe
70.	Hydroplus	BWU-81	Safe	Safe
71.	Pk Unique Water	BWU-82	Safe	Safe
72.	Aqua Green	BWU-83	Safe	Safe
73.	Fresh Spring	BWU-84	Safe	Safe
74.	Pacific	BWU-85	Safe	Safe
75.	Aqua Gleam	BWU-86	Safe	Safe
76.	Raffino Premium	BWU-87	Safe	Safe
77.	Sujo	BWU-88	Safe	Safe
78.	Hunza Ulter Water	BWU-89	Safe	Safe
79.	Frisk	BWU-90	Safe	Safe
80.	Vividle	BWU-91	Safe	Safe
81.	GB Pure	BWU-92	Safe	Safe



Sr. No	Brand Name	Code	Quality (Safe-Unsafe)	
			Chemical	Microbiological
82.	Seven Springs	BWU-93	Safe	Safe
83.	Himalya Natural Spring Water	BWU-94	Safe	Safe
84.	Eva Sparkle	BWU-95	Safe	Safe
85.	Aqua Way	BWU-96	Safe	Safe
86.	Blue Gold	BWU-97	Safe	Safe
87.	Peaks Pure	BWU-98	Safe	Safe
88.	Riva Premium Health Water	BWU-99	Safe	Safe
89.	Hafiz Pure Drinking Water	BWU-100	Safe	Safe
90.	Aab-e Dubai	BWU-101	Safe	Safe
91.	Nagori	BWU-102	Safe	Safe
92.	Jel	BWU-103	Safe	Safe
93.	Urooj Pure Drinking Water	BWU-105	Safe	Safe
94.	Aqua King	BWU-106	Safe	Safe
95.	Pure Aqua	BWU-108	Safe	Safe
96.	Sunlay Premium Drinking Water	BWU-109	Safe	Safe
97.	Pakola Pure Drinking Water	BWU-110	Safe	Safe
98.	Bake Parlour	BWU-112	Safe	Safe
99.	Aab-e-Sehat Pure Drinking Water	BWU-115	Safe	Safe
100.	Aqua Best	BWU-116	Safe	Safe
101.	Al Masafi	BWU-117	Safe	Safe
102.	Aqua Amanzi	BWU-118	Safe	Safe
103.	Oyster	BWU-119	Safe	Safe
104.	Aab-e-Mughal	BWU-120	Safe	Safe
105.	Vey	BWU-121	Safe	Safe
106.	Safa Pure Drinking Water Plus	BWU-124	Safe	Safe
107.	Deosai	BWU-125	Safe	Safe
108.	Mist Water	BWU-126	Safe	Safe
109.	Calci Dew	BWU-127	Safe	Safe
110.	Marwa Green Water	BWU-128	Safe	Safe
111.	Maple Plus	BWU-129	Safe	Safe
112.	Spark Plus	BWU-130	Safe	Safe
113.	Seven Streams	BWU-131	Safe	Safe
114.	Purified H2O	BWU-132	Safe	Safe
115.	Klear Bottled Drinking Water	BWU-133	Safe	Safe
116.	Smart Water	BWU-134	Safe	Safe
117.	Ziist Bottled Drinking Water	BWU-135	Safe	Safe
118.	New Pak Bottled Drinking Water	BWU-136	Safe	Safe
119.	National Bottled Drinking Water	BWU-137	Safe	Safe
120.	Safi	BWU-138	Safe	Safe
121.	Al Muflihoon	BWU-139	Safe	Safe
122.	Aquafina	BWU-140	Safe	Safe
123.	Nestle Pure Life	BWU-141	Safe	Safe
124.	Starlite	BWU-142	Safe	Safe
125.	Pineo	BWU-144	Safe	Safe
126.	Asas	BWU-145	Safe	Safe
127.	Gourmet	BWU-146	Safe	Safe
128.	Dubai Water	BWU-148	Safe	Safe
129.	Aqua Zam	BWU-149	Safe	Safe
130.	Awan Crystal	BWU-150	Safe	Safe
131.	RSP	BWU-151	Safe	Safe
132.	Al Shalal	BWU-152	Safe	Safe
133.	Aqua Nice Pure Life	BWU-153	Safe	Safe



Sr. No	Brand Name	Code	Quality (Safe-Unsafe)	
			Chemical	Microbiological
134.	Aqua Royals	BWU-154	Safe	Safe
135.	Rainbow	BWU-155	Safe	Safe
136.	Masafi Pure	BWU-156	Safe	Safe
137.	Hydr8 Up Eco Quench	BWU-157	Safe	Safe
138.	Marine Global	BWU-158	Safe	Safe
139.	Q Water	BWU-159	Safe	Safe
140.	Bezoya Natural Mineral Water	BWU-160	Safe	Safe
141.	K&S Aqua Sea	BWU-161	Safe	Safe
142.	Gold Aqua Drinking Water	BWU-162	Safe	Safe
143.	Puriffine	BWU-163	Safe	Safe
144.	Bliss Healthy Life	BWU-164	Safe	Safe
145.	Myth Pure Life	BWU-165	Safe	Safe
146.	Aqua Next Bottled Drinking Water	BWU-166	Safe	Safe
147.	Nuzzle Fresh Water	BWU-167	Safe	Safe
148.	Trust Drinking Water	BWU-168	Safe	Safe
149.	Sobi Aqua Premium Drinking Water	BWU-169	Safe	Safe
150.	Universal Bottled Drinking Water	BWU-173	Safe	Safe
151.	Aqua Plus Bottled Drinking Water	BWU-174	Safe	Safe
152.	Classic	BWU-175	Safe	Safe
153.	Honey Bottled Drinking Water	BWU-176	Safe	Safe
154.	Narol	BWU-177	Safe	Safe
155.	Frost Water	BWU-178	Safe	Safe
156.	Arwa Pak Bottled Drinking Water	BWU-179	Safe	Safe
157.	Aqua Royals	BWU-180	Safe	Safe
158.	Pure Aqua Tech	BWU-182	Safe	Safe
159.	Athar Premium	BWU-183	Safe	Safe
160.	Glacial Water	BWU-184	Safe	Safe
161.	Lapani Bottled Drinking Water	BWU-185	Safe	Safe
162.	Icwell Bottled Drinking Water	BWU-186	Safe	Safe
163.	Aqua Treat	BWU-187	Safe	Safe
164.	Arwa Water	BWU-188	Safe	Safe
165.	Iceland	BWU-189	Safe	Safe
166.	Mauz Aqua	BWU-190	Safe	Safe
167.	Freshley Bottled Drinking Water	BWU-191	Safe	Safe
168.	Freshin	BWU-193	Safe	Safe
169.	Clear	BWU-194	Safe	Safe
170.	Super National Bottled Drinking Water	BWU-195	Safe	Safe
171.	Aqua Packed	BWU-196	Safe	Safe
172.	Drinklay	BWU-197	Safe	Safe
173.	Sufi Water	BWU-198	Safe	Safe
174.	Jami Water	BWU-199	Safe	Safe
175.	Murree Sparkletts	BWU-200	Safe	Safe
176.	Erie Water	BWU-201	Safe	Safe
177.	Klinz	BWU-202	Safe	Safe
178.	OOS Water	BWU-203	Safe	Safe
179.	Aqua Zoom	BWU-204	Safe	Safe
180.	Dasani	BWU-205	Safe	Safe



PCRWR TESTING: UNSAFE BRANDS

Sr. No	Brand Name	Code	Address-Manufacturer	Quality (Safe-Unsafe)	
				Chemical	Microbiological
1.	A2Z Pure Drinking Water	BWU-10	Collected from Mr. Saddam, Maheen Bakers, Shahnawaz Chowk, Badin Contact No. 0346-5035986	Safe	Unsafe
2.	New Mehran	BWU-13	KB Beverages Co, Matli	Safe	Unsafe
3.	My Pure Water	BWU-15	Collected from Muhammad Riaz, Muhammad Riaz Bakers, Karachi Road, Badin, Contact No.0346-3758323	Unsafe	
4.	Zalmi	BWU-16	SS Beverages Co, Matli	Safe	Unsafe
5.	Pure Life	BWU-20	Collected from Mr. Saddam, Maheen Bakers, Shahnawaz Chowk, Badin Contact No.0346-5035986	Safe	Unsafe
6.	Smart Pure Life	BWU-23	A Product of GK Smart Water, Collected from Mr. Akbar, Shan Super Store, Near Hira Hospital, Sukkur Contact No.0311-3591999	Unsafe	Safe
7.	Deer Drinking Water	BWU-36	Deer Food, 7 km East Canal Road, Kashmir Bridge, Faisalabad.	Safe	Unsafe
8.	Dream Pure	BWU-40	Survey No: 212, Deh Konkar, Distt: Malir, Karachi	Safe	Unsafe
9.	Gulf	BWU-50	Octa gulf International Trading, Burj Khalifa, UAE, Collected from Hyderabad.	Safe	Unsafe
10.	Crystal Aqua	BWU-52	Collected from GN Shah General Store, Gulistan e Sajjad, Hyderabad.	Safe	Unsafe
11.	Ruha Water	BWU-66	Dera Jammu, Near Imtiaz Chattha Petroleum, Rasool Nagar Road, Gujranwala	Safe	Unsafe
12.	Pure Drinking Water	BWU-104	Collected from Good Luck Pan Shop, Jama Cloth Market, Karachi	Safe	Unsafe
13.	Premium Drinking Water	BWU-107	Collected from Fazal Rabi Milk Shop, Ayoub Goth Near PCSIR Lab, Karachi	Safe	Unsafe
14.	Fresh Aqua	BWU-111	Collected from National Medicos, Near Civil Hospital Emergency Gate, Karachi	Safe	Unsafe
15.	Asia Healthy Drinking Water	BWU-113	Plot No. G-15, Malir Industry Area, Nad e Ali Stop, Karachi	Safe	Unsafe
16.	Eltzen	BWU-114	Collected from Motyani Medical & General Store, Opp. Civil Hospital Opp. Gate, Karachi	Unsafe	Safe
17.	Maya Premium Drinking Water	BWU-122	Collected from Bismillah Pan Shop, Malir Bus Stop, Lea market, Karachi	Unsafe	Safe



Sr. No	Brand Name	Code	Address-Manufacturer	Quality (Safe-Unsafe)	
				Chemical	Microbiological
18.	Purifa	BWU-123	Collected from Motyani Medical & General Store, Opp. Civil Hospital Opp. Gate, Karachi	Unsafe	Safe
19.	Natural Pure Life	BWU-143	Usman Water Company (Muhammadsaleemanjamsla16772@Gmail.Com) Collected from M/S Al-Hamad Pharmacy, Model Town Road, Bahawalpur Contact No. 0302-7390422	Unsafe	Safe
20.	Isberg	BWU-147	Premier Water Refining Company, Rotas Road, Dhabola, Sialkot, Pakistan Contact No.0321-6147487	Safe	Unsafe
21.	Aqua Nest	BWU-170	Kainat Water Company, Garden Town, Sher Shah Road, Multan	Unsafe	Safe
22.	Premium Safa Purified Water	BWU-171	Danish, Chowk Shah Abbas, Multan Contact No. 0311-7125125	Unsafe	Safe
23.	Piyo Pani Bottled Drinking Water	BWU-172	Brothers & Unbity Food & Beverages, Opposite Ghalla Mandi, Multan	Unsafe	Safe
24.	Lasani	BWU-181	China Chowk, Hockey Stadium, Sialkot	Unsafe	Safe
25.	Wolga Bottled Drinking Water	BWU-192	Mehboob Enterprize, 7-Km Burewala Road, Chichawatni, Sahiwal	Unsafe	Safe

MARKET CONSISTENCY IN TWO NEIGHBORING QUARTERS

Sr. No	Consistent Brands	New Brands	Unavailable Brands
1.	A2Z Pure	Aab-e-Kashmir	Aqua Nice Pure Life
2.	Aab-e Dubai	Aab-e-Mughal	Al Saha Crystal
3.	Aab -e-Khyber	Aab-e-Sehat Pure Drinking Water	Aqua Blue
4.	Aab-e-Haram	Afra	Aqua Dor
5.	Al Masafi	Aqua Best	Aqua Gold
6.	Al Mena	Aqua Next Bottled Drinking Water	Aqua Pacific
7.	Al Muflihoon	Aqua Plus Bottled Drinking Water	Aqua Plus
8.	Al Muflihoon	Aqua Pura Smart	Aqua Pura Smart
9.	Aab-e-Dhoom	Aqua Slim	Aqua Pure Tech
10.	Al Shalal	Aqua Treat	Aqua Stream
11.	Aqua 111	Aqua Zam	Aqua Trust
12.	Aqua Royals	Arwa Pak Bottled Drinking Water	Aquarion
13.	Aqua Amanzi	Asas	Atco Drinking Water



Sr. No	Consistent Brands	New Brands	Unavailable Brands
14.	Aqua Gleam	Awan Crystal	Blue Nile
15.	Aqua Green	Bake Parlor	Blue Ocean
16.	Aqua King	Bezoya Natural Mineral Water	Bottled Drinking Water
17.	Aqua Nest		Douro Pure Drinking Water
18.	Aqua Nice Pure Life	Classic Aqua Bliss	Eight Premium
19.	Athar Premium	Crystal Aqua	Elim Pure
20.	Ashaz	D Nova Pure Drinking Water	Finan
21.	Asia	Dhoom	First Water
22.	As Pure Water	Dosoni	Forever Bottled Drinking Water
23.	Arwa Water	Dream Pure	Fresh Taqwa
24.	Aquvo	Drink Well Pure Drinking Water	Getway Bottled Drinking Water
25.	Aquafina	Dubai Water	Green Aura
26.	Aqua Zoom	Eltsen	Green Light
27.	Aqua Way	Eva Sparkle	Hanna Pure Drops
28.	Aqua Splash	Fine Premium Drinking Water	Himalya Cool
29.	Aqua Pura	Florina	Himalya Prime Drinking Water
30.	Aqua Packed	Fresh Aqua	HR Water
31.	Best Natural	Fresh Life Premium Water	Imperial Pure
32.	Bianca	Fresh Smart	K & S
33.	Bliss Healthy Life	Frost Water	Karakoram Spring Water
34.	Blue Gold	GB Pure	Life Care
35.	Bro H2O	Gulf	Logic
36.	Calci Dew	Hafiz Pure Drinking Water	Marine Blue
37.	Classic	Himalya Natural Spring Water	Masafi
38.	Clear	Hydr8 Up Eco Quench	Meher Natural Water
39.	Dasani	K&S Bottled Drinking Water	Mestle Pure Live
40.	Deer Drinking Water	Marine Global	Mum Natural
41.	Deosai	Mauz Aqua	Natural
42.	Dew drop	Maya Premium Drinking Water	Nayab Pure Water
43.	Drinklay	My Pure Water	New Mehran
44.	Eagles Blue	Myth Pure Life	New Mountain
45.	Erie Water	Nagori	Nice Pure Max
46.	Essantia	Nuzzle Fresh Water	Oriel
47.	Eva	Oyster	Pak Aqua
48.	Freshin	Peaks Pure	Pak Nest
49.	Fresh Spring	Piyo Pani Bottled Drinking Water	Pani
50.	Frisk	Popupar H2ope	Paris Drinking Water
51.	Freshley Bottled Drinking Water	Premium Drinking Water	Prime Natural Pure
52.	Glacial Water	Pure Aqua	Pura Spring
53.	Gold Aqua Drinking Water	Pure Aqua Tech	Pure
54.	Gourmet	Purifa	Pure Mix



Sr. No	Consistent Brands	New Brands	Unavailable Brands
55.	Haideri Pure Water	Q Water	Pv Pure Vita
56.	Heaven H2O	Rainbow	Quadrat Water
57.	Honey Bottled Drinking Water	Risa Mineral Water	Raha
58.	Hunza Ulter Water	Rise Drinkly	Safa
59.	Hydra	Royal Pure Aqua	Sahar Pure Water
60.	Hydroplus	RSP	Seven Star
61.	Iceland	Ruha Water	Sip Nest Purified
62.	Icwell Bottled Drinking Water	Safa Pure Drinking Water Plus	Smart Pure Water
63.	Imma	Shalmani Qatar	Superior Natural
64.	Irhaa Drinking Water	Smart Pure Life	Taiba Every Drop Counts
65.	Isberg	Sobi Aqua Premium Drinking Water	Utility Stores
66.	Jami Water	Soloney Nations Water	Vey Forever
67.	Jel Bottled Drinking Water	Starlite	Water Next
68.	K&S Aqua Sea	Super National Bottled Drinking Water	Zam Zam Pure Water
69.	Klear Bottled Drinking Water	Tynant Aqua Bottled Drinking Water	Zayan Premium
70.	Klinz	Universal Bottled Drinking Water	
71.	Lapani Bottled Drinking Water	Urooj Pure Drinking Water	
72.	Lasani	Vey	
73.	Maa Jee	Wolga Bottled Drinking Water	
74.	Maple Plus	Ziist Bottled Drinking Water	
75.	Marwa Green Water		
76.	Masafi Pure		
77.	Miran Drinking Water		
78.	Mist Water		
79.	Moya Mineral Water		
80.	Murree Sparkletts		
81.	Narol Bottled Drinking water		
82.	National Bottled Drinking Water		
83.	Natural Pure Life		
84.	Nestle Pure Life		
85.	Nebraska		
86.	New Buxton		
87.	New Mehran		
88.	Natural Aqwah Water		
89.	Noble		
90.	OOS Water		
91.	Oslo		
92.	Oxygen Plus		
93.	Pacific		



Sr. No	Consistent Brands	New Brands	Unavailable Brands
94.	Pivrifine		
95.	PK Unique Water		
96.	Pearl		
97.	Pineo Bottled Drinking Water		
98.	Pakola Pure Drinking Water		
99.	Premium Safa Purified Water		
100.	Puriffine		
101.	Purified H2O		
102.	Raffino Premium		
103.	Pure Prime		
104.	Pure Sip Premium Drinking Water		
105.	Pure Flo		
106.	Pure Life		
107.	Pure Drinking Water		
108.	Pure Aqua Blue		
109.	Riva Premium Health Water		
110.	Rupal Water		
111.	Safi		
112.	Salsabeel		
113.	Seven Springs		
114.	Seven Streams		
115.	Sky Rain		
116.	Sujo		
117.	Spark Plus		
118.	Smart Water		
119.	Springley		
120.	Sufi Water		
121.	Sunlay Premium Drinking Water		
122.	Trust Drinking Water		
123.	Vividle		
124.	Volga		
125.	Wah Water		
126.	Water Drop		
127.	Zalmi		



DISEASE POTENTIAL FROM CONTAMINATED BOTTLED WATER

Sr. No	Contaminant	Diseases Impacts
1.	Bacteriological Contamination	Cholera, Diarrhea, Dysentery, Typhoid etc.
2.	Sodium	Hypertension
3.	Potassium	Hyperkalemia
4.	Nitrate	Blue baby Syndrome
5.	Arsenic	Keratosis, Skin Cancer

CONCLUSIONS

Sr. No	Item	Conclusion	
		No.	% age
1.	Total No. of Brands Collected	205	100
2.	Overall Safe Brands	180	88
3.	No. of Overall Unsafe Brands	25	12
4.	No. of Chemically Safe Brands	194	95
5.	No. of Chemically Unsafe Brands	11	05
6.	No. of Microbiologically Safe Brands	188	92
7.	No. of Microbiologically Unsafe Brands	17	08
8.	No. of Consistent Brands in Market	127	62
9.	No. of Brands Disappeared-Unavailable	69	-
10.	No. of New Brands	74	36

Detailed water quality status of each bottled water brand is available at **Annexure-1**



Annexure-1

Chemical and Microbiological Quality of Bottled/Mineral Water Brands

Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
																		Total Coli forms 0/100ml	E-Coli 0/100ml
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	-	-
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Units	-	NTU		μS/cm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	CFU /100ml	CFU /100ml
Aqua Pura	BWU-01	BDL	7.04	309	155	40	6	140	52	24	14	BDL	BDL	1.1	0.10	27	0.26	Negative	Negative
Aab-e-Kashmir	BWU-02	BDL	6.95	560	308	44	36	260	230	36	14	BDL	BDL	0.6	BDL	16	1.3	Negative	Negative
Imma	BWU-03	BDL	6.83	425	234	48	24	220	120	48	BDL	BDL	BDL	1.2	0.90	29	0.15	Negative	Negative
Dew drop	BWU-04	BDL	6.52	438	241	40	24	200	100	72	13	BDL	BDL	0.6	BDL	26	0.17	Negative	Negative
Springley	BWU-05	BDL	7.31	638	351	52	36	280	260	24	22	BDL	BDL	1.3	3.10	18	BDL	Negative	Negative
Aqua Slim	BWU-06	BDL	7.59	287	158	16	10	80	60	44	27	BDL	BDL	0.3	BDL	18	BDL	Negative	Negative
Bro H2O	BWU-07	BDL	6.67	476	262	40	24	200	100	94	18	BDL	BDL	0.4	BDL	10	BDL	Negative	Negative
Aab-e-Haram	BWU-08	BDL	6.80	345	190	32	22	170	60	82	5	BDL	BDL	0.7	BDL	BDL	0.67	Negative	Negative
Aqua 111	BWU-09	BDL	6.89	540	297	28	34	210	160	72	35	BDL	BDL	1.9	BDL	26	0.41	Negative	Negative
A2Z Pure Drinking Water	BWU-10	BDL	6.61	224	123	8	10	60	50	40	24	BDL	BDL	2.1	BDL	8	0.19	06	Negative
Popular H2ope	BWU-11	BDL	6.68	442	243	40	22	190	80	96	11	BDL	BDL	3.6	BDL	BDL	4.56	Negative	Negative
Fresh Smart	BWU-12	BDL	6.90	418	230	40	17	170	100	72	18	BDL	BDL	9.9	BDL	21	0.63	Negative	Negative
New Mehran	BWU-13	BDL	6.96	367	202	16	10	80	60	72	47	BDL	BDL	1.2	BDL	19	0.43	08	Negative
Dhoom	BWU-14	BDL	6.52	662	364	52	24	230	200	82	48	BDL	BDL	2.3	BDL	29	0.26	Negative	Negative
My Pure Water	BWU-15	BDL	7.02	377	207	24	17	130	90	48	22	BDL	BDL	12	BDL	26	0.19	Negative	Negative
Zalmi	BWU-16	BDL	7.16	364	200	20	12	100	70	72	41	BDL	BDL	0.9	BDL	13	0.49	14	Negative
Florina	BWU-17	BDL	7.13	440	242	24	15	120	100	82	47	BDL	BDL	1.2	BDL	15	0.44	Negative	Negative
Pearl	BWU-18	BDL	6.86	309	170	28	19	150	50	60	3	BDL	BDL	0.5	BDL	20	0.29	Negative	Negative
Volga	BWU-19	BDL	7.31	237	130	16	10	80	60	36	22	BDL	BDL	1.4	BDL	18	0.57	Negative	Negative
Pure Life	BWU-20	BDL	6.9	285	157	24	15	120	40	72	13	BDL	BDL	1.2	BDL	5	0.48	08	Negative
Aab-e-Dhoom	BWU-21	BDL	7.41	327	180	28	19	150	30	72	11	BDL	BDL	1.1	0.34	39	0.49	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	Total Coli forms 0/100ml	E-Coli 0/100ml
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Eva	BWU-22	BDL	7.1	360	198	28	19	150	90	60	18	BDL	BDL	0.9	BDL	19	0.34	Negative	Negative
Smart Pure Life	BWU-23	BDL	7.8	734	404	52	34	270	300	48	44	BDL	BDL	14	BDL	16	1.43	Negative	Negative
Heaven H2O	BWU-24	BDL	7.00	345	210	42	9	140	95	48	24	0.04	BDL	BDL	BDL	22	BDL	Negative	Negative
Pure Prime	BWU-25	BDL	7.14	317	174	28	7	100	110	26	29	BDL	BDL	1.5	BDL	13	1.63	Negative	Negative
Salsabeel	BWU-26	BDL	7.11	292	161	24	17	130	80	36	11	BDL	BDL	1.2	BDL	23	1.73	Negative	Negative
Miran Drinking Water	BWU-27	BDL	7.13	490	270	24	19	140	140	55	48	BDL	BDL	1.8	0.70	24	0.46	Negative	Negative
Drink Well Pure Drinking Water	BWU-28	BDL	7.15	629	346	60	24	250	220	72	41	BDL	BDL	3	BDL	17	0.71	Negative	Negative
D Nova Pure Drinking Water	BWU-29	BDL	7.24	457	251	40	22	190	110	72	18	BDL	BDL	0.4	BDL	23	0.38	Negative	Negative
Ashaz	BWU-30	BDL	6.85	364	200	40	10	140	100	48	25	BDL	BDL	0.9	BDL	25	0.39	Negative	Negative
Hydra	BWU-31	BDL	7.04	465	256	40	15	160	120	72	35	BDL	BDL	1	BDL	22	0.23	Negative	Negative
Rise Drinkly	BWU-32	BDL	7.14	449	247	24	15	120	100	72	44	BDL	BDL	5.7	2.30	21	0.41	Negative	Negative
Water Drop	BWU-33	BDL	6.84	334	184	16	19	120	90	48	20	BDL	BDL	0.3	BDL	12	BDL	Negative	Negative
Best Natural	BWU-34	BDL	7.22	296	163	12	10	70	80	30	37	BDL	BDL	0.3	BDL	24	6.65	Negative	Negative
Sky Rain	BWU-35	BDL	6.17	241	133	12	10	70	40	48	22	BDL	BDL	0.7	0.40	13	BDL	Negative	Negative
Deer Drinking Water	BWU-36	BDL	7.16	242	133	18	16	110	80	24	8	BDL	BDL	1.2	BDL	13	BDL	10	Negative
Pure Flo	BWU-37	BDL	6.90	462	272	52	12	180	90	96	36	0.06	BDL	BDL	BDL	22	1.1	Negative	Negative
Dosoni	BWU-38	BDL	7.3	628	345	52	39	290	280	24	17	BDL	BDL	5.6	BDL	18	2.04	Negative	Negative
Nestle Pure Life	BWU-39	BDL	6.89	536	295	40	36	250	140	88	15	BDL	BDL	0.2	0.20	23	0.25	Negative	Negative
Dream Pure	BWU-40	BDL	7.11	865	476	60	49	350	290	72	37	BDL	BDL	2.8	1.30	32	0.24	06	Negative
Fine Premium Drinking Water	BWU-41	BDL	6.75	570	314	40	34	240	140	96	29	BDL	BDL	0.6	0.10	26	0.27	Negative	Negative
Oslo	BWU-42	BDL	6.68	418	230	40	19	180	60	96	15	BDL	BDL	0.5	0.10	19	0.41	Negative	Negative
Pure Life	BWU-43	BDL	6.74	361	199	40	15	160	70	82	13	BDL	BDL	0.3	0.20	BDL	0.58	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
																		Total Coli forms 0/100ml	E-Coli 0/100ml
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10		
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Aquafina	BWU-44	BDL	7.26	290	160	20	17	120	70	36	13	BDL	BDL	1.3	BDL	28	0.31	Negative	Negative
Vey	BWU-45	BDL	6.98	437	240	40	22	190	80	82	13	BDL	BDL	5.4	0.10	27	0.49	Negative	Negative
Noble	BWU-46	BDL	7.1	640	352	52	19	210	160	96	48	BDL	BDL	1.6	0.30	25	0.16	Negative	Negative
Afra	BWU-47	BDL	6.92	621	342	48	19	200	150	92	47	BDL	BDL	1.7	1.10	25	0.17	Negative	Negative
Maa Jee	BWU-48	BDL	6.69	417	229	36	22	180	180	20	17	BDL	BDL	0.9	0.30	12	0.35	Negative	Negative
New Buxton	BWU-49	BDL	7.21	803	442	52	41	300	220	120	48	BDL	BDL	1.2	1.10	18	0.19	Negative	Negative
Gulf	BWU-50	BDL	7.03	326	179	28	12	120	80	48	17	BDL	BDL	2.3	0.40	13	0.43	12	Negative
Irhaa Drinking Water	BWU-51	0.2	6.80	237	142	40	2	110	30	53	10	0.08	BDL	BDL	BDL	19	1.9	Negative	Negative
Crystal Aqua	BWU-52	BDL	7.03	143	79	8	5	40	40	10	15	BDL	BDL	0.9	0.20	17	0.37	16	Negative
Aqua Splash	BWU-53	BDL	7.03	596	328	58	30	270	230	40	20	BDL	BDL	1	6.10	6	BDL	Negative	Negative
Eagles Blue	BWU-54	BDL	7.06	535	294	40	39	260	220	36	10	BDL	BDL	1	1.80	8	BDL	Negative	Negative
Wah Water	BWU-55	BDL	7.23	377	207	40	17	170	130	28	13	BDL	BDL	1.2	4.70	11	BDL	Negative	Negative
Natural Aqwah Water	BWU-56	BDL	7.19	375	206	40	15	160	110	28	13	BDL	BDL	0.9	5.50	22	BDL	Negative	Negative
Moya Mineral Water	BWU-57	BDL	7.31	351	193	40	15	160	140	12	10	BDL	BDL	0.9	0.60	18	BDL	Negative	Negative
Bianca	BWU-58	BDL	6.85	396	218	40	19	180	100	72	8	BDL	BDL	BDL	0.60	BDL	BDL	Negative	Negative
Aab-e-Khyber	BWU-59	BDL	7.04	476	262	42	23	200	180	20	15	BDL	BDL	1.1	6.40	6	0.51	Negative	Negative
Nebraska	BWU-60	BDL	6.77	465	256	40	27	210	140	60	15	BDL	BDL	BDL	0.60	16	0.15	Negative	Negative
Aqua Pura Smart	BWU-61	BDL	6.87	489	269	40	27	210	150	60	20	BDL	BDL	BDL	0.80	17	0.18	Negative	Negative
Aqua Bottled Drinking Water	BWU-62	BDL	6.82	468	257	40	29	220	80	120	13	BDL	BDL	0.3	1.10	BDL	BDL	Negative	Negative
Pivrifine	BWU-63	BDL	6.96	460	253	40	24	200	90	82	13	BDL	BDL	3.3	1.30	22	0.27	Negative	Negative
As Pure Water	BWU-64	BDL	7.19	106	58	0	6	25	20	16	12	BDL	BDL	1.8	0.10	10	2.29	Negative	Negative
Risa Mineral Water	BWU-65	BDL	7.49	199	109	12	9	65	60	14	12	BDL	BDL	3.7	0.10	15	0.48	Negative	Negative
Ruha Water	BWU-66	BDL	7.56	331	182	32	12	130	130	12	15	BDL	BDL	5	0.20	16	0.7	08	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	Total Coli forms 0/100ml	E-Coli 0/100ml
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Royal Pure Aqua	BWU-67	BDL	7.45	464	255	40	12	150	200	16	35	BDL	BDL	8	0.30	10	4.61	Negative	Negative
Classic Aqua Bliss	BWU-68	BDL	7.86	462	254	40	12	150	190	20	35	BDL	BDL	8	0.10	10	5.16	Negative	Negative
Essantia	BWU-69	BDL	7.09	331	182	40	7	130	125	24	19	BDL	BDL	1.9	0.20	10	0.31	Negative	Negative
Soloney Nations Water	BWU-70	BDL	6.81	314	173	40	7	130	70	55	17	BDL	BDL	0.6	0.30	13	0.2	Negative	Negative
Fresh Life Premium Water	BWU-71	BDL	6.84	196	108	20	5	70	70	16	15	BDL	BDL	1.6	2.90	BDL	0.21	Negative	Negative
Shalmani Qatar	BWU-72	BDL	7.28	301	166	40	2	110	80	36	19	0.20	BDL	1.3	1.70	16	0.16	Negative	Negative
K&S Bottled Drinking Water	BWU-73	BDL	6.66	404	222	32	22	170	70	72	17	BDL	BDL	0.9	4.20	24	0.5	Negative	Negative
Pure Sip Premium Drinking Water	BWU-74	BDL	7.05	342	188	22	11	100	120	20	33	0.60	BDL	0.9	1.70	23	0.22	Negative	Negative
Oxygen	BWU-75	BDL	7.13	410	226	40	15	160	120	48	24	BDL	BDL	0.6	3.60	11	BDL	Negative	Negative
Al Mena	BWU-76	BDL	6.81	344	189	32	10	120	90	48	24	BDL	BDL	0.5	1.60	11	0.30	Negative	Negative
Pure Aqua Blue	BWU-77	BDL	6.74	412	227	30	13	130	170	20	37	BDL	BDL	0.9	1.70	11	BDL	Negative	Negative
Rupal Water	BWU-78	BDL	7.3	457	251	36	22	180	130	60	30	BDL	BDL	2.4	3.60	16	BDL	Negative	Negative
Aquvo	BWU-79	BDL	7.28	355	195	24	17	130	150	20	28	BDL	BDL	0.5	1.60	8	0.15	Negative	Negative
Haideri Pure Water	BWU-80	BDL	7.12	515	283	40	27	210	130	72	30	BDL	BDL	1.4	3.70	25	0.26	Negative	Negative
Hydroplus	BWU-81	BDL	7.16	390	215	30	23	170	140	20	15	BDL	BDL	BDL	1.50	34	0.14	Negative	Negative
Pk Unique Water	BWU-82	0.2	6.9	372	215	36	7	120	30	86	26	0.08	BDL	BDL	BDL	41	BDL	Negative	Negative
Aqua Green	BWU-83	BDL	7.23	321	177	20	22	140	40	72	15	0.45	BDL	BDL	3.00	19	0.31	Negative	Negative
Fresh Spring	BWU-84	BDL	7.73	712	392	96	12	290	240	55	39	BDL	BDL	1.3	9.20	27	0.2	Negative	Negative
Pacific	BWU-85	BDL	7.49	373	205	32	17	150	70	72	14	BDL	BDL	1	0.10	16	0.31	Negative	Negative
Aqua Gleam	BWU-86	BDL	6.71	357	196	28	19	150	65	72	17	BDL	BDL	0.3	0.90	23	BDL	Negative	Negative
Raffino Premium	BWU-87	BDL	7.01	293	161	22	13	110	60	48	20	BDL	BDL	0.7	1.20	21	BDL	Negative	Negative
Sujo	BWU-88	BDL	7.24	302	166	22	13	110	50	60	22	BDL	BDL	0.4	0.10	18	BDL	Negative	Negative
Hunza Ulter Water	BWU-89	BDL	7.45	292	161	20	5	70	90	36	33	BDL	BDL	0.5	0.00	6	0.36	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	Total Coli forms 0/100ml	E-Coli 0/100ml
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Frisk	BWU-90	BDL	7.01	302	166	22	11	100	90	20	25	BDL	BDL	0.9	1.50	26	0.2	Negative	Negative
*Vividle	BWU-91	BDL	7.25	219	120	20	7	80	70	20	17	BDL	BDL	0.4	0.10	19	0.21	Negative	Negative
GB Pure	BWU-92	BDL	7.74	323	178	30	13	130	110	18	9	0.12	BDL	7.9	1.10	22	2.72	Negative	Negative
Seven Springs	BWU-93	BDL	7.22	141	78	12	2	40	30	8	11	BDL	BDL	2.2	2.60	18	BDL	Negative	Negative
Himalya Natural Spring Water	BWU-94	BDL	7.68	418	230	48	19	200	170	12	6	0.14	BDL	5.6	0.40	25	0.53	Negative	Negative
Eva Sparkle	BWU-95	BDL	7.63	446	245	40	24	200	160	20	8	BDL	BDL	6.1	1.20	33	1.04	Negative	Negative
Aqua Way	BWU-96	BDL	7.51	331	182	28	19	150	50	72	11	BDL	BDL	0.6	0.10	20	0.27	Negative	Negative
Blue Gold	BWU-97	BDL	7.45	440	242	40	24	200	100	75	16	BDL	BDL	0.36	0.00	24	0.69	Negative	Negative
Peaks Pure	BWU-98	BDL	7.23	311	171	24	17	130	40	68	11	0.65	BDL	3	2.80	13	0.37	Negative	Negative
Riva Premium Health Water	BWU-99	BDL	6.92	287	158	28	17	140	50	60	5	0.66	BDL	BDL	BDL	15	0.21	Negative	Negative
Hafiz Pure Drinking Water	BWU-100	BDL	7.3	250	138	20	12	100	50	48	11	BDL	BDL	1	BDL	10	0.25	Negative	Negative
Aab-e Dubai	BWU-101	BDL	7.31	262	144	20	15	110	20	60	7	BDL	BDL	0.3	1.00	21	BDL	Negative	Negative
Nagori	BWU-102	BDL	6.83	251	138	18	10	85	40	52	18	BDL	BDL	3.3	BDL	18	0.28	Negative	Negative
Jel	BWU-103	BDL	6.89	259	142	24	15	120	20	60	7	0.36	BDL	0.2	0.60	26	BDL	Negative	Negative
Pure Drinking Water	BWU-104	BDL	6.99	1234	679	24	24	160	310	200	200	BDL	BDL	6.1	0.10	19	BDL	14	Negative
Urooj Pure Drinking Water	BWU-105	BDL	7.32	400	220	24	10	100	80	72	48	BDL	BDL	3.9	BDL	21	1.35	Negative	Negative
Aqua King	BWU-106	BDL	7.22	226	124	18	6	70	45	36	20	BDL	BDL	1.2	BDL	18	BDL	Negative	Negative
Premium Drinking Water	BWU-107	BDL	7.2	400	220	8	5	40	20	110	74	BDL	BDL	3.2	1.00	26	BDL	06	Negative
Pure Aqua	BWU-108	BDL	6.52	341	188	24	17	130	30	84	17	BDL	BDL	1	BDL	19	0.23	Negative	Negative
Sunlay Premium Drinking Water	BWU-109	BDL	6.95	227	125	18	6	70	40	36	20	BDL	BDL	1.2	1.00	21	0.32	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	Total Coli forms 0/100ml	E-Coli 0/100ml
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Pakola Pure Drinking Water	BWU-110	BDL	7.09	370	204	18	9	80	50	82	47	BDL	BDL	2.2	BDL	14	BDL	Negative	Negative
Fresh Aqua	BWU-111	BDL	6.83	254	140	10	9	60	15	72	31	BDL	BDL	2.2	0.70	13	0.11	08	Negative
Bake Parlour	BWU-112	BDL	6.79	185	102	10	9	60	20	50	15	BDL	BDL	1.3	0.10	BDL	0.15	Negative	Negative
Asia Healthy Drinking Water	BWU-113	BDL	7.39	353	194	20	17	120	50	72	26	BDL	BDL	1.4	2.00	18	0.26	10	Negative
Eltsen	BWU-114	BDL	6.9	445	245	12	5	50	50	120	80	BDL	BDL	0.4	0.20	5	BDL	Negative	Negative
Aab-e-Sehat Pure Drinking Water	BWU-115	BDL	6.63	296	163	24	15	120	20	78	12	BDL	BDL	0.3	0.90	16	BDL	Negative	Negative
Aqua Best	BWU-116	BDL	7.52	550	303	40	19	180	160	82	48	BDL	BDL	5.2	0.20	15	2.3	Negative	Negative
Al Masafi	BWU-117	BDL	7.24	272	150	16	6	65	40	52	34	BDL	BDL	0.7	2.70	14	0.28	Negative	Negative
Natural Pure Life	BWU-118	BDL	6.81	408	224	18	18	120	80	72	42	BDL	BDL	1	2.30	22	0.33	Negative	Negative
Oyester	BWU-119	BDL	7.09	348	191	16	10	80	60	72	44	BDL	BDL	1.1	2.00	13	BDL	Negative	Negative
Aab-e-Mughal	BWU-120	BDL	6.72	259	142	12	7	60	15	72	34	BDL	BDL	0.7	1.20	12	0.33	Negative	Negative
Vey	BWU-121	BDL	7.18	341	188	24	17	130	50	82	14	BDL	BDL	5.8	0.20	6	0.11	Negative	Negative
Maya Premium Drinking Water	BWU-122	BDL	7.12	260	143	16	10	80	40	60	22	BDL	BDL	3	0.00	10	0.18	06	Negative
Purifa	BWU-123	BDL	6.97	996	548	12	53	250	280	130	110	BDL	BDL	5.3	1.80	25	1.27	Negative	Negative
Safa Pure Drinking Water Plus	BWU-124	BDL	6.81	417	229	24	17	130	180	43	37	BDL	BDL	0.6	3.20	15	0.4	Negative	Negative
Deosai	BWU-125	BDL	7.01	342	188	28	17	140	60	68	14	BDL	BDL	0.2	1.00	13	0.22	Negative	Negative
Mist Water	BWU-126	0.1	6.90	248	192	8	15	80	120	16	35	0.05	BDL	BDL	BDL	24	0.88	Negative	Negative
Calci Dew	BWU-127	BDL	6.77	368	202	32	15	140	60	85	24	0.66	BDL	BDL	0.30	10	0.49	Negative	Negative
Marwa Green Water	BWU-128	BDL	6.93	462	254	36	27	200	160	48	17	0.66	BDL	0.8	2.80	5	0.32	Negative	Negative
Maple Plus	BWU-129	BDL	7.16	336	185	20	22	140	130	20	14	BDL	BDL	0.5	3.00	8	0.19	Negative	Negative
Spark Plus	BWU-130	BDL	7.21	649	357	48	36	270	230	48	28	BDL	BDL	0.8	6.90	11	0.17	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	Total Coli forms 0/100ml	E-Coli 0/100ml
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Seven Streams	BWU-131	BDL	7.17	389	214	22	16	120	130	35	30	BDL	BDL	0.9	1.60	6	0.34	Negative	Negative
Purified H2O	BWU-132	BDL	7.13	380	209	24	22	150	120	48	22	0.36	BDL	0.4	2.90	7	0.31	Negative	Negative
Klear Bottled Drinking Water	BWU-133	BDL	7.25	397	218	28	15	130	100	62	32	BDL	BDL	0.4	0.60	9	BDL	Negative	Negative
Smart Water	BWU-134	BDL	7.04	304	167	22	6	80	50	72	36	BDL	BDL	0.3	0.40	9	BDL	Negative	Negative
Ziist Bottled Drinking Water	BWU-135	BDL	7.29	378	208	22	13	110	70	72	36	BDL	BDL	0.2	BDL	19	1.76	Negative	Negative
New Pak Bottled Drinking Water	BWU-136	BDL	6.94	366	201	20	7	80	70	72	48	BDL	BDL	5	1.20	9	0.23	Negative	Negative
National Bottled Drinking Water	BWU-137	BDL	7.04	271	149	22	6	80	40	65	27	BDL	BDL	BDL	0.40	5	BDL	Negative	Negative
Safi	BWU-138	BDL	6.97	272	150	20	15	110	30	75	16	BDL	BDL	BDL	BDL	8	BDL	Negative	Negative
Al Muflihoon	BWU-139	BDL	7.59	257	141	20	12	100	60	48	17	BDL	BDL	0.5	BDL	5	BDL	Negative	Negative
AquaFina	BWU-140	BDL	7.51	230	127	18	9	80	45	24	16	BDL	BDL	1.5	4.50	21	BDL	Negative	Negative
Nestle Pure Life	BWU-141	BDL	7.24	433	238	36	22	180	70	96	16	BDL	BDL	0.2	BDL	10	BDL	Negative	Negative
Starlite	BWU-142	BDL	7.02	259	142	24	17	130	20	72	3	BDL	BDL	BDL	0.10	13	0.21	Negative	Negative
Natural Pure Life	BWU-143	BDL	7.2	344	189	22	11	100	50	36	33	BDL	BDL	2.2	BDL	68	33.46	Negative	Negative
Pineo	BWU-144	BDL	7.65	447	246	24	22	150	90	96	36	BDL	BDL	0.8	0.60	BDL	BDL	Negative	Negative
Asas	BWU-145	BDL	7.45	276	152	20	10	90	80	35	24	BDL	BDL	0.7	BDL	15	BDL	Negative	Negative
Gourmet	BWU-146	BDL	6.95	441	244	26	23	160	90	72	33	BDL	BDL	BDL	0.10	34	BDL	Negative	Negative
Isberg	BWU-147	BDL	7.59	396	218	26	13	120	130	42	39	BDL	BDL	1.4	1.00	10	6.54	08	Negative
Dubai Water	BWU-148	BDL	7.22	317	174	24	17	130	65	55	13	0.60	BDL	0.9	1.30	12	BDL	Negative	Negative
Aqua Zam	BWU-149	BDL	7.53	309	170	18	11	90	90	24	30	0.20	BDL	0.4	0.60	26	BDL	Negative	Negative
Awan Crystal	BWU-150	BDL	7.55	475	261	40	19	180	160	42	29	BDL	BDL	2.7	0.30	27	3.33	Negative	Negative
RSP	BWU-151	BDL	7.4	230	127	16	5	60	70	12	26	BDL	BDL	1.7	3.00	18	BDL	Negative	Negative
Al Shalal	BWU-152	BDL	7.56	350	193	32	15	140	160	12	19	0.15	BDL	3.7	BDL	6	7.08	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
																		Total Coli forms 0/100ml	E-Coli 0/100ml
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	-	-
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Aqua Nice Pure Life	BWU-153	BDL	7.92	596	328	62	23	250	300	12	32	0.10	BDL	3.7	BDL	8	7.57	Negative	Negative
Aqua Royals	BWU-154	BDL	7.54	392	216	28	17	140	90	48	22	0.68	BDL	1.9	BDL	25	0.82	Negative	Negative
Rainbow	BWU-155	BDL	7.49	249	137	16	12	90	60	48	18	BDL	BDL	0.3	BDL	BDL	1.93	Negative	Negative
Masafi Pure	BWU-156	BDL	7.02	431	237	40	27	210	60	110	4	0.69	BDL	0.3	BDL	8	BDL	Negative	Negative
Hydr8 Up Eco Quench	BWU-157	BDL	7.81	360	198	32	17	150	170	12	21	0.67	BDL	3.7	BDL	18	0.98	Negative	Negative
Marine Global	BWU-158	BDL	7.43	389	214	30	23	170	60	72	13	BDL	BDL	0.4	BDL	32	0.41	Negative	Negative
Q Water	BWU-159	BDL	7.12	254	140	26	11	110	40	48	9	0.60	BDL	1.4	0.38	22	0.12	Negative	Negative
Bezoya Natural Mineral Water	BWU-160	BDL	7.62	420	231	36	19	170	180	12	21	BDL	BDL	1.4	0.72	15	BDL	Negative	Negative
K&S Aqua Sea	BWU-161	BDL	7.48	348	191	28	15	130	80	48	24	0.19	BDL	0.2	BDL	28	0.75	Negative	Negative
Gold Aqua Drinking Water	BWU-162	BDL	7.19	293	161	28	10	110	60	48	19	BDL	BDL	0.2	BDL	27	BDL	Negative	Negative
Puriffine	BWU-163	BDL	7.45	182	100	14	6	60	50	20	15	BDL	BDL	0.5	BDL	17	6.18	Negative	Negative
Bliss Healthy Life	BWU-164	BDL	7.39	375	206	28	17	140	70	55	19	0.64	BDL	0.2	BDL	35	0.15	Negative	Negative
Myth Pure Life	BWU-165	BDL	7.47	247	136	20	10	90	40	52	19	0.30	BDL	0.7	BDL	17	BDL	Negative	Negative
Aqua Next Bottled Drinking Water	BWU-166	BDL	7.37	455	250	28	17	140	90	80	39	BDL	BDL	0.2	BDL	25	0.32	Negative	Negative
Nuzzle Fresh Water	BWU-167	BDL	7.36	264	145	22	13	110	40	72	14	BDL	BDL	BDL	BDL	BDL	0.25	Negative	Negative
Trust Drinking Water	BWU-168	BDL	7.2	287	174	24	10	100	60	48	26	0.11	BDL	BDL	0.78	27	1.9	Negative	Negative
Sobi Aqua Premium Drinking Water	BWU-169	BDL	7.31	436	240	22	35	200	75	85	10	BDL	BDL	BDL	BDL	25	BDL	Negative	Negative
Aqua Nest	BWU-170	BDL	7.43	318	175	24	22	150	40	72	9	BDL	BDL	0.3	BDL	29	29.07	Negative	Negative
Premium Safa Purified Water	BWU-171	BDL	7.55	439	241	22	16	120	100	92	48	BDL	BDL	1.7	BDL	BDL	12.00	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
																		Total Coli forms 0/100ml	E-Coli 0/100ml
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10		
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Piyo Pani Bottled Drinking Water	BWU-172	BDL	7.89	435	239	36	17	160	85	92	29	BDL	BDL	3.3	BDL	12	31.33	Negative	Negative
Universal Bottled Drinking Water	BWU-173	BDL	7.57	444	244	32	22	170	80	82	27	BDL	BDL	0.9	BDL	34	1.31	Negative	Negative
Aqua Plus Bottled Drinking Water	BWU-174	BDL	7.4	384	211	32	19	160	100	65	22	0.3	BDL	BDL	0.26	17	6.80	Negative	Negative
Classic	BWU-175	BDL	7.61	518	285	36	22	180	110	84	36	BDL	BDL	2.2	BDL	34	0.51	Negative	Negative
Honey Bottled Drinking Water	BWU-176	BDL	7.4	295	162	28	17	140	40	60	6	0.30	BDL	0.2	BDL	27	BDL	Negative	Negative
Narol	BWU-177	BDL	7.98	294	162	22	13	110	90	24	16	BDL	BDL	1.6	BDL	23	1.77	Negative	Negative
Frost Water	BWU-178	BDL	7.87	365	201	28	22	160	140	24	13	BDL	BDL	0.3	BDL	12	0.32	Negative	Negative
Arwa Pak Bottled Drinking Water	BWU-179	BDL	7.89	345	190	24	15	120	50	72	27	BDL	BDL	1.9	BDL	30	0.39	Negative	Negative
Aqua Royals	BWU-180	BDL	7.63	383	211	28	17	140	30	96	24	BDL	BDL	2	BDL	27	1.19	Negative	Negative
Lasani	BWU-181	BDL	7.74	345	190	20	17	120	80	55	26	BDL	BDL	0.5	BDL	18	0.61	06	Negative
Pure Aqua Tech	BWU-182	BDL	7.55	474	261	28	22	160	60	110	35	BDL	BDL	0.4	BDL	25	BDL	Negative	Negative
Athar Premium	BWU-183	BDL	7.9	417	229	26	16	130	50	118	35	BDL	BDL	3.6	BDL	BDL	0.66	Negative	Negative
Glacial Water	BWU-184	BDL	7.1	328	185	32	10	120	40	72	22	0.13	BDL	BDL	1.12	20	BDL	Negative	Negative
Lapani Bottled Drinking Water	BWU-185	BDL	7.74	373	205	24	17	130	75	60	24	BDL	BDL	0.9	BDL	20	2.41	Negative	Negative
Icwell Bottled Drinking Water	BWU-186	BDL	7.8	98	54	8	4	35	20	10	5	BDL	BDL	0.7	BDL	12	1.42	Negative	Negative
Aqua Treat	BWU-187	BDL	7.72	467	257	28	17	140	210	12	48	BDL	BDL	1.8	BDL	16	0.54	Negative	Negative
Arwa Water	BWU-188	BDL	7.8	330	182	20	7	80	60	48	39	BDL	BDL	1.3	0.60	36	0.35	Negative	Negative
Iceland	BWU-189	BDL	7.75	315	173	20	12	100	40	62	26	BDL	BDL	0.2	BDL	33	BDL	Negative	Negative
Mauz Aqua	BWU-190	BDL	7.59	371	204	28	22	160	20	112	13	BDL	BDL	0.3	BDL	7	BDL	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	Total Coli forms 0/100ml	E-Coli 0/100ml
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Freshly Bottled Drinking Water	BWU-191	BDL	7.72	296	163	20	17	120	40	60	11	0.30	BDL	0.3	BDL	23	BDL	Negative	Negative
Wolga Bottled Drinking Water	BWU-192	BDL	7.85	502	276	32	19	160	70	100	42	0.24	BDL	0.9	BDL	40	22.8	14	Negative
Freshin	BWU-193	BDL	7.8	396	218	36	19	170	60	82	15	0.21	BDL	0.2	BDL	25	BDL	Negative	Negative
Clear	BWU-194	BDL	7.75	448	246	40	24	200	90	72	15	0.15	BDL	0.2	BDL	38	BDL	Negative	Negative
Super National Bottled Drinking Water	BWU-195	BDL	7.85	267	147	20	5	70	60	38	31	0.20	BDL	0.8	0.13	21	BDL	Negative	Negative
Aqua Packed	BWU-196	BDL	7.81	239	131	20	15	110	40	60	6	0.04	BDL	2	BDL	BDL	BDL	Negative	Negative
Drinklay	BWU-197	BDL	7.00	317	181	34	16	150	30	53	8	0.06	BDL	BDL	BDL	52	1.1	Negative	Negative
Sufi Water	BWU-198	BDL	7.30	380	225	56	15	200	80	80	12	0.05	BDL	BDL	BDL	18	BDL	Negative	Negative
Jami Water	BWU-199	BDL	7.10	336	189	28	17	140	30	77	10	0.08	BDL	BDL	BDL	39	1.4	Negative	Negative
Murree Sparkletts	BWU-200	BDL	7.20	420	260	36	13	145	180	42	36	0.08	BDL	BDL	BDL	19	BDL	Negative	Negative
Erie Water	BWU-201	BDL	6.90	338	191	40	10	140	40	86	16	0.08	BDL	BDL	BDL	15	BDL	Negative	Negative
Klinz	BWU-202	0.2	7.10	401	244	36	22	180	50	96	20	0.04	BDL	BDL	0.36	39	BDL	Negative	Negative
OOS Water	BWU-203	BDL	7.00	231	141	12	22	120	30	43	8	0.03	BDL	BDL	BDL	38	2.4	Negative	Negative
Aqua Zoom	BWU-204	BDL	7.10	468	272	42	7	135	130	64	38	0.05	BDL	2	BDL	21	BDL	Negative	Negative
Dasani	BWU-205	BDL	7.20	346	237	12	29	150	30	78	24	0.07	BDL	BDL	BDL	76	BDL	Negative	Negative

*The Vividle brand was collected from market as well as from source of production, the sample collected from the source of production was found arsenic free therefore declared safe