



QUARTERLY REPORT BOTTLED WATER QUALITY

(October-December, 2025)



PAKISTAN COUNCIL OF RESEARCH IN WATER RESOURCES
Ministry of water resources
Khayaban-e-Johar, H-8-1, Islamabad.
www.pcrwr.gov.pk

October-December, 2025



SUMMARY

The poor quality of drinking water has forced a large cross-section of citizens to buy bottled water. However, many of the mineral water companies were found selling contaminated water. To monitor and improve the quality of bottled water, the government of Pakistan through Ministry of Science and Technology has designated the task for quarterly monitoring of bottled-mineral water brands to PCRWR. According to the monitoring report for the quarter October-December,2025 following is the brief overview of the findings.

Quarterly Monitoring of Bottled-Mineral Water (October-December, 2025)

Item	No.	% age
Total No. of Brands Collected	206	100
Overall Safe Brands	187	91
Overall Unsafe Brands	19	09
Chemically Safe Brands	199	97
Chemically Unsafe Brands	7	03
Microbiologically Safe Brands	192	93
Microbiologically Unsafe Brands	14	07

Name of Targeted Cities (21)	(Islamabad, Rawalpindi, Peshawar, D.G. Khan, Multan, Sargodha, Sahiwal, Faisalabad, Quetta, Tando Jam, Gujranwala, Badin, Sialkot, D.I. Khan, Bahawalpur, Karachi, Lahore, Mianwali, Muzaffarabad, Gilgit and Sukkur)
-------------------------------------	---

F & P Bottled Drinking Water	Farzam & Pareesa Water, Canal View Town, C Block, Sahiwal
Pak Aqua Bottled Drinking Water	Filled by Pak Aqua RO Mineral Water, St.#6, Abdul Colony, Faisalabad
Pure Drinking Water	Collected from Nadeem General & Mobile Shop, Quraishi Goth, Sukkur Contact No.0318-8158885
Pure Prime	Pure Prime, A/67, Sindh Small Industrial Estate Near Grid, Sukkur. Contact No.0300-3113646
Natural Pure Life	Collected from Ideal Bakers, Local Board, Sukkur, Contact No.0312-1396123
Aqua Treat Bottled Drinking Water	Processed and Packed by Aqua Treat, Bajra Gari, Kingra Road, Biarwali, Sialkot Contact No.0341-6794317
Al Saha Drinking Water	Processed and Packed by Danish Brothers, Chak Madhar, Said Pur Road, Sialkot Contact No.0321-6113183
Dubai Water bottled Drinking Water	Processed and Packed by Dubai Water ,Madina Town, Near Punjab College, Daska, Sialkot
Pearl	144/6.8km Near Toll Plaza , Super Highway ,Jamshoro
Marvi	Bottled by Marvi Bottle, T.G Ali Road, Matli
Buxton Pure	Collected from Inayatullah, Moiz Wali Traders, Golarchi Road, Badin. Contact No.0333-3893013
Nero Bottled Drinking Water	Warda Enterprises ,House No.8235,Block-C,3 Marla Scheme,100 Foot Road Collected from Shan Sweets and Bakers, Railway Station Road ,Bahawalpur
Dream Pure	Survey No: 212, Deh Konkar, Distt: Malir, Karachi
Mountain Pure Drinking Water	Collected from Two Friends General Store, Near Nadra Office, Malir, Karachi
Asia Healthy Drinking Water	Plot No: G-15, Malir Industry Area, Nad-e-Ali Stop, Karachi
Daily Water Bottled Drinking Water	Collected from Haider Ali General Store, Hyderabad.



Ultra Pak	Kargan Road, Near Jalbani Petroleum Pump, Shehzada Sultan Town, D.G Khan Contact No. 064- 2403232 and 0345-7144486
Premium Safa Purified Water	Danish, Chowk Shah Abbas, Multan Contact No.0311-7125125
Ruha Water	A Product of FSI Enterprise Dera Jammu, Near Imtiaz Chattha Petroleum, Gujranwala to Rasool Nagar Road

INTRODUCTION

Drinking water quality is deteriorating continually due to biological contamination from human waste, chemical pollutants from industries and agricultural inputs. Piped water also gets contaminated because pipes are laid very close to sewerage lines or open drains and cause many serious water borne diseases. It was found that 45% of infant deaths have been attributed to diarrhea and about 60% to overall infectious waterborne diseases in Pakistan. According to the World Health Organization (WHO) 25-30% of the diseases are gastro-intestinal in nature. The poor quality of drinking water has forced a large cross-section of citizens to buy bottled water. As a consequence of this expanding market a mushroom growth of bottled water industry in the country is witnessed during the last few years. However, many of the mineral water companies were found selling contaminated water. To monitor and improve the quality of bottled water, the government of Pakistan has designated the PCRWR as focal point agency.

1. Ministry of Science & Technology informed PCRWR Vide U.O. No. 5(21)-2004-ATA-II dated 17.10.2005 that the Cabinet in its meeting under the chairmanship of Prime Minister directed Ministry of Science & Technology to undertake regular survey-samples of bottled-mineral water and publicize the results on a quarterly basis and follow up with punitive-legal action.
2. Ministry of Science & Technology has assigned the task of quality monitoring of bottled water and publicize the results to PCRWR Vide U.O. No.1(1)-2005-Secy (MoST) dated 8.12.2005.

PCRWR SAMPLING METHODOLOGY

No. of Brands Collected	206	
No. of Cities Targeted (21)	(Islamabad, Rawalpindi, Peshawar, D.G. Khan, Multan, Sargodha, Sahiwal, Faisalabad, Quetta, Tando Jam, Gujranwala, Badin, Sialkot, D.I. Khan, Bahawalpur, Karachi, Lahore, Mianwali, Muzaffarabad, Gilgit and Sukkur)	
Composition of Sampling Team	One Research Officer and one Laboratory Assistants from PCRWR	
Sampling Procedure	Samples of commercially available brands of mineral-bottled water were collected from local market of twenty-one cities of Pakistan. These samples were collected by the senior staff members of National Water Quality Laboratory (NWQL) of PCRWR Head Office and Regional-district Water Quality Laboratories of PCRWR during October-December, 25. A set of four bottles of each brand was collected and sealed on site. Identification codes were allotted to all the brands according to PCRWR Bottled Water Classification System.	
Transparency	Sample No. 1	Handed over to shopkeeper at the time of sample collection;
	Sample No. 2	Preserved in the National Water Quality Laboratory of PCRWR, Islamabad for future record.
	Sample No. 3	Used for Microbiological Analysis
	Sample No. 4	Used for Physico-chemical Analysis



PCRWR BOTTLED WATER CLASSIFICATION SYSTEM

Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Dew Drop	BWV-01	Mianwali	28-10-25	-	1.5 Liter	Malik Arshad Filtration Plant Wandhi Roshan Wali, Shehbaz Street, Mianwali Contact No. 0303-6832068	Malik Arshad Filtration Plant, Mianwali
Ayat	BWV-02	Mianwali	28-10-25	-	1.5 Liter	Haji Nadeem Abbas, Fresco Sweets and Bakers, Larri Adda, Mianwali Contact No. 0345-1034820	Processes and Packed by Sultan and Sons, Masjid Bazgul Khan, Wali Mujahid Town, Mianwali Contact No. 0341-7800515
BroH2O	BWV-03	Mianwali	28-10-25	-	1.5 Liter	Iqbal Farm House, Muslim Colony, Mianwali Contact No. 0300-1299633	Iqbal Farm House, Muslim Colony, Mianwali
Aqua Slim	BWV-04	Mianwali	28-10-25	-	1.5 Liter	Mr. Muhammad Awais Khan, Niaz Tuc Shop, Larri Adda, Mianwali Contact No. 0311-0880088	Hamid Masood Industries, Bhakkr
Mazada Bottled Drinking Water	BWV-05	Sahiwal	29-10-25	09-10-26	0.5	M Imran/Abid Paan Shop, Pakpattan Chowk, Sahiwal Contact No. 0318-3383781	Mazada Foods, Farid Town, Sahiwal
Akoya Water	BWV-06	Sahiwal	29-10-25	15-10-26	0.5	Abid Hussain/ Al Bak Sweets, Pakpattan Road, Sahiwal, Contact No. 0301-4713645	AKJ Group, Usman Block, Okara
F &P Bottled Drinking Water	BWV-07	Sahiwal	29-10-25	17-08-26	0.5	M Ashraf/ Zafar and Sons, Pakpattan Road, Sahiwal Contact No. 0333-6640066	Farzam & Pareesa Water, Canal View Town, C Block, Sahiwal
Freshley Bottled Drinking Water	BWV-08	Sahiwal	29-10-25	13-09-26	0.6	Ayaz Bhatti/ Faiq Paan Shop, Jogi Chowk, Sahiwal Contact No. 0300-9691735	Madina Bottle Plant, Arifwala Road, Pull Fuwara, Bahawalnagar
Seven Star	BWV-09	Sahiwal	29-10-25	20-07-26	0.5	Ali Raza/ Farooq Cold Corner, Railway Road, Sahiwal, Contact No. 0307-8133620	M.A.A Food, Jawad Town, Near DHQ Hospital, Sahiwal



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Aqua Packed Bottled Drinking Water	BWV-10	Sahiwal	29-10-25	15-09-26	0.6	Ghulam Mustafa/ Ghulam Mustafa Cold Corner, Railway Road, Sahiwal, Contact No. 0300-9691033	Nai Abadi, Beside Madina Masjid, Jhal Road, Sahiwal
Glacial Water	BWV-11	Lahore	17-11-25	-	6 Liter	Nouman, 358-E, Johar Town, Lahore Contact No.0307- 4752361	358-E, Johar Town
Sky Rain Bottled Drinking Water	BWV-12	Faisalabad	7-10-25	20-09-26	0.5 Liter	Zain Haq Baho Pan Shop, City Terminal, GTS, Faisalabad Contact No. 0302-2850100	Rai Traders 385-C, Pc#2, Faisalabad Contact No. 0300-0978788
Hr Water	BWV-13	Faisalabad	7-10-25	29-09-26	0.5 Liter	Irfan Gill, Gill Tuck Shop, GTS, Faisalabad Contact No. 0301-7190709	HR Water P-236/B, Gulistan Colony#2, Near Ideal Sweets, Millat Road, Faisalabad
Water Drop	BWV-14	Faisalabad	07-10-25	13-09-26	0.5 Liter	Usman Abdul Sattar Pan Shop, GTS, Faisalabad, Contact No. 0306-4836267	Madina Town, Faisalabad Contact No. 0301-8666561
Deer Drinking Water	BWV-15	Faisalabad	07-10-25	22-09-26	0.5 Liter	Ali GTS Tuck Shop, Near Khan Cargo, GTS, Faisalabad	Deer Food 7 Km, East Canal Rd, Kashmir Bridge, Faisalabad.
Hydra Bottled Drinking Water	BWV-16	Faisalabad	7-10-25	22-08-26	0.5 Liter	Irfan Gill Gill Tuck Shop, GTS, Faisalabad Contact No. 0301-7190709	Hydra Beverages, 208 RB, Faisalabad Contact No. 0300-7144264
Lyallpur Mineral Water	BWV-17	Faisalabad	7-10-25	19-09-26	0.5 Liter	Hamis Nasir, City Tuck Shop, City Terminal, GTS, Faisalabad Contact No. 0307-6733229	Lyallpur Oil Refinery (Pvt) Ltd, 300 Meters, Main Narwala Road, Bypass Chowk, Faisalabad Contact No. 0316-4377777
Pak Aqua Bottled Drinking Water	BWV-18	Faisalabad	07-10-25	9-07-26	0.5 Liter	Faisal Hadi Cook Point, Larri Adda, Faisalabad Contact No. 0306-6020107	Filled by Pak Aqua RO Mineral Water, St.#6, Abdul Colony, Faisalabad



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Best Natural Bottled Drinking Water	BWV-19	Faisalabad	7-10-25	13-06-26	0.5 Liter	M. Hamid Mian Tuck & Pan Shop, GTS, Faisalabad Contact No. 0304-1380443	Bhatti Brothers G. T. Road, Rachna Town, Ferozwala. Contact No. 0300-8162109
Aqua Trust Bottled Drinking Water	BWV-20	Peshawar	11-11-25	-	0.6	Collected from Manufacturing Point	AMR Foods and Beverages – 0300-5996630
Aqua Splash	BWV-21	Peshawar	11-11-25	-	0.6	Collected from Manufacturing Point	Euro International Contact No. 0334-9016051
Aaab-e-Khyber	BWV-22	Peshawar	11-11-25	-	0.6	Collected from Manufacturing Point	I & S International Contact No. 0333-6864036
Bianca	BWV-23	Peshawar	11-11-25	-	0.5	Collected from Manufacturing Point	Bianca Beverages- Contact No. 0301-0099502
Wah Water	BWV-24	Peshawar	11-11-25	-	1.5 Liter	Collected from Manufacturing Point	R&G Enterprises Contact No. 091-5830171
Moya Mineral Water	BWV-25	Peshawar	11-11-25	-	1.5 Liter	Collected from Manufacturing Point	Al-Saudi Enterprises Contact No. 0300-5902266
Aqua Pura Smart	BWV-26	Peshawar	11-11-25	-	1.5	Collected from Manufacturing Point	Khawaja & Sons
Tynant Aqua Bottled Drinking Water	BWV-27	Peshawar	11-11-25	-	1.5	Collected from Manufacturing Point	Khawaja & Sons
Aqwah Prime	BWV-28	Peshawar	11-11-25	-	1.5	Collected from Manufacturing Point	Bottled by: RG Enterprises, Plot No.89-K, Industrial Estate, Hayatabad, Peshawar
Pivrifine	BWV-29	Peshawar	11-11-25	-	1.5	Collected from Manufacturing Point	Pivrifine Foods and Beverages Contact No. 0345-9422034
Nebraska	BWV-30	Peshawar	11-11-25	-	0.6	Collected from Manufacturing Point	Pivrifine Foods and Beverages, Contact No. 0345-9422034
Aqwah Water	BWV-31	Peshawar	11-11-25	-	1.5	Collected from Manufacturing Point	R&G Enterprises 091-5830171
Pure Drinking Water	BWV-32	Sukkur	03-11-25	-	0.5 Liter	Nadeem General & Mobile Shop Quraishi Goth, Sukkur, Contact No. 0318-8158885	-
Murree Sparkletts	BWV-33	Sukkur	03-11-25	2026	0.5 Liter	Shahan Shah Medical Store, Military Road, Sukkur, Contact No. 0345-2133933	Plot No# 10/2, Phase III, Industrial Estate Hattar.



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Pure Prime	BWV-34	Sukkur	03-11-25	-	0.5 Liter	New Bus Terminal, Dhaba Shop, Sukkur Contact No. 0332-1316668	Pure Prime, A/67, Sindh Small Industrial Estate Near Grid, Sukkur. Contact No. 0300-3113646
Natural Pure Life	BWV-35	Sukkur	03-11-25	-	0.5 Liter	Ideal Bakers, Local Board, Sukkur Contact No. 0312-1396123	-
Nayab Pure Life	BWV-36	Sukkur	03-11-25	-	0.5 Liter	Dhaba Point City Point, Sukkur	-
Drinkwell Pure Drinking Water	BWV-37	Sukkur	03-11-25	-	0.5 Liter	Shan Supper Store, Near Hira Hospital Contact No. 0311-3591999	Drinkwell, A Quality Product of ZT Enterprises, Tm 803599 Contact No. 0312-3405770
Salsabeel	BWV-38	Sukkur	03-11-25	-	0.5 Liter	Delicious Bakers, Near BISE, Sukkur	Salsabeel, Plot# A-61/62, Site Labour Colony, Golimar, Sukkur
Miran Drinking Water	BWV-39	Sukkur	03-11-25	-	0.5 Liter	Old Sukkur, Main Bazar, Sukkur Contact No. 0333-3355855	Near Olper Factory Sukkur.
Masafi Pure	BWV-40	Sialkot	20-10-25	22-09-26	0.6 Liter	Hajveri Pharmacy, Commissioner Road, Sialkot	Dalowali, Sialkot
Isberg	BWV-41	Sialkot	22-10-25	01-10-26	0.6 Liter	Roras Road, Sialkot	Roras Road, Sialkot
Aqua Next Bottled Drinking Water	BWV-42	Sialkot	20-10-25	14-07-26	0.6 Liter	Gondal Pan Shop, Sabzi Mandi, Sialkot	Railway Road, Sialkot
Alnoor Pure Water Pure Life	BWV-43	Sialkot	21-10-25	01-06-26	0.6 Liter	Ahmed Ali Basra Pan Shop, Nidoo Kay, Sialkot	7 Km Bhagowall Road, Sialkot
M.Z Water	BWV-44	Sialkot	21-10-25	01-09-26	0.6 Liter	Al Zain Store, Dalowali, Sialkot Contact No. 0320-5873233	Heer Dalowali, Sialkot
Arwa Pak Water	BWV-45	Sialkot	22-10-25	06-09-26	0.6 Liter	New Siraj Pharmacy, Shahb Pur Chowk, Sialkot, Contact No. 052-3256668	Fateh Garh, Sialkot
Mestle Pure Life	BWV-46	Sialkot	22-10-25	15-08-26	0.5 Liter	Noshi Pan Shop, Deewana Wala Chowk, Sialkot	Gujranwala Mks Beverages
Aqua Treat Bottled Drinking Water	BWV-47	Sialkot	20-10-25	09-08-26	0.6 Liter	Qadri Traders, Gopal Pur, Sialkot	Processed and Packed by Aqua Treat, Bajra Gari, Kingra Road, Biarwali, Sialkot Contact No. 0341-6794317



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Lasani Bottled Drinking Water	BWV-48	Sialkot	21-10-25	15-09-26	0.6 Liter	Mehar Jamil Pan Shop, Bhagowall Adda, Sialkot	Pasroor Road, Opp Hockey Stadium, Sialkot
Bake Master Bottled Drinking Water	BWV-49	Sialkot	21-10-25	01-07-26	0.6 Liter	Bake Master, Orray Chowk, Sialkot	Food & Beverages, Marala Road, Sialkot
Aqua Wave Bottled Drinking Water	BWV-50	Sialkot	20-10-25	19-09-26	0.5 Liter	Ahmed Medical Store, Commissioner Road, Sialkot	Ali Pur Road, Wani K Tarar, Sialkot
Aqua Nice Water	BWV-51	Sialkot	20-10-25	01-09-26	0.5 Liter	Bhatti Tuk Shop, Lari Adda, Sialkot Contact No. 0342-2080003	-
Hydr8up Eco Quench	BWV-52	Sialkot	20-10-25	09-08-26	0.6 Liter	Hot Cake Baker, Lari Adda, Sialkot	Airport Road, Kapporwali, Sialkot
Morial Bottled Drinking Water	BWV-53	Sialkot	20-10-25	15-08-26	0.6 Liter	Cake Palace Sweet Bakery, Orray Chowk, Sialkot Contact No. 0331-6124730	Sialkot, Pakistan
Puirefine	BWV-54	Sialkot	20-10-25	09-08-26	0.5 Liter	Cake Palace, Syedian Wala Chowk, Sialkot	Contact No. 0331-6124730
Athar Premium	BWV-55	Sialkot	22-10-25	-	0.6 Liter	Shahab Sweets, Shahab Pura, Sialkot	Ajva Rice Mills, Haji Pura, Sialkot
Myth Pure Life Bottled Drinking Water	BWV-56	Sialkot	20-10-25	01-07-26	0.6 Liter	Cake Palace Sweet Bakery, Orray Chowk, Sialkot Contact No. 0331-6124730	Gunnah Khurd, Sialkot
Lapani Bottled Drinking Water	BWV-57	Sialkot	20-10-25	01-10-26	1.5 Liter	Tariq Tea Stall, Lari Adda, Sialkot	Jamkay Cheema Min Gala, Mandi Road, Sialkot
Al Saha Drinking Water	BWV-58	Sialkot	20-10-25	10-09-26	0.6 Liter	Al-Hamduliilah Store, Fruit Mandi, Sialkot	Processed and Packed by Danish Brothers, Chak Madhar, Said Pur Road, Sialkot Contact No. 0321-6113183
Aqua Zam Bottled Drinking Water	BWV-59	Sialkot	20-10-25	19-03-26	1.5 Liter	Dalowali, Sialkot	Ugoki, Model Town, Sialkot
Life Care Bottled Drinking Water	BWV-60	Sialkot	20-10-25	17-04-26	1.5 Liter	Chacha Nazir Sweet, Hari Pur Chowk, Sialkot Contact No.0300-7148125	Sarwar Abad, Kingra Road, Sialkot
Aqua Dor Purified Drinking Water	BWV-61	Sialkot	20-10-25	15-09-26	0.6 Liter	Dr. Cold Corner, Commissioner Road, Sialkot	Multani Mohallah Butter, Sialkot
Aqua Nice Pure Life	BWV-62	Sialkot	20-10-25	01-09-26	0.5 Liter	Bhatti Tuk Shop, Lari Adda, Sialkot Contact No.0342-2080003	-



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
K&S Aqua Sea	BWV-63	Sialkot	20-10-25	15-09-26	0.6 Liter	Baba Tuc Shop, Commissioner Road, Sialkot	Airport Road, Amric Pura, Sialkot
Pure Aqua Tech Bottled Drinking Water	BWV-64	Sialkot	20-10-25	01-09-26	0.6 Liter	Tauseef Medical Store, Lala Zar Chowk, Sialkot	Roras Road, Sialkot
Pure Vita	BWV-65	Sialkot	22-10-25	15-06-26	0.6 Liter	New Din Pharmacy, Shahab Pura, Sialkot	Roras Road, Sialkot
Al Shalal Bottled Drinking Water	BWV-66	Sialkot	22-10-25	-	0.6 Liter	Usama Pan Shop, Deewana Wala Chowk, Sialkot Contact No. 0300-8615430	Azo Seokay, 14 Km Aminabad road, Sialkot
Pwani Water	BWV-67	Sialkot	22-10-25	01-09-26	0.6 Liter	Bawa G Pan Shop, Nooran Abad, Sialkot	Raja Road Behind Yorkshire Restaurant, Sialkot
Denali	BWV-68	Lahore	17-11-25	-	1.5 Liter	Klinz, Plot #. 10/A, Punjab Small Industrial Estate, Lahore Contact No. 0321-4751111	Klinz, Plot #. 10/A, Punjab Small Industrial Estate,
Dubai Water bottled Drinking Water	BWV-69	Sialkot	20-10-25	20-08-26	0.6 Liter	Cheema Traders Sabzi Mandi Contact No.0300-7157495	Processed and Packed by Dubai Water ,Madina Town, Near Punjab College ,Daska , Sialkot
Kayan Bottled Drinking Water	BWV-70	Sialkot	22-10-25	19-08-26	0.6 Liter	Mehar Din Store, Godh Pur, Sialkot	-
Pure Max Premiun Drinking Water	BWV-71	Sialkot	20-10-25	17-04-26	1.5 Liter	Gunnah Khurd, Sialkot	Gunnah Khurd, Sialkot
Q Water Bottled Drinking Water	BWV-72	Sialkot	22-10-25	01-08-26	1.5 Liter	Dogar Pan Shop, Murad Pur, Sialkot	Airport Road, Godhpur, Sialkot
Gold Aqua Drinking Water	BWV-73	Sialkot	22-10-25	15-09-26	0.6 Liter	Data Traders, Sabzi Mandi, Sialkot Contact No. 0310-7329253	Mudassar Shaheed Road, Sialkot Contact No. 0334-5838532
Aab-e-Haram	BWV-74	Badin	11-11-25	-	0.6 Liter	Shoukat, Awami Medical Store Gharibabad, Badin. Contact No. 0332-3896249	-
Pearl	BWV-75	Badin	11-11-25	-	0.6 Liter	Shoukat, Awami Medical Store Gharibabad Badin. Contact No. 0332-3896249	144/6.8km Near Toll Plaza, Super Highway, Jamshoro
Pure Life	BWV-76	Badin	11-11-25	-	0.5 Liter	Muhkamuddin, Hashmi General Store, Badin Contact No. 0333-2503108	-



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Zalmi	BWV-77	Badin	11-11-25	-	0.6 Liter	Muhkamuddin, Hashmi General Store, Badin Contact No. 0333-2503108	SS Beverages, Co Matli
New Mehran	BWV-78	Badin	11-11-25	Dec 2026	0.6 Liter	M. Riaz, M. Riaz Bakers, Karachi Road, Badin Contact No. 0346-3758323	KB Beverages, Co Matli
Marvi	BWV-79	Badin	11-11-25	01-12-26	0.6 Liter	M. Riaz, M. Riaz Bakers. Karachi Road, Badin Contact No. 0346-3758323	Bottled by Marvi Bottle, T.G Ali Road, Matli
Aqua 111	BWV-80	Badin	10-11-25	-	0.5 Liter	Inayatullah, Moiz Wali Traders, Golarchi Road, Badin. Contact No. 0333-3893013	M/S and Enterprises, Badin Road, Tando Bago
Florina	BWV-81	Badin	10-11-25	-	0.3 Liter	Inayatullah, Moiz Wali Traders, Golarchi Road, Badin. Contact No. 0333-3893013	SS Beverages, Co Matli
Buxton Pure	BWV-82	Badin	10-11-25	-	0.6 Liter	Inayatullah, Moiz Wali Traders, Golarchi Road, Badin. Contact No. 0333-3893013	-
Aab-e-Dhoom	BWV-83	Badin	10-11-25	20-09-26	0.6 Liter	Saddam, Maheen Bakers, Shahnawaz Chowk, Badin Contact No. 0346-5035986	Moinuddin Food & Beverages, Karachi
Pani	BWV-84	Badin	10-11-25	18-09-26	0.5 Liter	Saddam, Maheen Bakers, Shahnawaz Chowk, Badin Contact No. 0346-5035986	Pakistan Bottles, Karachi
H2ope Bottled Drinking Water	BWV-85	Sargodha	19-11-25	15-10-26	0.5 Liter	Bismillah General Store, General Bus Stand, Sargodha, Contact No. 0308-7890886.	Plat No. 155, Multan Industrial Estate, Phase-II, Multan. Contact No. 061-6538854-5
Rut Aab	BWV-86	Sargodha	19-11-25	07-07-26	0.5 Liter	Al-Naveed General Store, Bus Stand Sargodha, Contact No.0345-5991598.	SNS Productions, Chak 70-NB, Jhal Chakian, Sargodha. Contact No.0300-6053829
Aab-e-Roha	BWV-87	Sargodha	19-11-25	01-10-26	0.5 Liter	Mashallah General Store, Bus Stand, Sargodha, Contact No. 0348-6793238	Farooq Colony, Sargodha Cantt. Contact No. 0300-6002157



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
National Bottled Drinking Water	BWV-88	Sargodha	19-11-25	05-11-26	0.5 Liter	Al-Khair General Store, 47-Adda, Sargodha.	Boorat Group of Companies, Faisalabad Road, Sargodha. Contact No. 0308-5228890
Drinkly Pure Drinking Water	BWV-89	Sargodha	19-11-25	10-10-26	0.5 Liter	Taha General Store, Qanchi More, Sargodha, Contact No. 0341-7631866	J Group of Industries, Moazamabad, Near M.K Kino Factory, Adda Sher Wala, Sargodha
Klear Bottled Drinking Water	BWV-90	Sargodha	19-11-25	29-10-26	0.5 Liter	Imran General Store, Noori Gate, Sargodha Contact No. 0308-4218260	Ghani Park, Pull No.03, Sargodha. Contact No. 0347-7454113
Dasani	BWV-91	Bahawalpur	10-11-25	02-11-26	0.5 Liter	Shan Sweets and Bakers, Railway Station Road, Bahawalpur	The Coca Cola Company Pvt Ltd.
Marine Blue	BWV-92	Lahore	17-11-25	-	0.5 Liter	Ibrahim 1.5 Km Defense Road, Kahna Nau, Lahore, Contact No. 0322-4746662	1.5 Km Defense Road, Kahna Nau, Lahore
Gourmet Bottled Drinking Water	BWV-93	Bahawalpur	10-11-25	08-10-26	0.6 Liter	M/S Gourmet Sweet & Bakers, Bahawalpur Contact No.0301-7879724	Gourmet Food, Lahore
Starlite Bottled Drinking Water	BWV-94	Bahawalpur	10-11-25	17-06-26	0.5 Liter	Shan Sweets and Bakers, Railway Station Road, Bahawalpur	Starlite Bottled Drinking Water, Near Zakriya Town, Canal Road, Deewan Pull, Bahawalpur
Nero Bottled Drinking Water	BWV-95	Bahawalpur	10-11-25	20-06-26	0.5 Liter	Shan Sweets and Bakers, Railway Station Road, Bahawalpur	Warda Enterprises, House No. 8235, Block-C,3 Marla Scheme,100 Foot Road
Pineo	BWV-96	Bahawalpur	10-11-25	13-09-26	0.5 Liter	M/S Al-Rehman Pharmacy Opp. Bvh, Bahawalpur Contact No.0300-81611960	Gyzing Pak, Small Industrial Estate, Bahawalpur
Water Next Bottled Drinking Water	BWV-97	Hyderabad	12-11-25	-	0.5 Liter	New Asif Medical Store, Jail Road, Hyderabad	45 Km, Lahore Multan Road, Nathy Khalsa, Kasoor
Vey Forever	BWV-98	Hyderabad	10-11-25	21-10-27	0.6 Liter	Bashir Ahmed Memon, Kayani General Store, Tando Jam	Plot # F-47. Site, Super Highway, Phase II, Scheme 33, Karachi, Pakistan.
Aab-E-Sindh	BWV-99	Hyderabad	12-11-25	24-01-26	0.5 Liter	Lakhair Karyana Store, Gulistan-e-Sajjad, Qasimabad, Hyderabad	-



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Fresh Smart Pure Water	BWV-100	Hyderabad	10-11-25	-	Small	Lakhair Karyana Store, Gulistan-E-Sajjad, Qasimabad, Hyderabad	-
Aqua Fina	BWV-101	Hyderabad	10-11-25	24-10-26	0.5 Liter	National Super Market, Hyderabad.	Pakistan Beverage Ltd. Survey/212, Deh Konker, District Malir, Karachi
Nestle Pure Life	BWV-102	Hyderabad	10-11-25	27-Apr	0.5 Liter	National Super Market, Hyderabad.	Bottle By Nestle Pakistan, Packages Mall, Lahore. 54760 Pakistan
Refine Premium	BWV-103	Hyderabad	12-11-25	20-11-25	0.5 Liter	Lakhair Karyana Store, Gulistan-e-Sajjad, Qasimabad, Hyderabad	Head Office A-84, Tando Meer Ghulam Hussain, Unit No. Latifabad, Hyderabad
Aab-e-Dubai	BWV-104	Hyderabad	10-11-25	10-10-26	0.5 Liter	Haider Ali General Store, Karachi	Aab-e-Dubai, Alpina Water Company
Dream Pure	BWV-105	Hyderabad	12-11-25	20-11-25	0.5 Liter	Jholey Laal General Store, Qasimabad, Hyderabad	Survey No: 212, Deh Konkar, Distt: Malir, Karachi
Oslo	BWV-106	Hyderabad	12-11-25	2026	0.6	GN Shah General Store, Queens Plaza, Qasimabad, Hyderabad	Oslo International, 14 Ramzan Chamber, Dr. Bilomorria Street Off II Chandigarh Road, Karachi,
Maa Jee Purified Drinking Water	BWV-107	Hyderabad	10-11-25	2026	Small	Bashir Ahmed Memon Kayani General Store, Tando Jam	Jacob Road, Hyderabad.
New Daily Water	BWV-108	Hyderabad	10-11-25	-	Small	Haider Ali General Store, Hyderabad.	-
Springley	BWV-109	Karachi	04-11-25	May2026	0.5 Liter	Khan Medical Store, Gulistan Society, Near Stop Murghi Khana, Malir	Qarshi Industries Pvt Ltd, Plot No.56/1-4, Phase I &II, Hattar Industrial Estate, District Haripur, KPK, Pakistan
Pakola	BWV-110	Karachi	05-11-25	08-11-26	0.5 Liter	Prince Milk Shop, Safoora University Road	Mehran Bottles (Pvt.) Ltd.
Nice Pure Max	BWV-111	Karachi	04-11-25	-	0.6 Liter	Khalil Pan Shop & Cold Stop, Khalil Badshah Malir Halt Bus Stop, Malir	-
Naimat Pure Drinking Water	BWV-112	Karachi	04-11-25	01-10-26	0.5 Liter	Sultan Pan Shop & General Store, Main Quaidabad Market, Malir	Skina Enterprises
Aqua Pure	BWV-113	Karachi	04-11-25	-	0.6 Liter	Mohabbat Khan Store, Manzil Pump Near PMC Hospital	-



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Aab-e-Taaza	BWV-114	Karachi	04-11-25	-	0.6 Liter	Ya Allah Madad General Store, Shah Latif 19-B, Bin Qasim, Malir	-
Nature Healthy Life	BWV-115	Karachi	05-11-25	-	0.5 Liter	Jamsheed Dairy & Milk Shop, Opp. Malir Cantt, Gate No: 06	-
Sunlay	BWV-116	Karachi	05-11-25	-	0.6 Liter	Café Al- Noor, Hotel Hub Chowki Bus Stop, Lea Market, Karachi	Hani Patel Enterprises
Indus	BWV-117	Karachi	04-11-25	Before 2027	0.5 Liter	Al- Fazal Shereen Sweet & Nimco, Qazafi Town, Bin Qasim, Malir	H2O Evo Pakistan
Popular H2OPE	BWV-118	Karachi	04-11-25	12-11-26	0.5 Liter	Pak Yaqoob Dairy & General Store, Chota Gate Airport, Karachi	Popular Food Industries Unit-II
Jel Bottled Drinking Water	BWV-119	Karachi	04-11-25	-	0.6 Liter	Plot No. A-79, Industrial Area, Malir, Karachi	Mega Fine Industries
Al Massafi	BWV-120	Karachi	04-11-25	-	0.6 Liter	Two Friends General Store, Near Nadra Office, Malir, Karachi	Al- Masafi Foods, Plot No:532, Malir City
Mountain Pure Drinking Water	BWV-121	Karachi	04-11-25	-	0.6 Liter	Two Friends General Store, Near Nadra Office, Malir, Karachi	-
Pure Valley Finest Drinking Water	BWV-122	Karachi	04-11-25	03-09-26	0.5 Liter	Bilal Medical Pharmacy, Advance Remedy Central Hospital, Star Gate, Karachi	Prime Corporation
Aaab-E-Amaan	BWV-123	Karachi	04-11-25	Dec-26	0.6 Liter	New Sohni Sweet Bakers & Nimco, Malir Halt, Karachi	Quaid Enterprises
Sip Nest Purified Drinking Water	BWV-124	Karachi	05-11-25	-	0.6 Liter	Jeewani Apartment, Near Super Highway, Karachi	Nova Green Associates
Aqua Drop Premium Drinking Water	BWV-125	Karachi	05-11-25	-	0.6 Liter	Pakistan Super General Store, Malir Cantt, Opp. Gate No: 07, Karachi	Aqua Drop
Riva Premium Health Water	BWV-126	Karachi	05-11-25	-	0.6 Liter	-	Dow University Health Care Ojha Campus Main Superco Road, KDA Scheme, Karachi
Quico Bottled Drinking Water	BWV-127	Karachi	05-11-25	-	0.5 Liter	Al- Mehran Medical & General Store, Ayoub Goth Near PCSIR Lab	Quice Food Industries Limited



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Taiba Refreshing Bottled Natural Water	BWV-128	Karachi	05-11-25	05-07-26	0.6 Liter	Mashallah Kakar Hotel, Ayoub Goth Near PCSIR	-
Meher Natural Water	BWV-129	Karachi	05-11-25	25-12-26	0.5 Liter	Quetta Lucky Star Hotel, Safoora University Road, Opp. Khalid Sweet Bakery, Karachi	-
A2Z Purified Drinking Water	BWV-130	Karachi	05-11-25	-	0.6 Liter	Ali General Store & Milk Shop, Raheem View Near Super Highway, Karachi	-
Pearl Natural Water	BWV-131	Karachi	05-11-25	24-09-26	0.5 Liter	Al- Mehran Medical & General Store Ayoub Goth Near PCSIR Lab	-
Asia Healthy Drinking Water	BWV-132	Karachi	05-11-25	02-11-26	0.5 Liter	Jamsheed Dairy & Milk Shop, Opp. Malir Cantt, Gate No: 07	Plot No: G-15, Malir Industry Area, Nade-Ali Stop, Karachi
Aqua Sharav	BWV-133	Karachi	05-11-25	29-10-26	0.5 Liter	Pakistan Super General Store Malir Cantt, Opp. Gate No: 06	RO Plant Pakistan
Mars Drinking Water	BWV-134	Tandojam	10-11-25	-	small	Salar Merchant, Muhammadi Chowk, Hyderabad.	Site Area, Jamshoro.
Daily Water Bottled Drinking Water	BWV-135	Tandojam	10-11-25	-	small	Haider Ali General Store, Hyderabad.	-
Eviano	BWV-136	Muzaffarabad	27-11-25	-	0.5 Liter	Sbtain Medicos, Muzaffarabad	Ajk Foods and Enterprises, B-48 Upper Chattar Housing Scheme, Muzaffarabad Contact No. 0311-2000098
IMMA Mineral Water	BWV-137	Muzaffarabad	27-11-25	-	0.6 Liter	Syed Wajahat Ali, Muzaffarabad, Contact No. 0345-0486257	Ward No.20, Chellah, Muzaffarabad
Smak mineral water	BWV-138	Muzaffarabad	27-11-25	-	0.5 Liter	Muhammad Israel, Contact No.0345-9562787	Bottled by Smak, Near Read Foundation School, Gojra, Muzaffarabad
Aqua Pura	BWV-139	Muzaffarabad	27-11-25	-	0.5 Liter	Mr. Waqas Abbasi Contact No. 0336-0100322	Aqua Pura Mineral Water, Center Plate, Muzaffarabad
Chiltan Pure Water	BWV-140	Quetta	27-11-25	28-10-26	1.5 Liter	Ehsan Sweet & Bakers, Shahbaz Town, Quetta.	M/S Chiltan Pure Water, Main Airport Road, Quetta.



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Flowzen Bottled Drinking Water	BWV-141	Quetta	27-11-25	01-10-26	1.5 Liter	Master Pharmacy, Jinnah Road, Quetta.	M/S Flow Zen, Am Enterprise, Main Road, Majeed Park, Shahdra, Lahore.
Caffena Pure Water Pure Life	BWV-142	Quetta	27-11-25	24-04-26	1.5 Liter	Ahsan Pharmacy, Near ABL Bank, Jinnah Town, Quetta.	M/S Caffena Pure Water
Oxygen Plus	BWV-143	Islamabad	01-12-25	24-02-26	6 Liter	Collected from Manufacturing Point	Plot 86, Street 10, I-9/2, Islamabad
Al Mena	BWV-144	Islamabad	01-12-25	-	6 Liter	Collected from Manufacturing Point	Main Japan Road, Opposite Jinnah Garden, Islamabad Contact No. 0318-1115252
Rupal Water	BWV-145	Islamabad	01-12-25	2025	1.5 Liter	Ahmed Ismail Awan, H-Block, Soan Garden, Islamabad. Contact No. 0336-1157068	-
Puriffine	BWV-146	Islamabad	01-12-25	05-10-26	1.5 Liter	M. Abdullah Contact No. 0301-7698986	Plot no.4, Gagri Road, Japan Road, Sihala, Islamabad
Liqua Premium Water	BWV-147	Islamabad	01-12-25	Oct2025	1.5 Liter	Collected from Manufacturing Point	Ghufran Ahmed, Plot No.5, Chaudhary Huzaifa Plaza Main Double Road, H-Block, Soan Garden Contact No. 0331-5889982
Fresh Spring	BWV-148	Islamabad	01-12-25	25-06-26	350ml	M. Ehtasham-Ul-Hassan Contact No. 0303-6768679	Fresh Spring Foods and Beverages PVT Ltd, Plot No.156, Japan Road, Near Express Highway, Islamabad
Raffino Premium	BWV-149	Islamabad	01-12-25	07-11-26	0.5 Liter	Ahmed Ali Abbasi Contact No. 0340-3787028	M-S Ani Foods and Beverages, Japan Road, Zone 5, P-O, Sihala, Islamabad Contact No. 0322-5252550
Aqua Green	BWV-150	Islamabad	01-12-25	01-12-26	0.6 Liter	M. Abdullah Contact No. 0333-5333191	Aqua Green, Plot No.372 Japan Road, Naval Encourage, Gate No.5, Islamabad
Pacific	BWV-151	Islamabad	01-12-25	07-11-26	0.6 Liter	Aamir Bashir Contact No. 0307-5433874	1 Km Japan Road, Zone V, Islamabad, A Product of Foods & Beverages Pvt Ltd
Hydro Plus	BWV-152	Islamabad	01-12-25	05-10-26	0.6 Liter	Mr. Subhan Ullah Contact No. 0348-9874175	Hydro Plus, Syeda Ayesha Manzil, H Block, Sawan Garden, Islamabad



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Haideri Pure Water	BWV-153	Islamabad	01-12-25	26-11-26	0.6 Liter	Mr. Fazal Abbas, Block H, Soan Garden, Islamabad Contact No. 0345-5671539	-
Aquvo Water	BWV-154	Islamabad	01-12-25	24-11-26	1.5 Liter	Anees Ahmed Contact No. 0343-5030711	Processed & Packed by Aquvo, Service Road, Gangal East, Islamabad Contact No. 0315-8989999
Alpha Pearl	BWV-155	Islamabad	01-12-25	20-10-26	1.5 Liter	Collected from Manufacturing Point	Bottled by alpha pearl, F-12, Golra Road, Bani Stop, Abu Bakar Siddiqui Road, Islamabad Contact No. 0333-1115770
Deosai	BWV-156	Islamabad	01-12-25	-	1.5 Liter	Collected from Manufacturing Point	Mr. Ibrar, Mohammadi Town, Near Islamabad Expressway, Islamabad Contact No. 0311-5127272
Pure Flo	BWV-157	Lahore	17-11-25	-	6 Liter	193-Ali Center, Air Line Society Khyaban-e-Jinnah, Lahore Salman Malik, Contact No. 0323-4134969	193-Ali Center, Air Line Society, Khyaban-e-Jinnah, Lahore
Soloney Nations Water	BWV-158	Islamabad	01-12-25	22-06-26	1.5 Liter	Mr. Raheem Khan, Plot No.2, Street 13, Ghouri Town, Islamabad Contact No. 0346-1565745	Pure Foods & Beverages Pvt Ltd
Maple Plus	BWV-159	Islamabad	01-12-25	07-05-26	1.5 Liter	Mr. Sohail Ahmed, Sohan, Islamabad Contact No. 0306-5252882	Maple Dew Purification Plant, Fahad Bin Zafar Road, Westridge 3, Rawalpindi
Calci Dew	BWV-160	Islamabad	01-12-25	21-06-26	1.5 Liter	Mr. Muhammad Akbar. Contact No. 0343-7532983	Plot No.3, Khasra No. 659 Sohan, Near Khalid Bin Waleed Masjid, Federal Area, Sohan, Islamabad
K&S	BWV-161	Islamabad	01-12-25	05-11-26	1.5 Liter	Mr. Masood Khan Contact No. 0300-6578719	48- F, P&V Scheme, Tarlai, Islamabad Contact No. 0312-5243646



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Softin Green	BWV-162	Islamabad	01-12-25		6 Liter		A product of ayan foods and beverages private limited Contact No. 0332-5472191 Email: softingreen@gmail.com
Seven Streams	BWV-163	Islamabad	01-12-25	-	6 Liter	Collected from Manufacturing Point	Mr. Muhammad Afzal Muzammil, Iqbal Town, Service Road, Islamabad Contact No. 0336- 5508006
Elim Pure Drinking Water	BWV-164	Islamabad	01-12-25	-	6 Liter	Collected from Manufacturing Point	Islamabad Expressway, Near Paradise Complex Kurri Road, Islamabad Contact No. 0334-0105452
Aquarion Water	BWV-165	Islamabad	01-12-25	-	6 Liter	Collected from Manufacturing Point	Mr. Adil Mehmood, Langrial Foods and Beverages Pvt Ltd, Lehtrar Road, Islamabad, Pakistan Contact No. 0347-8470367
Al Muflihoon	BWV-166	D.I.Khan	09-12-25	-	0.5 Liter	Collected from Factory	Faridullah Shah, FST Enterprises, Green Town, Phase 2, Grid Road, D.I. Khan. Contact No. 0336-996-4546
Safi	BWV-167	D.I.Khan	09-12-25	26-11-26	0.5 Liter	Collected from Factory	Dost Muhammad, Darwaish Foods & Beverages, Grid Road, Dera Ismail Khan. Contact No. 0333-8360333
Oriel	BWV-168	Dera Ghazi Khan	16-12-25	17-04-26	0.5 Liter	Shahid Pharmacy, Chowk Churhatta, Near Dr. Suleman Malik. Contact No. 0343-6126665	Near Al Hameed Sweets, Near Pul Shoria, D.G Khan Contact No. 0331-6464678
Pure Drop	BWV-169	Dera Ghazi Khan	16-12-25	23-09-25	0.5 Liter	Yaseen Medical Store, Chowk Churhatta Road, D.G Khan Contact No. 0336-1074851 and 0340-4789260	3_Km Pull Shoria, Jaam Pur Road, D.G Khan. Contact No. 0339-7576774



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Ultra Pak	BWV-170	Dera Ghazi Khan	16-12-25	23-06-25	0.6 Liter	SAAD Pharmacy Chowk Churhatta Near Dr. Suleman Malik Contact No.0310-6380536	Kargan Road Near Jalbani Petroleum Pump, Shehzada Sultan Town, D.G Khan. Contact No. 064-2403232 and 0345-7144486
Aqua + Bottled Drinking Water	BWV-171	Dera Ghazi Khan	16-12-25	06-06-26	0.5 Liter	New Hadi Medical Store, Near Dr. Suleman Malik, Chowk Churhatta, D.G Khan Contact No. 0336-6266942	-
Peaks Pure	BWV-172	Gilgit	27-11-25	01-07-26	1.5 Liter	Collected from Factory	NLI Market, Al- hayat APS
Sujo	BWV-173	Gilgit	16-12-25	16-09-26	1.5 Liter	Collected from Factory	Salar Road, Jutial Gilgit
Gb Aqua Bottled Drinking Water	BWV-174	Gilgit	02-12-25	23-10-26	1.5 Liter	Collected from Factory	Nomel
Frisk	BWV-175	Gilgit	02-12-25	16-08-26	1.5 Liter	Collected from Factory	Gulsher Colony, Konodass Gilgit, GB Pakistan. Contact No. 0336-5551070
Blue Gold	BWV-176	Gilgit	27-11-25	01-10-26	1.5 Liter	Baba-e-Yasin General Store, Saddar Bazar, Gilgit	Punial Chowk, Amphari, Gilgit
Hunza Ulter Water	BWV-177	Gilgit	24-11-25	06-11-26	1.5 Liter	Collected from Factory	Japan Chowk, Karimabad, Hunza
Aqua Way	BWV-178	Gilgit	14-12-25	09-12-26	1.5 Liter	Collected from Factory	Post Office Road, Chilas, District Diامر
Seven Springs	BWV-179	Gilgit	02-12-25	01-10-26	1.5 Liter	Collected from Factory	Zulfiqarabad Khari, Near RCC Bridge, Gilgit
Vividle	BWV-180	Gilgit	16-12-25	16-11-26	1.5 Liter	Nazar General Store, KIU Road, Konodass Gilgit Contact No. 0355-8039989	Near Old China Bridge, Danyore Gilgit
Himalya Natural Spring Water	BWV-181	Gilgit	02-12-25	11-11-26	1.5 Liter	Modern Kashmir Bakers, Neal Chief Court, Konodass, Gilgit	Juglot Goro, Gilgit
Eva Sparkle Bottled Drinking Water	BWV-182	Gilgit	03-12-25	15-07-26	1.5 Liter	Collected from Factory	Near Helicopter Satpara Chowk, Jutial, Gilgit
Premium Safa Purified Water	BWV-183	Multan	9-12-25	21-09-26	0.6 liter	Hamza General Store & Drink Corner, Old Shuja Abad Road, Multan	Danish, Chowk Shah Abbas, Multan Contact No. 0311-7125125



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Classic Purified Water	BWV-184	Multan	09-12-25	03-12-26	0.5 liter	Hi-Tech Medicine Company, Old Shuja Abad Road, Chowk Farooq Pura, Multan	Classic, Industrial Estate No. 01, Multan Contact No. 111-55-77-55
Royal Bottled Drinking Water	BWV-185	Multan	09-12-25	20-09-26	0.5 liter	Ab-Pharmacy, Old Shuja Abad Road, Multan Contact No. 0300-0058679	Royal Water, Old Shuja Abad Road, Farooq Pura, Zubair Colony, Multan Contact No. 0300-7755102
Universal Bottled Drinking Water	BWV-186	Multan	09-12-25	13-09-26	0.6 liter	Ansari Drink Corner, Ld Shuja Abad Road, Multan	Universal Beverages, Plot No. 182, Industrial Estate, Multan
Rocke Water	BWV-187	Multan	9-12-25	01-10-26	0.5 liter	Ghousia Karyana Store, Old Shuja Abad Road, Multan	Rocke International (Pvt.), 11- Zakariya Town Phase-III, Multan
Fresh Taqwa Bottled Drinking Water	BWV-188	Gujranwala	11-12-25	22-11-26	1.5 Liter	Lahore Panshop, Khayali Bypass, Gujranwala, Contact No.0301-2530167	Jannat Zahra Beverages & Foods, Gala Shadman Marriage Hall, St # 1 GT Road, Gujranwala
Royal Pure Aqua	BWV-189	Gujranwala	11-12-25	01-12-26	1.5 Liter	Malhi Panshop, Pindi Bypass, Gujranwala Contact No.0322-8230567	Sardar Town, Sialkot Road, Gujranwala
Dew Drop Bottled Drinking Water	BWV-190	Gujranwala	11-12-25	15-11-26	1.5 Liter	Saad Cold Corner, GT Road, Alipur Chowk, Gujranwala Contact No. 0300-7822567	Ojala & Sons Beverages, Gujranwala Hafizabad Road, Qila Dedar Singh, Gala Rachna College Wala
Ruha Water	BWV-191	Gujranwala	11-12-25	20-09-26	1.5 Liter	Rana Cold Corner, Sialkot Bypass, Gujranwala Contact No. 0346-5048277	A Product of FSI Enterprise, Dera Jammu, Near Imtiaz Chattha Petroleum, Gujranwala to Rasool Nagar Road
Lasani	BWV-192	Gujranwala	11-12-25	22-11-26	1.5 Liter	Gujjar Cold Corner, Nawab Chowk, Gujranwala Contact No. 0321-5122648	Jannat Zahra Beverages & Foods, Gala Shadman Marriage Hall, St # 1 GT Road, Gujranwala
Heaven H₂O	BWV-193	Lahore	17-11-25	-	1.5 Liter	35-C, NFC Society, Phase-1, Lahore Murtaza. Contact No. 0300-4219218	35-C, NFC Society, Phase-1, Lahore
Jami Water	BWV-194	Lahore	17-11-25	-	0.6 Liter	M. Naeem, 318, K-2, Wapda Town, Contact No. 0301-5182132	318, K-2, Wapda Town, Lahore



Brand Name	PCRWR Code	City	Date of Collection	Date of Expiry	Size	Name & Address of Seller-Shop Keeper	Manufacturer's Address on Label
Drinklay	BWV-195	Lahore	17-11-25	-	1.5 Liter	M. Ramzan, 843-F, Jubli Town Contact No. 0300-4706286	843-F, Jubli Town, Lahore
OOS Water	BWV-196	Lahore	17-11-25	-	1.5 Liter	Shahid Nawaz, Shanshah Town, Main Raiwind Road, Adda Plot, Lahore Contact No. 0300-7860863	Shanshah Town, Main Raiwind Road, Adda Plot, Lahore
Dasani	BWV-197	Lahore	17-11-25	-	0.5 Liter	Mohsin Dogar, Dogar Pan Shop Kachi Kothi, Lahore Contact No. 0301-6824000	Syed Muratab Ali Road, Gulberg IV, Lahore
IRHAA Drinking Water	BWV-198	Lahore	17-11-25	-	1.5 Liter	Azam 443-J-3, Johar Town, Lahore Contact No. 0332-4665016	443-J-3, Johar Town, Lahore
Erie Water	BWV-199	Lahore	17-11-25	-	1.5 Liter	Majid Hanif, 99-C2, Punjab Society, Contact No. 0303-6663594	99-C2, Punjab Society, Lahore
Aqua Zoom	BWV-200	Lahore	17-11-25	-	1.5 Liter	12-F1, Main Boulevard Wapda Town, Lahore Contact No. 0322-2922279	12-F1, Main Boulevard Wapda Town, Lahore Contact No. 0322-2922279
Klinz	BWV-201	Lahore	17-11-25	-	1.5 Liter	Klinz, Plot #. 10/A, Punjab Small Industrial Estate, Lahore Contact No. 0321-4751111	Klinz, Plot #. 10/A, Punjab Small Industrial Estate
Aqua Amanzi	BWV-202	Lahore	17-11-25	-	6 Liter	Sami Ullah, 803-G, Q-B Block, Model Town Lahore, 0301-6231687	803-G, Q-B Block, Model Town, Lahore
Trust Drinking Water	BWV-203	Lahore	17-11-25	-	1.5 Liter	Syed Muhammad Naveed, Model Town, 420-G, Block Q, Lahore Contact No. 0307-3339803	Model Town, 420-G, Block Q, Lahore
Mist Water	BWV-204	Lahore	17-11-25	-	1.5 Liter	Ghayur Abbass, Contact No. 0300-9488738	Plot #. 26-A, Block - N, Phase-II, Johar Town, Lahore
Pk Unique Water	BWV-205	Lahore	17-11-25	-	0.5 Liter	M. Jamil Attock Petrol Pump, Raiwind Road, Lahore. Contact No. 0300-4186714	31-B, Mian Shershah Colony, Raiwind Road, Lahore
Sufi Water	BWV-206	Lahore	17-11-25	-	1.5 Liter	M. Ali, 1-B Garden Block, Garden Town, Lahore Contact No. 0300-4576133	1-B Garden Block, Garden Town, Lahore



WATER QUALITY PARAMETERS AND METHODS USED FOR ANALYSIS

Sr. #	PARAMETERS	ANALYTICAL METHOD
1.	Alkalinity (mg-l as CaCO ₃)	2320-B, Titration Method (APHA-24 th edition)
2.	Arsenic (ppb)	AAS Vario 6, Analytik Jena AG
3.	Bicarbonate	2320-B, Titration Method (APHA-24 th edition)
4.	Calcium (mg-l)	3500-Ca, EDTA Titrimetric method (APHA-24 th edition)
5.	Carbonate (mg-l)	2320-B, Titration Method (APHA-24 th edition)
6.	Chloride (mg-l)	4500-cl, Argentometric method (APHA-24 th edition)
7.	Color (TCU)	Sensory Test
8.	Conductivity (μS-cm)	E.C meter, BANTE-890, 2510-B (APHA-24 th edition)
9.	Hardness (mg-l)	2340-C, EDTA Titrimetric method (APHA-24 th edition)
10.	Magnesium (mg-l)	3500-Mg (Calculation Method), APHA-24 th edition
11.	Nitrate Nitrogen (mg-l)	Cd. Reduction (Hach-8171) by Spectrophotometer
12.	Odor	Sensory Test
13.	pH	pH Meter, Hanna Instrument, Model 8519, Italy
14.	Potassium (mg-l)	3500-K, (APHA-24 th edition)
15.	Sodium (mg-l)	3500-Na, (APHA-24 th edition)
16.	Sulfate (mg-l)	4500- SO ₄ ²⁻ , (APHA-24 th edition)
17.	Phosphate (mg-l)	8190 and 8048 (Hach)
18.	Taste	Sensory Test
19.	TDS (mg-l)	E.C meter, BANTE-890, 2510-B (APHA-24 th edition)
20.	Turbidity (NTU)	Turbidity Meter , 2510-B (APHA-24 th edition)
21.	Fluoride (mg-l)	4500-F, SPADNS method
22.	Iron (mg-l)	FerroVer method (HACH Cat. 21057-69)
23.	Total Coliforms(CFU-100ml)	9221-B,C&D, (APHA-24 th edition)
24.	E. coli (CFU-100ml)	9221-B,C&D, (APHA-24 th edition)



WATER QUALITY PERMISSIBLE LIMITS FOR BOTTLED WATER

Sr. #	Parameter	Units	Permissible Limits		
			WHO	IBWA	PSQCA
1.	Alkalinity	(mg-l)	NGVS	NGVS	NGVS
2.	Bicarbonate	(mg-l)	NGVS	NGVS	NGVS
3.	Calcium	(mg-l)	NGVS	NGVS	100
4.	Carbonate	(mg-l)	NGVS	NGVS	NGVS
5.	Chloride	(mg-l)	250	250	250
6.	Color	(TCU)	15	NGVS	5
7.	Conductivity	(μ S-cm)	NGVS	NGVS	NGVS
8.	Fluoride	(mg-l)	1.5	3	0.7
9.	Hardness	(mg-l)	NGVS	NGVS	NGVS
10.	Iron	(mg-l)	0.3	0.3	0.3
11.	Magnesium	(mg-l)	NGVS	NGVS	50
12.	Odor	-	Odorless	NGVS	Unobjectionable
13.	Nitrate-N	(mg-l)	10	10	10
14.	pH	-	6.5-8.5	NGVS	6.5-8.5
15.	Potassium	(mg-l)	NGVS	NGVS	10
16.	Sodium	(mg-l)	200	NGVS	50
17.	Sulfate	(mg-l)	250	250	250
18.	Taste	-	Unobjectionable	NGVS	Unobjectionable
19.	TDS	(mg-l)	1000	500	500
20.	Turbidity	(NTU)	5	NGVS	0.5
21.	Phosphate	(mg-l)	NGVS	NGVS	NGVS
22.	Arsenic	(μ g-l)	10	10	10
23.	Total Coliforms	CFU-100ml	0	0	0
24.	E-Coli	CFU-100ml	0	0	0

WHO World Health Organization
IBWA International Bottled Water Association
PSQCA Pakistan Standards and Quality Control Authority



SUMMARY OF RESULTS OF PCRWR MONITORING

Contaminants of Potential Concerns Found in Bottled Water Brands

Sodium: Safe Limit: 50 parts per million (ppm)					
Sr. No	Brand Name	Code	City of Manufacturing	Unit	Results
1.	Pure Drinking Water	BWV-32	Collected from Sukkur	ppm	78
2.	Pure Prime	BWV-34	Sukkur	ppm	94
3.	Natural Pure Life	BWV-35	Collected from Sukkur	ppm	80
4.	Nero Bottled Drinking Water	BWV-95	Bahawalpur	ppm	160
5.	Daily Water Bottled Drinking Water	BWV-135	Collected from Hyderabad	ppm	64
6.	Premium Safa Purified Water	BWV-183	Multan	ppm	68

TDS: Safe Limit: (500 parts per million (ppm))					
Sr. No	Brand Name	Code	City of Manufacturing	Unit	Results
1.	Nero Bottled Drinking Water	BWV-95	Bahawalpur	ppm	602

Sulphate: Safe Limit: (250 parts per million (ppm))					
Sr. No	Brand Name	Code	City of Manufacturing	Unit	Results
1.	Nero Bottled Drinking Water	BWV-95	Bahawalpur	-	298

Bacteriological: (Total Coliforms, Fecal Coliforms & E Coli) (Safe Limit: 0-100ml)					
Sr. No	Brand Name	Code	City of Manufacturing	Results	
				Total Coliforms (CFU-100ml)	E. Coli (CFU-100ml)
1.	F & P Bottled Drinking Water	BWV-07	Sahiwal	18	Negative
2.	Pak Aqua Bottled Drinking Water	BWV-18	Faisalabad	10	Negative
3.	Pure Prime	BWV-34	Sukkur	14	Negative
4.	Natural Pure Life	BWV-35	Sukkur	08	Negative
5.	Aqua Treat Bottled Drinking Water	BWV-47	Sialkot	12	Negative
6.	Al Saha Drinking Water	BWV-58	Sialkot	10	Negative
7.	Dubai Water bottled Drinking Water	BWV-69	Sialkot	12	Negative
8.	Pearl	BWV-75	Jamshoro	08	Negative
9.	Marvi	BWV-79	Matli	10	Negative
10.	Buxton Pure	BWV-82	Collected from Badin	12	Negative



11.	Dream Pure	BWV-105	Karachi	08	Negative
12.	Mountain Pure Drinking Water	BWV-121	Collected from Karachi	06	Negative
13.	Asia Healthy Drinking Water	BWV-132	Karachi	10	Negative
14.	Ultra Pak	BWV-170	Dera Ghazi Khan	20	Negative

Arsenic: Safe Limit : (10 parts per billion (ppb))					
Sr. No	Brand Name	Code	City of Manufacturing	Unit	Results
1.	Premium Safa Purified Water	BWV-183	Multan	ppb	14.17
2.	Ruha Water	BWV-191	Gujranwala	ppb	24.40

PCRWR TESTING: SAFE BRANDS

Sr. No	Brand Name	Code	Quality (Safe-Unsafe)	
			Chemical	Microbiological
1.	Dew Drop	BWV-01	Safe	Safe
2.	Ayat	BWV-02	Safe	Safe
3.	BroH2O	BWV-03	Safe	Safe
4.	Aqua Slim	BWV-04	Safe	Safe
5.	Mazada Bottled Drinking Water	BWV-05	Safe	Safe
6.	Akoya Water	BWV-06	Safe	Safe
7.	Freshley Bottled Drinking Water	BWV-08	Safe	Safe
8.	Seven Star	BWV-09	Safe	Safe
9.	Aqua Packed Bottled Drinking Water	BWV-10	Safe	Safe
10.	Glacial Water	BWV-11	Safe	Safe
11.	Sky Rain Bottled Drinking Water	BWV-12	Safe	Safe
12.	Hr Water	BWV-13	Safe	Safe
13.	Water Drop	BWV-14	Safe	Safe
14.	Deer Drinking Water	BWV-15	Safe	Safe
15.	Hydra Bottled Drinking Water	BWV-16	Safe	Safe
16.	Lyallpur Mineral Water	BWV-17	Safe	Safe
17.	Best Natural Bottled Drinking Water	BWV-19	Safe	Safe
18.	Aqua Trust Bottled Drinking Water	BWV-20	Safe	Safe
19.	Aqua Splash	BWV-21	Safe	Safe
20.	Aaab-e-Khyber	BWV-22	Safe	Safe
21.	Bianca	BWV-23	Safe	Safe
22.	Wah Water	BWV-24	Safe	Safe
23.	Moya Mineral Water	BWV-25	Safe	Safe
24.	Aqua Pura Smart	BWV-26	Safe	Safe
25.	Tynant Aqua Bottled Drinking Water	BWV-27	Safe	Safe
26.	Aqwah Prime	BWV-28	Safe	Safe
27.	Pivrifine	BWV-29	Safe	Safe
28.	Nebraska	BWV-30	Safe	Safe
29.	Aqwah Water	BWV-31	Safe	Safe
30.	Murree Sparkletts	BWV-33	Safe	Safe
31.	Nayab Pure Life	BWV-36	Safe	Safe
32.	Drinkwell Pure Drinking Water	BWV-37	Safe	Safe
33.	Salsabeel	BWV-38	Safe	Safe



Sr. No	Brand Name	Code	Quality (Safe-Unsafe)	
			Chemical	Microbiological
34.	Miran Drinking Water	BWV-39	Safe	Safe
35.	Masafi Pure	BWV-40	Safe	Safe
36.	Isberg	BWV-41	Safe	Safe
37.	Aqua Next Bottled Drinking Water	BWV-42	Safe	Safe
38.	Alnoor Pure Water Pure Life	BWV-43	Safe	Safe
39.	M.Z Water	BWV-44	Safe	Safe
40.	Arwa Pak Water	BWV-45	Safe	Safe
41.	Mestle Pure Life	BWV-46	Safe	Safe
42.	Lasani Bottled Drinking Water	BWV-48	Safe	Safe
43.	Bake Master Drinking Water	BWV-49	Safe	Safe
44.	Aqua Wave Bottled Drinking Water	BWV-50	Safe	Safe
45.	Aqua Nice Water	BWV-51	Safe	Safe
46.	Hydr8up Eco Quench	BWV-52	Safe	Safe
47.	Morial Bottled Drinking Water	BWV-53	Safe	Safe
48.	Puirefine	BWV-54	Safe	Safe
49.	Athar Premium	BWV-55	Safe	Safe
50.	Myth Pure Life Bottled Drinking Water	BWV-56	Safe	Safe
51.	Lapani Bottled Drinking Water	BWV-57	Safe	Safe
52.	Aqua Zam Bottled Drinking Water	BWV-59	Safe	Safe
53.	Life Care Bottled Drinking Water	BWV-60	Safe	Safe
54.	Aqua Dor Purified Drinking Water	BWV-61	Safe	Safe
55.	Aqua Nice Pure Life	BWV-62	Safe	Safe
56.	K&S Aqua Sea	BWV-63	Safe	Safe
57.	Pure Aqua Tech Bottled Drinking Water	BWV-64	Safe	Safe
58.	Pure Vita	BWV-65	Safe	Safe
59.	Al Shalal Bottled Drinking Water	BWV-66	Safe	Safe
60.	Pwani Water	BWV-67	Safe	Safe
61.	Denali	BWV-68	Safe	Safe
62.	Kayan Bottled Drinking Water	BWV-70	Safe	Safe
63.	Pure Max Premium Drinking Water	BWV-71	Safe	Safe
64.	Q Water Bottled Drinking Water	BWV-72	Safe	Safe
65.	Gold Aqua Drinking Water	BWV-73	Safe	Safe
66.	Aab-e-Haram	BWV-74	Safe	Safe
67.	Pure Life	BWV-76	Safe	Safe
68.	Zalmi	BWV-77	Safe	Safe
69.	New Mehran	BWV-78	Safe	Safe
70.	Aqua 111	BWV-80	Safe	Safe
71.	Florina	BWV-81	Safe	Safe
72.	Aab-e-Dhoom	BWV-83	Safe	Safe
73.	Pani	BWV-84	Safe	Safe
74.	H2OPE Bottled Drinking Water	BWV-85	Safe	Safe
75.	Rut Aab	BWV-86	Safe	Safe
76.	Aab-e-Roha	BWV-87	Safe	Safe
77.	National Bottled Drinking Water	BWV-88	Safe	Safe
78.	Drinkly Pure Drinking Water	BWV-89	Safe	Safe
79.	Klear Bottled Drinking Water	BWV-90	Safe	Safe
80.	Dasani	BWV-91	Safe	Safe
81.	Marine Blue	BWV-92	Safe	Safe
82.	Gourmet Bottled Drinking Water	BWV-93	Safe	Safe
83.	Starlite Bottled Drinking Water	BWV-94	Safe	Safe
84.	Pineo	BWV-96	Safe	Safe
85.	Water Next Bottled Drinking Water	BWV-97	Safe	Safe



Sr. No	Brand Name	Code	Quality (Safe-Unsafe)	
			Chemical	Microbiological
86.	Vey Forever	BWV-98	Safe	Safe
87.	Aab-E-Sindh	BWV-99	Safe	Safe
88.	Fresh Smart Pure Water	BWV-100	Safe	Safe
89.	Aqua Fina	BWV-101	Safe	Safe
90.	Nestle Pure Life	BWV-102	Safe	Safe
91.	Refine Premium	BWV-103	Safe	Safe
92.	Aab-e-Dubai	BWV-104	Safe	Safe
93.	Oslo	BWV-106	Safe	Safe
94.	Maa Jee Purified Drinking Water	BWV-107	Safe	Safe
95.	New Daily Water	BWV-108	Safe	Safe
96.	Springley	BWV-109	Safe	Safe
97.	Pakola	BWV-110	Safe	Safe
98.	Nice Pure Max	BWV-111	Safe	Safe
99.	Naimat Pure Drinking Water	BWV-112	Safe	Safe
100.	Aqua Pure	BWV-113	Safe	Safe
101.	Aab-e-Taaza	BWV-114	Safe	Safe
102.	Nature Healthy Life	BWV-115	Safe	Safe
103.	Sunlay	BWV-116	Safe	Safe
104.	Indus	BWV-117	Safe	Safe
105.	Popular H2OPE	BWV-118	Safe	Safe
106.	Jel Bottled Drinking Water	BWV-119	Safe	Safe
107.	Al Massafi	BWV-120	Safe	Safe
108.	Pure Valley Finest Drinking Water	BWV-122	Safe	Safe
109.	Aaab-e-Amaan	BWV-123	Safe	Safe
110.	Sip Nest Purified Drinking Water	BWV-124	Safe	Safe
111.	Aqua Drop Premium Drinking Water	BWV-125	Safe	Safe
112.	Riva Premium Health Water	BWV-126	Safe	Safe
113.	Quico Bottled Drinking Water	BWV-127	Safe	Safe
114.	Taiba Refreshing Bottled Natural Water	BWV-128	Safe	Safe
115.	Meher Natural Water	BWV-129	Safe	Safe
116.	A2Z Purified Drinking Water	BWV-130	Safe	Safe
117.	Pearl Natural Water	BWV-131	Safe	Safe
118.	Aqua Sharav	BWV-133	Safe	Safe
119.	Mars Drinking Water	BWV-134	Safe	Safe
120.	Eviano	BWV-136	Safe	Safe
121.	IMMA Mineral Water	BWV-137	Safe	Safe
122.	Smak mineral water	BWV-138	Safe	Safe
123.	Aqua Pura	BWV-139	Safe	Safe
124.	Chiltan Pure Water	BWV-140	Safe	Safe
125.	Flowzen Bottled Drinking Water	BWV-141	Safe	Safe
126.	Caffena Pure Water Pure Life	BWV-142	Safe	Safe
127.	Oxygen Plus	BWV-143	Safe	Safe
128.	Al Mena	BWV-144	Safe	Safe
129.	Rupal Water	BWV-145	Safe	Safe
130.	Puriffine	BWV-146	Safe	Safe
131.	Liqua Premium Water	BWV-147	Safe	Safe
132.	Fresh Spring	BWV-148	Safe	Safe
133.	Raffino Premium	BWV-149	Safe	Safe
134.	Aqua Green	BWV-150	Safe	Safe
135.	Pacific	BWV-151	Safe	Safe
136.	Hydro Plus	BWV-152	Safe	Safe
137.	Haideri Pure Water	BWV-153	Safe	Safe
138.	Aquvo Water	BWV-154	Safe	Safe



Sr. No	Brand Name	Code	Quality (Safe-Unsafe)	
			Chemical	Microbiological
139.	Alpha Pearl	BWV-155	Safe	Safe
140.	Deosai	BWV-156	Safe	Safe
141.	Pure Flo	BWV-157	Safe	Safe
142.	Soloney Nations Water	BWV-158	Safe	Safe
143.	Maple Plus	BWV-159	Safe	Safe
144.	Calci Dew	BWV-160	Safe	Safe
145.	K&S	BWV-161	Safe	Safe
146.	Softin Green	BWV-162	Safe	Safe
147.	Seven Streams	BWV-163	Safe	Safe
148.	Elim Pure Drinking Water	BWV-164	Safe	Safe
149.	Aquarion Water	BWV-165	Safe	Safe
150.	Al Mufflihoon	BWV-166	Safe	Safe
151.	Safi	BWV-167	Safe	Safe
152.	Oriel	BWV-168	Safe	Safe
153.	Pure Drop	BWV-169	Safe	Safe
154.	Aqua + Bottled Drinking Water	BWV-171	Safe	Safe
155.	Peaks Pure	BWV-172	Safe	Safe
156.	Sujo	BWV-173	Safe	Safe
157.	Gb Aqua Bottled Drinking Water	BWV-174	Safe	Safe
158.	Frisk	BWV-175	Safe	Safe
159.	Blue Gold	BWV-176	Safe	Safe
160.	Hunza Ulter Water	BWV-177	Safe	Safe
161.	Aqua Way	BWV-178	Safe	Safe
162.	Seven Springs	BWV-179	Safe	Safe
163.	Vividle	BWV-180	Safe	Safe
164.	Himalya Natural Spring Water	BWV-181	Safe	Safe
165.	Eva Sparkle Bottled Drinking Water	BWV-182	Safe	Safe
166.	Classic Purified Water	BWV-184	Safe	Safe
167.	Royal Bottled Drinking Water	BWV-185	Safe	Safe
168.	Universal Bottled Drinking Water	BWV-186	Safe	Safe
169.	Rocke Water	BWV-187	Safe	Safe
170.	Fresh Taqwa Bottled Drinking Water	BWV-188	Safe	Safe
171.	Royal Pure Aqua	BWV-189	Safe	Safe
172.	Dew Drop Bottled Drinking Water	BWV-190	Safe	Safe
173.	Lasani	BWV-192	Safe	Safe
174.	Heaven H ₂ O	BWV-193	Safe	Safe
175.	Jami Water	BWV-194	Safe	Safe
176.	Drinklay	BWV-195	Safe	Safe
177.	OOS Water	BWV-196	Safe	Safe
178.	Dasani	BWV-197	Safe	Safe
179.	IRHAA Drinking Water	BWV-198	Safe	Safe
180.	Erie Water	BWV-199	Safe	Safe
181.	Aqua Zoom	BWV-200	Safe	Safe
182.	Klinz	BWV-201	Safe	Safe
183.	Aqua Amanzi	BWV-202	Safe	Safe
184.	Trust Drinking Water	BWV-203	Safe	Safe
185.	Mist Water	BWV-204	Safe	Safe
186.	Pk Unique Water	BWV-205	Safe	Safe
187.	Sufi Water	BWV-206	Safe	Safe



PCRWR TESTING: UNSAFE BRANDS

Sr. No	Brand Name	Code	Address-Manufacturer	Quality (Safe-Unsafe)	
				Chemical	Microbiological
1.	F & P Bottled Drinking Water	BWV-07	Farzam & Pareesa Water, Canal View Town, C Block, Sahiwal	Safe	Unsafe
2.	Pak Aqua Bottled Drinking Water	BWV-18	Filled by Pak Aqua RO Mineral Water, St.#6, Abdul Colony, Faisalabad	Safe	Unsafe
3.	Pure Drinking Water	BWV-32	Collected from Nadeem General & Mobile Shop, Quraishi Goth, Sukkur. Contact No.0318-8158885	Unsafe	Safe
4.	Pure Prime	BWV-34	Pure Prime, A/67, Sindh Small Industrial Estate Near Grid, Sukkur. Contact No.0300-3113646	Unsafe	Unsafe
5.	Natural Pure Life	BWV-35	Collected from Ideal Bakers, Local Board, Sukkur Contact No.0312-1396123	Unsafe	Unsafe
6.	Aqua Treat Bottled Drinking Water	BWV-47	Processed and Packed by Aqua Treat, Bajra Gari, Kingra Road, Biarwali, Sialkot Contact No.0341-6794317	Safe	Unsafe
7.	Al Saha Drinking Water	BWV-58	Processed and Packed by Danish Brothers, Chak Madhar, Said Pur Road, Sialkot Contact No.0321-6113183	Safe	Unsafe
8.	Dubai Water bottled Drinking Water	BWV-69	Processed and Packed by Dubai Water ,Madina Town, Near Punjab College ,Daska , Sialkot	Safe	Unsafe
9.	Pearl	BWV-75	144/6.8km Near Toll Plaza , Super Highway ,Jamshoro	Safe	Unsafe
10.	Marvi	BWV-79	Bottled by Marvi Bottle, T.G Ali Road, Matli	Safe	Unsafe
11.	Buxton Pure	BWV-82	Collected from Inayatullah, Moiz Wali Traders, Golarchi Road, Badin. Contact No.0333-3893013	Safe	Unsafe
12.	Nero Bottled Drinking Water	BWV-95	Warda Enterprises ,House No.8235,Block-C,3 Marla Scheme,100 Foot Road Collected from Shan Sweets and Bakers, Railway Station Road ,Bahawalpur	Unsafe	Safe
13.	Dream Pure	BWV-105	Survey No: 212, Deh Konkar, Distt: Malir, Karachi	Safe	Unsafe
14.	Mountain Pure Drinking Water	BWV-121	Collected from Two Friends General Store, Near Nadra Office, Malir, Karachi	Safe	Unsafe
15.	Asia Healthy Drinking Water	BWV-132	Plot No: G-15, Malir Industry Area, Nad-e-Ali Stop, Karachi	Safe	Unsafe
16.	Daily Water Bottled Drinking Water	BWV-135	Collected from Haider Ali General Store, Hyderabad.	Unsafe	Safe



Sr. No	Brand Name	Code	Address-Manufacturer	Quality (Safe-Unsafe)	
				Chemical	Microbiological
17.	Ultra Pak	BWV-170	Kargan Road, Near Jalbani Petroleum Pump, Shehzada Sultan Town, D.G Khan Contact No.064- 2403232 and 0345-7144486	Safe	Unsafe
18.	Premium Safa Purified Water	BWV-183	Danish, Chowk Shah Abbas, Multan Contact No.0311-7125125	Unsafe	Safe
19.	Ruha Water	BWV-191	A Product of FSI Enterprise Dera Jammu, Near Imtiaz Chattha Petroleum, Gujranwala to Rasool Nagar Road	Unsafe	Safe

MARKET CONSISTENCY IN TWO NEIGHBORING QUARTERS

Sr. No	Consistent Brands	New Brands	Unavailable Brands
1.	A2Z Pure Drinking Water	Aab-e-Kashmir	Aaab-e-Amaan
2.	Aab-e Dubai	Aab-e-Mughal	Aab-e-Roha
3.	Aab -e-Khyber	Aab-e-Sehat Pure Drinking Water	Aab-e-Sindh
4.	Aab-e-Haram	Afra	Aab-e-Taaza
5.	Al Masafi	Aqua Best	Akoya Water
6.	Al Mena	Aqua Next Bottled Drinking Water	Al Saha Drinking Water
7.	Al Muflihoon	Aqua Plus Bottled Drinking Water	Alnoor Pure Water Pure Life
8.	Al Muflihoon	Aqua Pura Smart	Alpha Pearl
9.	Aab-e-Dhoom	Aqua Slim	Aqua Dor Purified Drinking Water
10.	Al Shalal	Aqua Treat	Aqua Drop Premium Drinking Water
11.	Aqua 111	Aqua Zam	Aqua Nice Water
12.	Aqua Royals	Arwa Pak Bottled Drinking Water	Aqua Pure
13.	Aqua Amanzi	Asas	Aqua Sharav
14.	Aqua Gleam	Awan Crystal	Aqwah Prime
15.	Aqua Green	Bake Parlor	Aqwah Water
16.	Aqua King	Bezoya Natural Mineral Water	Aqua Trust Bottled Drinking Water
17.	Aqua Nest		Aqua Wave Bottled Drinking Water
18.	Aqua Nice Pure Life	Classic Aqua Bliss	Aquarion Water
19.	Athar Premium	Crystal Aqua	Bake Master Drinking Water
20.	Ashaz	D Nova Pure Drinking Water	BroH2O
21.	Asia	Dhoom	Buxton Pure
22.	As Pure Water	Dosoni	Caffena Pure Water Pure Life
23.	Arwa Water	Dream Pure	Chiltan Pure Water
24.	Aquvo	Drink Well Pure Drinking Water	Daily Water Bottled Drinking Water



Sr. No	Consistent Brands	New Brands	Unavailable Brands
25.	Aquafina	Dubai Water	Denali
26.	Aqua Zoom	Eltsen	Dasani
27.	Aqua Way	Eva Sparkle	Deer Drinking Water
28.	Aqua Splash	Fine Premium Drinking Water	Drinkly Pure Drinking Water
29.	Aqua Pura	Florina	Drinkwell Pure Drinking Water
30.	Aqua Packed	Fresh Aqua	Elim Pure Drinking Water
31.	Best Natural	Fresh Life Premium Water	Eviano
32.	Bianca	Fresh Smart	F & P Bottled Drinking Water
33.	Bliss Healthy Life	Frost Water	Flowzen Bottled Drinking Water
34.	Blue Gold	GB Pure	Fresh Taqwa Bottled Drinking Water
35.	Bro H2O	Gulf	Gb Aqua Bottled Drinking Water
36.	Calci Dew	Hafiz Pure Drinking Water	H2ope Bottled Drinking Water
37.	Classic	Himalya Natural Spring Water	Hr Water
38.	Clear	Hydr8 Up Eco Quench	Indus
39.	Dasani	K&S Bottled Drinking Water	Kayan Bottled Drinking Water
40.	Deer Drinking Water	Marine Global	Life Care Bottled Drinking Water
41.	Deosai	Mauz Aqua	Liqua Premium Water
42.	Dew drop	Maya Premium Drinking Water	Lyallpur Mineral Water
43.	Drinklay	My Pure Water	M.Z Water
44.	Eagles Blue	Myth Pure Life	Marine Blue
45.	Erie Water	Nagori	Mars Drinking Water
46.	Essantia	Nuzzle Fresh Water	Marvi
47.	Eva	Oyster	Mazada Bottled Drinking Water
48.	Freshin	Peaks Pure	Meher Natural Water
49.	Fresh Spring	Piyo Pani Bottled Drinking Water	Mestle Pure Life
50.	Frisk	Popupar H2ope	Morial Bottled Drinking Water
51.	Freshley Bottled Drinking Water	Premium Drinking Water	Mountain Pure Drinking Water
52.	Glacial Water	Pure Aqua	Naimat Pure Drinking Water
53.	Gold Aqua Drinking Water	Pure Aqua Tech	Nature Healthy Life
54.	Gourmet	Purifa	Nayab Pure Life
55.	Haideri Pure Water	Q Water	Nero Bottled Drinking Water
56.	Heaven H2O	Rainbow	New Daily Water
57.	Honey Bottled Drinking Water	Risa Mineral Water	Nice Pure Max
58.	Hunza Ulter Water	Rise Drinkly	Oriel
59.	Hydra	Royal Pure Aqua	Pak Aqua Bottled Drinking Water
60.	Hydroplus	RSP	Pani
61.	Iceland	Ruha Water	Pearl Natural Water
62.	Icwell Bottled Drinking Water	Safa Pure Drinking Water Plus	Puirefine
63.	Imma	Shalmani Qatar	Pure Drinking Water
64.	Irhaa Drinking Water	Smart Pure Life	Pure Drop
65.	Isberg	Sobi Aqua Premium Drinking Water	Pure Max Premium Drinking Water



Sr. No	Consistent Brands	New Brands	Unavailable Brands
66.	Jami Water	Soloney Nations Water	Pure Valley Finest Drinking Water
67.	Jel Bottled Drinking Water	Starlite	Pure Vita
68.	K&S Aqua Sea	Super National Bottled Drinking Water	Pwani Water
69.	Klear Bottled Drinking Water	Tynant Aqua Bottled Drinking Water	Quico Bottled Drinking Water
70.	Klinz	Universal Bottled Drinking Water	Refine Premium
71.	Lapani Bottled Drinking Water	Urooj Pure Drinking Water	Rocke Water
72.	Lasani	Vey	Royal Bottled Drinking Water
73.	Maa Jee	Wolga Bottled Drinking Water	Royal Pure Aqua
74.	Maple Plus	Ziist Bottled Drinking Water	Rut Aab
75.	Marwa Green Water		Seven Star
76.	Masafi Pure		Sip Nest Purified Drinking Water
77.	Miran Drinking Water		Smak mineral water
78.	Mist Water		Softin Green
79.	Moya Mineral Water		Taiba Refreshing Bottled Natural Water
80.	Murree Sparkletts		Ultra Pak
81.	Narol Bottled Drinking water		Water Next Bottled Drinking Water
82.	National Bottled Drinking Water		
83.	Natural Pure Life		
84.	Nestle Pure Life		
85.	Nebraska		
86.	New Buxton		
87.	New Mehran		
88.	Natural Aqwah Water		
89.	Noble		
90.	OOS Water		
91.	Oslo		
92.	Oxygen Plus		
93.	Pacific		
94.	Pivrifine		
95.	PK Unique Water		
96.	Pearl		
97.	Pineo Bottled Drinking Water		
98.	Pakola Pure Drinking Water		
99.	Premium Safa Purified Water		
100.	Puriffine		
101.	Purified H2O		
102.	Raffino Premium		
103.	Pure Prime		
104.	Pure Sip Premium Drinking Water		
105.	Pure Flo		
106.	Pure Life		



Sr. No	Consistent Brands	New Brands	Unavailable Brands
107.	Pure Drinking Water		
108.	Pure Aqua Blue		
109.	Riva Premium Health Water		
110.	Rupal Water		
111.	Safi		
112.	Salsabeel		
113.	Seven Springs		
114.	Seven Streams		
115.	Sky Rain		
116.	Sujo		
117.	Spark Plus		
118.	Smart Water		
119.	Springley		
120.	Sufi Water		
121.	Sunlay Premium Drinking Water		
122.	Trust Drinking Water		
123.	Vividle		
124.	Volga		
125.	Wah Water		
126.	Water Drop		
127.	Zalmi		

DISEASE POTENTIAL FROM CONTAMINATED BOTTLED WATER

Sr. No	Contaminant	Diseases Impacts
1.	Bacteriological Contamination	Cholera, Diarrhea, Dysentery, Typhoid etc.
2.	Sodium	Hypertension
3.	Arsenic	Keratosiis, Skin Cancer

CONCLUSIONS

Sr. No	Item	Conclusion	
		No.	% age
1.	Total No. of Brands Collected	206	100
2.	Overall Safe Brands	187	91
3.	No. of Overall Unsafe Brands	19	09
4.	No. of Chemically Safe Brands	199	97
5.	No. of Chemically Unsafe Brands	07	03
6.	No. of Microbiologically Safe Brands	192	93
7.	No. of Microbiologically Unsafe Brands	14	07
8.	No. of Consistent Brands in Market	127	-
9.	No. of Brands Disappeared-Unavailable	81	-
10.	No. of New Brands	74	-

Detailed water quality status of each bottled water brand is available at **Annexure-1**



Annexure-1

Chemical and Microbiological Quality of Bottled/Mineral Water Brands

Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
																		Total Coli forms 0/100ml	E-Coli 0/100ml
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	-	-
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Units	-	NTU		μS/cm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	CFU /100ml	CFU /100ml
Dew Drop	BWV-01	BDL	7.60	398	219	32	19.44	160	30	56	13	0.17	BDL	0.7	BDL	79	0.58	Negative	Negative
Ayat	BWV-02	BDL	7.42	188	103	20	4.86	70	45	21	13	BDL	BDL	0.5	BDL	24	0.57	Negative	Negative
BroH2O	BWV-03	BDL	7.29	363	200	24	21.87	150	80	72	17	0.1	BDL	0.5	0.3	7	0.53	Negative	Negative
Aqua Slim	BWV-04	BDL	7.64	234	129	14	10.93	80	50	36	19	BDL	BDL	0.5	BDL	22	0.91	Negative	Negative
Mazada Bottled Drinking Water	BWV-05	BDL	7.55	398	219	32	4.86	100	100	28	48	BDL	BDL	1.1	BDL	62	1.7	Negative	Negative
Akoya Water	BWV-06	BDL	7.40	325	179	36	12.15	140	50	60	5	0.1	BDL	7.4	BDL	24	2.1	Negative	Negative
F & P Bottled Drinking Water	BWV-07	BDL	7.41	427	235	40	12.15	150	80	60	29	BDL	BDL	1.8	4.1	30	0.5	18	Negative
Freshley Bottled Drinking Water	BWV-08	BDL	7.41	352	194	32	19.44	160	80	55	10	0.1	BDL	0.5	BDL	24	0.5	Negative	Negative
Seven Star	BWV-09	BDL	7.30	395	217	40	14.58	160	70	72	19	BDL	BDL	0.2	BDL	31	1.9	Negative	Negative
Aqua Packed Bottled Drinking Water	BWV-10	BDL	7.41	278	153	32	12.15	130	30	75	3	BDL	BDL	0.3	BDL	BDL	0.93	Negative	Negative
Glacial Water	BWV-11	BDL	7.16	347	204	40	12	150	70	72	18	0.07	BDL	BDL	BDL	20	BDL	Negative	Negative
Sky Rain Bottled Drinking Water	BWV-12	BDL	6.87	243	134	24	4.86	80	20	71	22	0.1	BDL	0.5	BDL	5	0.49	Negative	Negative
Hr Water	BWV-13	BDL	7.01	446	245	36	7.29	120	110	70	48	0.65	BDL	8.2	0.5	17	0.58	Negative	Negative
Water Drop	BWV-14	BDL	7.03	403	222	40	4.86	120	110	48	40	0.12	BDL	0.7	BDL	30	0.77	Negative	Negative
Deer Drinking Water	BWV-15	BDL	7.10	376	207	32	17.01	150	90	46	19	0.6	BDL	1.6	0.5	36	0.74	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	Total Coli forms 0/100ml	E-Coli 0/100ml
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Hydra Bottled Drinking Water	BWV-16	BDL	7.14	412	227	32	12.15	130	60	82	40	0.22	BDL	0.9	BDL	36	0.59	Negative	Negative
Lyallpur Mineral Water	BWV-17	BDL	6.57	374	206	28	24.3	170	160	21	10	0.13	BDL	1.1	BDL	8	0.6	Negative	Negative
Pak Aqua Bottled Drinking Water	BWV-18	BDL	7.18	50	28	6	BDL	15	15	7	5	0.1	BDL	0.7	0.4	BDL	0.57	10	Negative
Best Natural Bottled Drinking Water	BWV-19	BDL	7.20	323	178	32	BDL	80	90	36	40	0.34	BDL	0.5	BDL	26	8.2	Negative	Negative
Aqua Trust Bottled Drinking Water	BWV-20	BDL	7.30	418	230	32	24.3	180	150	5	15	0.33	BDL	1.6	5.2	30	0.88	Negative	Negative
Aqua Splash	BWV-21	BDL	7.20	529	291	40	29.16	220	100	96	22	0.5	BDL	1.5	7	11	0.63	Negative	Negative
Aaab-E-Khyber	BWV-22	BDL	7.43	387	213	40	17.01	170	130	24	17	0.25	BDL	1.5	6	25	0.69	Negative	Negative
Bianca	BWV-23	BDL	7.23	384	211	40	17.01	170	60	72	12	0.18	BDL	0.5	0.1	27	0.52	Negative	Negative
Wah Water	BWV-24	BDL	7.55	343	189	40	12.15	150	120	12	13	0.3	BDL	1.3	4.1	28	0.66	Negative	Negative
Moya Mineral Water	BWV-25	BDL	7.02	456	251	40	19.44	180	130	40	26	0.53	BDL	1.6	4.7	28	0.68	Negative	Negative
Aqua Pura Smart	BWV-26	BDL	7.17	405	223	40	17.01	170	120	35	17	0.2	BDL	0.4	0.5	33	0.54	Negative	Negative
Tynant Aqua Bottled Drinking Water	BWV-27	BDL	7.26	475	261	40	24.3	200	120	48	12	0.26	BDL	1.1	3.4	30	0.73	Negative	Negative
Aqwah Prime	BWV-28	BDL	7.55	352	194	40	12.15	150	120	12	13	0.25	BDL	1.4	4.4	29	0.79	Negative	Negative
Pivrifine	BWV-29	BDL	7.29	420	231	40	24.3	200	80	65	5	BDL	BDL	4.5	4.4	29	0.47	Negative	Negative
Nebraska	BWV-30	BDL	7.26	446	245	40	29.16	220	160	22	8	BDL	BDL	0.5	1.3	34	0.44	Negative	Negative
Aqwah Water	BWV-31	BDL	7.47	336	185	48	7.29	150	70	48	12	0.23	BDL	1.3	0.5	31	0.54	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
																		Total Coli forms 0/100ml	E-Coli 0/100ml
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	-	-
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Pure Drinking Water	BWV-32	BDL	7.33	665	366	48	9.72	160	70	140	78	0.1	BDL	6.8	2.6	45	0.53	Negative	Negative
Murree Sparkletts	BWV-33	BDL	7.45	426	234	48	14.58	180	160	12	17	0.2	BDL	1.1	1.7	30	0.66	Negative	Negative
Pure Prime	BWV-34	BDL	7.85	801	441	40	26.73	210	180	96	94	0.2	BDL	2.7	0.6	78	0.84	14	Negative
Natural Pue Life	BWV-35	BDL	7.27	645	355	40	12.15	150	170	48	80	0.21	BDL	2.8	BDL	70	0.71	08	Negative
Nayab Pure Life	BWV-36	BDL	7.45	559	307	32	36.45	230	120	48	22	BDL	BDL	4.3	BDL	78	2.3	Negative	Negative
Drinkwell Pure Drinking Water	BWV-37	BDL	7.51	463	255	40	24.3	200	140	40	16	0.2	BDL	2.8	BDL	40	0.96	Negative	Negative
Salsabeel	BWV-38	BDL	7.36	277	152	24	14.58	120	50	48	13	0.1	BDL	1.1	BDL	25	2.75	Negative	Negative
Miran Drinking Water	BWV-39	BDL	7.30	308	169	40	BDL	100	80	30	27	0.25	BDL	1.7	BDL	32	4.52	Negative	Negative
Masafi Pure	BWV-40	BDL	7.77	473	260	52	24.3	230	180	36	6	0.13	BDL	0.2	BDL	17	0.9	Negative	Negative
Isberg	BWV-41	BDL	7.57	418	230	40	12.15	150	140	60	32	0.14	BDL	1.5	BDL	BDL	0.75	Negative	Negative
Aqua Next Bottled Drinking Water	BWV-42	BDL	7.55	543	299	32	24.3	180	190	40	42	0.14	BDL	0.2	BDL	28	6.38	Negative	Negative
Alnoor Pure Water Pure Life	BWV-43	BDL	7.72	304	167	24	17.01	130	120	24	18	0.2	BDL	0.2	BDL	12	1.29	Negative	Negative
M.Z Water	BWV-44	BDL	7.53	326	179	40	7.29	130	110	48	20	0.1	BDL	1.3	BDL	BDL	0.27	Negative	Negative
Arwa Pak Water	BWV-45	BDL	7.56	389	214	40	12.15	150	120	48	26	0.2	BDL	1.4	BDL	25	2.57	Negative	Negative
Mestle Pure Life	BWV-46	BDL	7.52	357	196	32	21.87	170	80	72	8	0.2	BDL	0.4	BDL	BDL	0.76	Negative	Negative
Aqua Treat Bottled Drinking Water	BWV-47	BDL	7.70	511	281	28	21.87	160	220	36	48	0.25	BDL	1.8	BDL	BDL	1.16	12	Negative
Lasani Bottled Drinking Water	BWV-48	BDL	7.71	325	179	20	12.15	100	90	36	30	BDL	BDL	0.6	BDL	20	1.15	Negative	Negative
Bake Master Drinking Water	BWV-49	BDL	7.64	282	155	20	14.58	110	40	48	12	0.13	BDL	1	BDL	31	1.62	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	Total Coli forms 0/100ml	E-Coli 0/100ml
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Aqua Wave Bottled Drinking Water	BWV-50	BDL	7.62	228	125	20	4.86	70	60	28	20	0.34	BDL	2	BDL	19	0.61	Negative	Negative
Aqua Nice Water	BWV-51	BDL	7.40	255	140	22	13.36	110	50	60	10	BDL	BDL	1.9	BDL	BDL	0.15	Negative	Negative
Hydr8up Eco Quench	BWV-52	BDL	7.71	512	282	40	26.73	210	230	12	26	BDL	BDL	4.4	BDL	19	2.43	Negative	Negative
Morial Bottled Drinking Water	BWV-53	BDL	7.34	434	239	40	19.44	180	140	36	18	0.1	BDL	0.2	BDL	29	1.17	Negative	Negative
Puirefine	BWV-54	BDL	7.70	367	202	40	9.72	140	100	48	26	0.23	BDL	0.5	BDL	27	0.51	Negative	Negative
Athar Premium	BWV-55	BDL	7.87	453	249	32	17.01	150	200	12	34	BDL	BDL	3.4	BDL	10	0.89	Negative	Negative
Myth Pure Life Bottled Drinking Water	BWV-56	BDL	7.77	292	161	24	9.72	100	90	36	24	BDL	BDL	0.8	BDL	14	0.65	Negative	Negative
Lapani Bottled Drinking Water	BWV-57	BDL	7.73	225	124	24	4.86	80	40	48	16	BDL	BDL	0.8	BDL	7	5.12	Negative	Negative
Al Saha Drinking Water	BWV-58	BDL	7.87	513	282	36	31.59	220	260	12	24	BDL	BDL	3	BDL	BDL	2.49	10	Negative
Aqua Zam Bottled Drinking Water	BWV-59	BDL	7.81	399	219	28	17.01	140	90	56	26	BDL	BDL	0.8	BDL	28	0.68	Negative	Negative
Life Care Bottled Drinking Water	BWV-60	BDL	7.76	457	251	40	14.58	160	120	60	36	BDL	BDL	0.4	BDL	31	0.96	Negative	Negative
Aqua Dor Purified Drinking Water	BWV-61	BDL	7.56	370	204	40	9.72	140	50	72	18	0.1	BDL	1.7	BDL	25	2.1	Negative	Negative
Aqua Nice Pure Life	BWV-62	BDL	7.73	635	349	52	31.59	260	240	60	30	BDL	BDL	3.4	BDL	BDL	7.5	Negative	Negative
K&S Aqua Sea	BWV-63	BDL	7.85	290	160	24	17.01	130	70	48	12	BDL	BDL	0.2	BDL	18	1.2	Negative	Negative
Pure Aqua Tech Bottled Drinking Water	BWV-64	BDL	7.58	462	254	40	24.3	200	125	60	22	BDL	BDL	0.4	BDL	36	0.64	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	Total Coli forms 0/100ml	E-Coli 0/100ml
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Pure Vita	BWV-65	BDL	7.70	512	282	42	18.22	180	150	72	38	0.16	BDL	3.6	BDL	19	5.7	Negative	Negative
Al Shalal Bottled Drinking Water	BWV-66	BDL	7.86	325	179	40	4.86	120	120	24	22	0.28	BDL	3.9	1.2	8	7.6	Negative	Negative
Pwani Water	BWV-67	BDL	7.55	538	296	32	21.87	170	190	36	48	BDL	BDL	0.3	BDL	27	1.2	Negative	Negative
Denali	BWV-68	BDL	7.44	450	247	26	33	200	100	80	20	BDL	BDL	BDL	BDL	28	BDL	Negative	Negative
Dubai Water bottled Drinking Water	BWV-69	BDL	7.85	294	162	20	14.58	110	30	65	16	BDL	BDL	1	BDL	26	0.39	12	Negative
Kayan Bottled Drinking Water	BWV-70	BDL	7.70	347	191	24	17.01	130	140	24	24	0.12	BDL	0.17	BDL	7	2.3	Negative	Negative
Pure Max Premium Drinking Water	BWV-71	BDL	7.83	229	126	20	7.29	80	60	24	17	BDL	BDL	0.3	BDL	23	2.01	Negative	Negative
Q Water Bottled Drinking Water	BWV-72	BDL	7.71	234	129	24	9.72	100	65	20	9	BDL	BDL	0.3	BDL	26	0.62	Negative	Negative
Gold Aqua Drinking Water	BWV-73	BDL	7.67	359	197	40	9.72	140	110	50	24	BDL	BDL	0.4	BDL	7	0.3	Negative	Negative
Aab-e-Haram	BWV-74	BDL	7.84	287	158	32	7.29	110	70	50	18	BDL	BDL	1.5	BDL	6	0.49	Negative	Negative
Pearl	BWV-75	BDL	7.77	232	128	28	4.86	90	60	24	13	BDL	BDL	0.4	BDL	28	0.33	08	Negative
Pure Life	BWV-76	BDL	7.67	239	131	28	4.86	90	70	36	14	0.16	BDL	1.6	BDL	6	0.49	Negative	Negative
Zalmi	BWV-77	BDL	7.89	245	135	12	4.86	50	70	28	35	0.27	BDL	1.1	BDL	16	0.41	Negative	Negative
New Mehran	BWV-78	BDL	7.89	231	127	12	2.43	40	70	24	38	BDL	BDL	1	BDL	18	0.44	Negative	Negative
Marvi	BWV-79	BDL	7.62	264	145	12	9.72	70	90	24	31	BDL	BDL	1.2	BDL	13	0.49	10	Negative
Aqua 111	BWV-80	BDL	7.34	525	289	40	17.01	170	140	36	48	0.37	BDL	2.8	2.2	75	0.45	Negative	Negative
Florina	BWV-81	BDL	7.59	358	197	28	2.43	80	60	60	47	0.43	BDL	1.6	2.2	26	0.42	Negative	Negative
Buxton Pure	BWV-82	BDL	7.47	326	179	20	17.01	120	70	36	20	0.68	BDL	1.4	BDL	41	0.36	12	Negative
Aab-e-Dhoom	BWV-83	BDL	7.78	251	138	32	2.43	90	90	20	14	0.1	BDL	4.6	BDL	8	0.50	Negative	Negative
Pani	BWV-84	BDL	7.48	466	256	28	19.44	150	170	28	38	0.18	BDL	3.5	BDL	28	0.28	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	Total Coli forms 0/100ml	E-Coli 0/100ml
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
H2ope Bottled Drinking Water	BWV-85	BDL	7.60	346	190	40	14.58	160	50	96	10	0.12	BDL	0.3	BDL	BDL	0.82	Negative	Negative
Rut Aab	BWV-86	BDL	7.76	266	146	32	2.43	90	30	62	20	BDL	BDL	1	BDL	18	0.33	Negative	Negative
Aab-E-Roha	BWV-87	BDL	7.53	336	185	40	12.15	150	70	60	14	0.1	BDL	0.6	BDL	27	0.64	Negative	Negative
National Bottled Drinking Water	BWV-88	BDL	7.60	275	151	40	4.86	120	90	24	12	0.2	BDL	0.8	BDL	18	0.42	Negative	Negative
Drinkly Pure Drinking Water	BWV-89	BDL	7.66	322	177	20	4.86	70	100	24	46	0.2	BDL	0.7	BDL	29	2.6	Negative	Negative
Klear Bottled Drinking Water	BWV-90	BDL	7.67	390	215	24	14.58	120	40	88	38	1.1	BDL	0.7	0.1	29	0.44	Negative	Negative
Dasani	BWV-91	BDL	7.67	231	127	24	2.43	70	30	12	22	0.33	BDL	0.7	BDL	65	0.65	Negative	Negative
Marine Blue	BWV-92	BDL	7.18	307	175	40	5	120	70	57	20	0.05	BDL	0.2	0.01	11	1.7	Negative	Negative
Gourmet Bottled Drinking Water	BWV-93	BDL	7.28	431	237	40	9.72	140	80	72	36	BDL	BDL	0.5	BDL	33	0.81	Negative	Negative
Starlite Bottled Drinking Water	BWV-94	BDL	7.38	288	158	32	9.72	120	100	24	10	0.25	BDL	0.5	BDL	7	0.84	Negative	Negative
Nero Bottled Drinking Water	BWV-95	BDL	7.47	1094	602	40	24.3	200	100	96	160	0.3	BDL	8.5	2	298	2.2	Negative	Negative
Pineo	BWV-96	BDL	7.40	468	257	32	17.01	150	120	60	40	BDL	BDL	1.4	BDL	36	0.98	Negative	Negative
Water Next Bottled Drinking Water	BWV-97	BDL	7.40	303	167	36	2.43	100	40	62	26	BDL	BDL	0.2	BDL	31	0.72	Negative	Negative
Vey Forever	BWV-98	BDL	7.56	335	184	40	9.72	140	60	65	14	BDL	BDL	6.8	BDL	26	1.0	Negative	Negative
Aab-e-Sindh	BWV-99	BDL	7.45	239	131	28	7.29	100	70	36	10	BDL	BDL	0.7	BDL	BDL	0.54	Negative	Negative
Fresh Smart Pure Water	BWV-100	BDL	7.27	435	239	32	19.44	160	70	60	30	0.1	BDL	2.5	BDL	70	0.77	Negative	Negative
Aqua Fina	BWV-101	BDL	7.86	233	128	16	7.29	70	25	24	18	BDL	BDL	2	BDL	52	0.68	Negative	Negative
Nestle Pure Life	BWV-102	BDL	7.43	430	237	42	20.65	190	120	40	14	BDL	BDL	0.4	BDL	38	0.83	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
																		Total Coli forms 0/100ml	E-Coli 0/100ml
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	-	-
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Refine Premium	BWV-103	BDL	7.23	344	189	20	14.58	110	20	85	30	BDL	BDL	0.7	1	29	0.64	Negative	Negative
Aab-e-Dubai	BWV-104	BDL	7.28	257	141	24	9.72	100	30	60	18	BDL	BDL	1.5	0.1	20	0.95	Negative	Negative
Dream Pure	BWV-105	BDL	7.47	304	167	24	17.01	130	35	62	11	BDL	BDL	2	0.6	35	1.2	08	Negative
Oslo	BWV-106	BDL	7.38	233	128	20	9.72	90	40	36	11	BDL	BDL	1.9	BDL	27	0.85	Negative	Negative
Maa Jee Purified Drinking Water	BWV-107	BDL	7.34	375	206	24	14.58	120	25	88	34	0.05	BDL	2.2	1.5	40	1.03	Negative	Negative
New Daily Water	BWV-108	BDL	7.24	545	300	40	24.3	200	150	64	33	BDL	BDL	1.2	BDL	38	0.93	Negative	Negative
Springley	BWV-109	BDL	7.49	570	314	44	34.02	250	160	72	22	0.3	BDL	1.9	4.1	26	0.69	Negative	Negative
Pakola	BWV-110	BDL	7.77	409	225	28	12.15	120	100	60	42	0.2	BDL	0.7	1.2	25	0.57	Negative	Negative
Nice Pure Max	BWV-111	BDL	7.57	294	162	12	9.72	70	40	68	34	0.42	BDL	1.6	1.4	9	0.63	Negative	Negative
Naimat Pure Drinking Water	BWV-112	BDL	7.44	295	162	28	9.72	110	30	65	16	0.13	BDL	3.1	0.5	19	0.54	Negative	Negative
Aqua Pure	BWV-113	BDL	7.35	427	235	16	12.15	90	40	82	48	0.21	BDL	3	4.8	22	0.66	Negative	Negative
Aab-E-Taaza	BWV-114	BDL	7.26	397	218	20	9.72	90	50	72	44	0.23	BDL	1.2	5	21	0.65	Negative	Negative
Nature Healthy Life	BWV-115	BDL	7.87	408	224	36	17.01	160	70	62	20	0.2	BDL	1.2	1.3	39	0.75	Negative	Negative
Sunlay	BWV-116	BDL	7.90	231	127	24	4.86	80	20	25	16	BDL	BDL	1	BDL	60	0.66	Negative	Negative
Indus	BWV-117	BDL	7.69	351	193	28	17.01	140	35	96	16	0.1	BDL	0.5	1	BDL	0.59	Negative	Negative
Popular H2OPE	BWV-118	BDL	7.57	304	167	20	17.01	120	40	60	6	0.14	BDL	2.3	BDL	BDL	1.23	Negative	Negative
Jel Bottled Drinking Water	BWV-119	BDL	7.66	234	129	20	12.15	100	50	35	12	0.1	BDL	0.2	BDL	25	0.17	Negative	Negative
Al Massafi	BWV-120	BDL	7.61	370	204	14	13.36	90	50	72	42	0.28	BDL	1.2	3.6	18	0.22	Negative	Negative
Mountain Pure Drinking Water	BWV-121	BDL	7.49	350	193	14	9.72	75	40	65	42	0.12	BDL	1	3.5	18	0.39	06	Negative
Pure Valley	BWV-122	BDL	7.44	213	117	16	9.72	80	50	45	14	0.25	BDL	0.2	0.1	BDL	0.55	Negative	Negative
Aaab-E-Amaan	BWV-123	BDL	7.38	291	160	16	8.50	75	35	65	32	2.2	BDL	0.6	1.2	10	0.45	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
																		Total Coli forms 0/100ml	E-Coli 0/100ml
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	-	-
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Sip Nest Purified Drinking Water	BWV-124	BDL	7.12	395	217	24	14.58	120	50	92	36	0.32	BDL	2.3	0.7	15	0.76	Negative	Negative
Aqua Drop	BWV-125	BDL	7.46	216	119	10	1.215	30	30	45	38	0.2	BDL	1	1.1	18	BDL	Negative	Negative
Riva	BWV-126	BDL	7.33	211	116	22	8.505	90	30	45	8	0.2	BDL	0.5	BDL	17	BDL	Negative	Negative
Quico Bottled Drinking Water	BWV-127	BDL	7.31	265	146	20	9.72	90	30	55	20	0.26	BDL	2.5	BDL	30	BDL	Negative	Negative
Taiba	BWV-128	BDL	7.41	513	282	40	29.16	220	190	20	20	0.31	BDL	2.2	6.7	30	0.18	Negative	Negative
Meher Natural Water	BWV-129	BDL	7.71	409	225	20	12.15	100	50	110	47	0.2	BDL	1	0.6	BDL	0.22	Negative	Negative
A2z Purified Drinking Water	BWV-130	BDL	7.74	351	193	16	9.72	80	100	58	48	0.2	BDL	0.8	1.4	BDL	BDL	Negative	Negative
Pearl Natural Water	BWV-131	BDL	7.41	255	140	20	12.15	100	20	55	12	0.15	BDL	3.3	BDL	28	0.170	Negative	Negative
Asia	BWV-132	BDL	7.34	368	202	40	9.72	140	50	68	22	0.17	BDL	1.8	1	42	0.310	10	Negative
Aqua Sharav	BWV-133	BDL	7.36	282	155	32	4.86	100	75	30	18	0.17	BDL	1.9	1.3	20	0.16	Negative	Negative
Mars Drinking Water	BWV-134	BDL	7.93	435	239	40	19.44	180	70	75	12	0.48	BDL	6.8	BDL	41	0.87	Negative	Negative
Daily Water Bottled Drinking Water	BWV-135	BDL	7.88	415	228	12	7.29	60	90	60	64	0.69	BDL	3.4	4.3	18	0.73	Negative	Negative
Eviano	BWV-136	BDL	7.62	457	251	40	12.15	150	110	60	36	0.52	BDL	1.5	BDL	34	1.11	Negative	Negative
IMMA Mineral Water	BWV-137	BDL	7.65	387	213	40	12.15	150	70	42	10	0.69	BDL	19	BDL	65	2.02	Negative	Negative
Smak mineral water	BWV-138	BDL	7.47	484	266	40	14.58	160	140	48	47	0.17	BDL	0.5	1.9	40	0.75	Negative	Negative
Aqua Pura	BWV-139	BDL	7.60	366	201	40	12.15	150	45	60	20	0.15	BDL	1.5	0.2	64	0.2	Negative	Negative
Chiltan Pure Water	BWV-140	BDL	7.18	317	174	24	14.58	120	50	60	17	0.23	BDL	0.4	0.74	20	0.38	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	Total Coli forms 0/100ml	E-Coli 0/100ml
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Flowzen Bottled Drinking Water	BWV-141	BDL	7.14	312	172	24	14.58	120	50	52	15	0.68	BDL	0.6	BDL	32	0.32	Negative	Negative
Caffena Pure Water Pure Life	BWV-142	BDL	7.15	332	183	28	12.15	120	50	55	19	0.17	BDL	0.5	BDL	29	0.25	Negative	Negative
Oxygen Plus	BWV-143	BDL	6.89	441	243	52	12.15	180	120	48	20	0.15	BDL	1.2	2	30	0.44	Negative	Negative
Al Mena	BWV-144	BDL	7.19	350	193	40	9.72	140	50	72	19	0.33	BDL	1.1	3.1	16	0.27	Negative	Negative
Rupal Water	BWV-145	BDL	7.65	597	328	48	24.3	220	180	24	38	0.31	BDL	2.6	7.2	57	0.38	Negative	Negative
Puriffine	BWV-146	BDL	7.68	356	196	36	12.15	140	110	21	20	0.69	BDL	1.9	3.9	26	0.41	Negative	Negative
Liqua Premium Water	BWV-147	BDL	7.61	334	184	28	14.58	130	70	48	20	0.27	BDL	1	0.7	35	0.24	Negative	Negative
Fresh Spring	BWV-148	BDL	7.60	362	199	28	14.58	130	130	18	28	0.13	BDL	1.2	1	33	0.25	Negative	Negative
Raffino Premium	BWV-149	BDL	7.56	360	198	36	12.15	140	60	55	16	0.12	BDL	1.1	2.1	35	0.30	Negative	Negative
Aqua Green	BWV-150	BDL	7.50	354	195	32	19.44	160	70	66	13	0.18	BDL	1.1	BDL	19	0.35	Negative	Negative
Pacific	BWV-151	BDL	7.54	384	211	28	21.87	160	100	48	15	0.16	BDL	1.6	0.93	20	0.21	Negative	Negative
Hydro Plus	BWV-152	BDL	7.58	385	212	24	24.3	160	90	52	19	0.12	BDL	1	1	36	0.29	Negative	Negative
Haideri Pure Water	BWV-153	BDL	7.46	508	279	12	43.74	210	190	28	24	0.18	BDL	1.7	BDL	29	0.42	Negative	Negative
Aquvo Water	BWV-154	BDL	7.60	322	177	24	14.58	120	50	48	20	0.2	BDL	1	0.8	36	0.19	Negative	Negative
Alpha Pearl	BWV-155	BDL	7.54	312	172	24	14.58	120	45	48	17	0.1	BDL	0.9	3.9	30	0.45	Negative	Negative
Deosai	BWV-156	BDL	7.38	337	185	24	19.44	140	80	48	17	0.1	BDL	1	0.2	28	0.61	Negative	Negative
Pure Flo	BWV-157	BDL	7.23	396	253	44	13	165	65	119	28	BDL	BDL	0.4	BDL	9	2.8	Negative	Negative
Soloney Nations Water	BWV-158	BDL	7.48	348	191	24	21.87	150	80	55	15	0.3	BDL	1.1	0.1	25	0.33	Negative	Negative
Maple Plus	BWV-159	BDL	7.43	334	184	12	26.73	140	140	14	17	BDL	BDL	1.3	0.9	12	0.66	Negative	Negative
Calci Dew	BWV-160	BDL	7.47	308	169	24	12.15	110	60	45	22	BDL	BDL	0.9	4.1	24	0.59	Negative	Negative
K&S	BWV-161	BDL	7.08	350	193	24	21.87	150	80	36	13	0.1	BDL	1	2.1	34	0.20	Negative	Negative
Softin Green	BWV-162	BDL	7.01	522	287	32	31.59	210	150	48	26	0.2	BDL	1.6	1.6	36	0.55	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	Total Coli forms 0/100ml	E-Coli 0/100ml
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Seven Streams	BWV-163	BDL	6.99	426	234	28	24.3	170	110	55	19	0.2	BDL	1.3	BDL	27	0.30	Negative	Negative
Elim Pure Drinking Water	BWV-164	BDL	6.97	217	119	24	4.86	80	60	35	13	0.2	BDL	1.1	BDL	BDL	0.19	Negative	Negative
Aquarion Water	BWV-165	BDL	6.80	348	191	24	14.58	120	70	48	22	0.1	BDL	1	BDL	33	2.2	Negative	Negative
Al Muflihoon	BWV-166	BDL	7.16	263	145	24	12.15	110	30	48	7	0.1	BDL	1.1	BDL	34	1.15	Negative	Negative
Safi	BWV-167	BDL	7.32	287	158	16	14.58	100	100	24	25	0.2	BDL	1.1	BDL	26	0.75	Negative	Negative
Oriel	BWV-168	BDL	7.73	497	273	46	18.22	190	190	24	29	0.1	BDL	5.3	BDL	41	1.58	Negative	Negative
Pure Drop	BWV-169	BDL	7.64	469	258	44	17.01	180	170	20	29	0.2	BDL	5	1.1	37	0.79	Negative	Negative
Ultra Pak	BWV-170	BDL	7.94	404	222	32	7.29	110	110	44	48	0.2	BDL	1.2	BDL	38	1.21	20	Negative
Aqua + Bottled Drinking Water	BWV-171	BDL	7.78	500	275	40	24.3	200	150	60	31	0.5	BDL	6.3	BDL	41	1.64	Negative	Negative
Peaks Pure	BWV-172	BDL	7.44	616	339	60	31.59	280	100	140	18	0.1	BDL	4.4	2.5	12	0.72	Negative	Negative
Sujo	BWV-173	BDL	7.76	108	59	8	BDL	20	20	14	16	BDL	BDL	1.3	BDL	16	0.52	Negative	Negative
Gb Aqua Bottled Drinking Water	BWV-174	BDL	7.54	306	168	40	4.86	120	40	48	14	BDL	BDL	2.5	2	35	0.48	Negative	Negative
Frisk	BWV-175	BDL	7.43	321	177	32	4.86	100	60	48	31	BDL	BDL	1.7	1.5	34	0.37	Negative	Negative
Blue Gold	BWV-176	BDL	7.20	465	256	40	24.3	200	130	55	18	BDL	BDL	0.8	BDL	30	0.22	Negative	Negative
Hunza Ulter Water	BWV-177	BDL	7.45	185	102	12	4.86	50	30	40	20	0.1	BDL	1.5	BDL	12	0.44	Negative	Negative
Aqua Way	BWV-178	BDL	7.32	380	209	28	19.44	150	140	12	20	0.2	BDL	1.2	0.3	30	0.27	Negative	Negative
Seven Springs	BWV-179	BDL	7.43	172	95	20	2.43	60	40	18	12	0.2	BDL	2.5	2.7	18	0.38	Negative	Negative
Vividle	BWV-180	BDL	7.68	108	59	8	BDL	20	25	14	16	0.1	BDL	1.3	BDL	11	0.53	Negative	Negative
Himalya Natural Spring Water	BWV-181	BDL	7.38	436	240	40	24.3	200	90	45	10	0.2	BDL	6.6	0.3	75	0.24	Negative	Negative
Eva Sparkle Bottled Drinking Water	BWV-182	BDL	7.71	862	474	100	31.59	380	210	30	27	0.3	BDL	8.1	1.3	169	0.33	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	Total Coli forms 0/100ml	E-Coli 0/100ml
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Premium Safa Purified Water	BWV-183	BDL	7.57	507	279	40	2.43	110	150	24	68	0.3	BDL	5.6	1.4	68	14.17	Negative	Negative
Classic Purified Water	BWV-184	BDL	7.86	428	235	20	19.44	130	100	48	35	0.2	BDL	2.3	BDL	36	3.3	Negative	Negative
Royal Bottled Drinking Water	BWV-185	BDL	7.33	298	164	32	4.86	100	110	14	23	0.3	BDL	1	BDL	19	0.85	Negative	Negative
Universal Bottled Drinking Water	BWV-186	BDL	7.80	352	194	20	17.01	120	120	18	25	0.1	BDL	1.1	BDL	26	0.97	Negative	Negative
Rocke Water	BWV-187	BDL	7.61	433	238	36	19.44	170	70	65	27	0.1	BDL	1.5	BDL	27	1.6	Negative	Negative
Fresh Taqwa Bottled Drinking Water	BWV-188	BDL	7.66	303	167	40	7.29	130	60	64	10	0.2	BDL	1.3	BDL	BDL	0.60	Negative	Negative
Royal Pure Aqua	BWV-189	BDL	7.60	592	326	40	29.16	220	260	12	37	0.4	BDL	6.4	BDL	26	8.9	Negative	Negative
Dew Drop Bottled Drinking Water	BWV-190	BDL	7.83	115	63	8	2.43	30	25	12	12	0.1	BDL	1.2	BDL	16	3.7	Negative	Negative
Ruha Water	BWV-191	BDL	7.47	271	149	20	12.15	100	120	14	16	0.2	BDL	4	BDL	BDL	24.4	Negative	Negative
Lasani	BWV-192	BDL	7.13	304	167	20	19.44	130	50	72	10	0.15	BDL	1.1	0.4	BDL	0.59	Negative	Negative
Heaven H ₂ O	BWV-193	BDL	7.31	352	207	44	5	130	100	44	27	0.04	BDL	0.3	BDL	27	1.2	Negative	Negative
Jami Water	BWV-194	BDL	7.24	352	219	40	15	160	80	72	19	0.03	BDL	BDL	0.03	25	BDL	Negative	Negative
Drinklay	BWV-195	BDL	7.06	316	182	36	7	120	50	54	18	BDL	BDL	0.2	0.03	36	BDL	Negative	Negative
Oos Water	BWV-196	BDL	7.13	391	176	44	5	130	80	50	17	0.09	BDL	BDL	BDL	12	1.6	Negative	Negative
Dasani	BWV-197	BDL	6.95	292	176	18	13	100	80	16	27	0.12	BDL	0.4	BDL	53	BDL	Negative	Negative
Irhaa Drinking Water	BWV-198	BDL	7.16	338	197	28	15	130	55	85	22	BDL	BDL	BDL	0.11	14	BDL	Negative	Negative
Erie Water	BWV-199	BDL	7.16	351	211	30	17	145	70	76	25	0.08	BDL	0.4	BDL	21	1.2	Negative	Negative
Aqua Zoom	BWV-200	BDL	7.08	419	264	46	9	150	130	62	39	0.05	BDL	0.6	0.10	29	BDL	Negative	Negative
Klinz	BWV-201	BDL	7.23	427	268	44	15	170	60	109	37	0.03	BDL	0.2	0.01	27	1.6	Negative	Negative

PCRWR QUARTERLY REPORT-BOTTLED WATER QUALITY



Brand Name	Brand Code	Turbidity	pH	EC	TDS	Ca	Mg	Hard	HCO ₃	Cl	Na	F	Fe	K	NO ₃	SO ₄	As	Microbiological Contaminants	
																		Total Coli forms 0/100ml	E-Coli 0/100ml
PSQCA Bottled Water Standards	-	0.5	6.5 - 8.5	NGVS	500	100	50	NGVS	NGVS	250	50	0.7	0.3	10	10	250	10	-	-
Detection Limits	-	0.2	0.02	0.287	-	2	1	5	5	2	1	0.03	0.03	0.2	0.06	0.4	0.1	-	-
Aqua Amanzi	BWV-202	BDL	6.99	292	166	38	6	120	55	53	17	0.02	BDL	BDL	BDL	19	2.2	Negative	Negative
Trust Drinking Water	BWV-203	BDL	7.04	286	167	36	7	120	80	43	15	0.05	BDL	BDL	BDL	18	BDL	Negative	Negative
Mist Water	BWV-204	BDL	7.22	354	204	20	17	120	150	23	35	0.04	BDL	0.5	BDL	18	BDL	Negative	Negative
Pk Unique Water	BWV-205	BDL	7.26	347	217	36	12	140	90	65	27	0.04	BDL	0.3	BDL	23	2.6	Negative	Negative
Sufi Water	BWV-206	BDL	7.13	369	213	48	10	160	65	79	19	BDL	BDL	BDL	BDL	18	BDL	Negative	Negative